Summary by Categories	Operating Fund	Operating Fund - SRF Eligible	Operating Fund - Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal Funds	Improvement Fund	Improvement Fund - Federal Funds	Total
I - Research and Development	2,660,000	-	-	-	-	-	-	2,660,000
II - Renewal and Replacement								
A. Pumps	7,200,000	-	3,800,000	-	-	3,200,000	2,500,000	16,700,000
B. Reservoirs	-	_	 -	-	-	3,500,000	, , -	3,500,000
C. Pipeline	4,075,000	_	-	-	-	58,350,000	-	62,425,000
D. Treatment	2,000,000	-	-	-	-	-	-	2,000,000
E. Facilities	19,600,000	3,100,000	2,500,000	-	-	-	-	25,200,000
Category II - sub-total	32,875,000	3,100,000	6,300,000	-	-	65,050,000	2,500,000	109,825,000
III - Capacity Expansion A. Pumps B. Reservoirs C. Pipeline D. Treatment E. Facilities Category III - sub-total	3,000,000 3,000,000	- - - - -	- - - - -	100,000 37,200,000 2,150,000 - - 39,450,000	- 10,700,000 - - - 10,700,000	- - - - 3,500,000 3,500,000	- - - - -	100,000 37,200,000 12,850,000 - 6,500,000 56,650,000
Total Categories I - III	38,535,000	3,100,000	6,300,000	39,450,000	10,700,000	68,550,000	2,500,000	169,135,000
Construction Cost Index Adjustment	2,952,500	310,000	630,000	3,640,000	1,070,000	6,300,000	250,000	15,152,500
Contract Adjustment Account	17,300,000	-	-	-	-	-	-	17,300,000
Capital Improvement Program Total	58,787,500	3,410,000	6,930,000	43,090,000	11,770,000	74,850,000	2,750,000	201,587,500

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
I. Research and Develo	<u>pment</u>									
1. Construction Management for Various BWS Construction Projects	Provide construction management and training services for selected BWS construction projects.	P&E	2,000,000	-	-	-	-	-	-	2,000,000
2. Pipeline Condition Assessment	Condition assessment of transmission pipelines as identified by the InfoMaster decision frame work.	P&E	100,000	-	-	-	-	-	-	100,000
3. Kunia Wells IV Exploratory Wells	Drill, install, test pump and sample three exploratory wells (TMK 9-2-001:014 or TMK 9-4-003:010).	P&E	200,000	-	-	-	-	-	-	200,000
4. Manoa Well II Exploratory Well	Drill and case replacement exploratory well at existing Manoa Wells II Station (TMK: 2-9-054:033).	P&E	200,000	-	-	-	-	-	-	200,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
5. Waikele Gulch Exploratory Well Environmental Assessment	Prepare Environmental Assessment for three (3) exploratory wells at Waikele Gulch.	P&E	160,000	-	-	-	-	-	-	160,000
Total Category I - Research and Development			2,660,000		<u>-</u>			<u>.</u>		2,660,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
II. Renewal and Replac	<u>ement</u>									
A. Pumps										
6. Waihee Line Booster: Replace Pumping Units	Remove all eight (8) booster pumps including pumps, motors, piping, valves, concrete supports, gauges, and all electrical components. Install two (2) new booster pumps and new free flow lines including piping, control valves, flow tubes, elevated steel platform, MCC, and appurtenant electrical equipment. Install new backfeed line connecting Waihee and Punaluu systems.	Const		-	3,800,000	-				3,800,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds		Improvement Fund- Federal Funds	Total
7. Mariners Ridge Booster No. 2 Renovation	Remove and replace the two (2) existing booster pumps including piping, valves, flow tube, instrumentation, and appurtenant work. Install two new station isolation valves. Replace MCC including all of the motor starters. Replace transformer. Remove existing concrete block openings and louver windows and replace with hurricane proof windows and insect screens.	Const	-		-	-	-	-	2,500,000	2,500,000

	Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
•	3. Kunia Wells III Renovation	Replace MCC, replace Pump No. 1 and associated above ground piping and valves. Replace above ground piping and valves for Pumps Nos. 2 and 3. Replace flow tube and associated above ground piping, repair and repaint holding tank, and replace compressor and associated tank. Install concrete walkway, repaint building, provide new gutters and downspouts, replace window screens, and other miscellaneous building and site work.	Const	-	-	-	-		3,200,000		3,200,000
!	9. Pump Renewal and Replacement	Renewal and replacement of various BWS pumps and plant facilities.	Const	5,500,000	-	-	-	-	-	-	5,500,000

Board of Water Supply Capital Improvement Program FY 2021 Budget Amendment No. 1 (September 28, 2020)

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
10. Wilder Wells Starter Upgrades and Facility Repairs	Install starter upgrades and well station repairs.	P&E	500,000	-	-	-	-	-	-	500,000
11. Kalihi Shaft MCC Replacement	Remove and replace MCC, two pump units including piping, valves, instrumentation and appurtenances within the shaft facility.	P&E	700,000	-		-		-	-	700,000
12. Pump Renewal and Replacement	Renewal and replacement of various BWS pumps and plant facilities.	P&E	500,000	-		-		-	-	500,000
Pumps Total			7,200,000	-	3,800,000	-	-	3,200,000	2,500,000	16,700,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds		Improvement Fund- Federal Funds	Total
3. Reservoirs 13. Kapaa 272 Reservoir	Install 1.0 MG reservoir and appurtenances, and	I Const	-	-	-	-	-	3,500,000	-	3,500,000
Replacement Reservoirs Total	demolish existing 2.0 MG reservoir.		-	-	-	-	-	3,500,000		3,500,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
C. Pipelines										
14. Wahiawa Water System Improvements, Part IV	Install 16-inch mains and appurtenances along Nichols Street from Glen Avenue to Eames Street; and along Eames Street from Uuku Street to Nichols Street - approx. 1,620 lin. ft. Install 8-inch mains and appurtenances along Lehua Street from Kilani Avenue to end; along Koa Street from Kilani Avenue to Auwai Drive; along Eames Street from Nichols Street; along Eames Street from Glen Avenue to 1746 Eames Street; along Glen Avenue from Eames Street to Glenview Place; along Royal Palm Drive from Nichols Street to Glen Avenue; along Turner Street from Royal Palm	Const						18,500,000		18,500,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund- Federal Funds	Total
Wahiawa Water System Improvements, Part IV (continued)	along Glenview Place from Glen Avenue to end; along Wonderview Place from Glenview Place to end; along Kanoelehua Place from Glen Avenue to end; along Hakuone Street from Hakuone Place to end; along Hakuone Place from Hakuone Street to end; along Hill Drive from California Avenue to Puu Place; along Puu Place from Nakeke Place to end; along Leilehua Road from 90 feet south of FH C00722 to end; along Leimomi Place from Leilehua Road; along Alai Place from Leilehua Road to end; along Laniloa Place from Leilehua Road to end; along Laniloa Place from Leilehua Road to end; along Lena Place from								

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
Wahiawa Water System Improvements, Part IV (continued)	along Mie Place from Laniloa Place to end; along the side road north of FH C00216 from Glen Avenue to end; along the side road south of FH C00380 from Glen Avenue to end; along side road north of FH C00217 from Glen Avenue to end; and along the side road north of FH C00329 from Lakeview Circle to end - approx. 14,570 lin. f									

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
15. Pearl City Water System Improvements, Part IV	Install 12-inch mains and appurtenances along Huikahi Street, from Hoolehua Street to Hoolaulea Street - approx. 940 lin. ft. Install 8-inch mains and appurtenances along Palamoi Street, from Kuahaka Street to end of 8-inch main near FH L02004; along Panee Street, from Palamoi Street to Kaweloka Street; along Kaweloka Street; along Kaweloka Street, from Panee Street to Palamoi Street; along Kalauipo Street; along Kalauipo Street; along Kalauipo Place, from Kalauipo Street to end; along Kalai Place, from Kalauipo Street to end; along Maiha Circle, from Waimano Home Road to end;							13,500,000		13,500,000

Project Title	Description	Type	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
Pearl City Water System Improvements, Part IV (continued)	along Maiha Place, from Maiha Circle to end; along Hoohoihoi Street, from Hoomoana Street to end; along Hoohoihoi Place, from Hoohoihoi Street to end; along Hoowae Street, from Hoohoihoi Street to Hoolele Street; along Hoomalolo Street, from Hoomoana Street to Hoolaulea Street; along Hoolele Street; along Hoolele Street; along Hoolaulea Street; along Hoomalolo Street; along Hoomoana Street to Hookeikei Street; along Komo Mai Drive to Hookeikei Street; along Komo Mai Drive, from Hoolehua Street to Hoolaulea Street; and along Hoolehua Street, from Komo Mai Drive to end of cast iron pipe - approx. 16,420 lin. ft. Install 4-inch mains and appurtenance along Maiki Place from Maiha Circle to end - approx. 125 lin. ft.									

Project Title	Description	Type	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
16. Wikao Street 12- Inch Water Main	Install 12-inch main and appurtenances along Wikao Street from Melemanu 808 Reservoir to Waikalani Drive - approx. 1,200 lin. ft. Restore connection of the Melemanu 808 Reservoir to the Mililani-Wahiawa 808 water system.		-	-	-	-	-	2,500,000	-	2,500,000
17. McArthur Street 8-Inch Water Main	Install 8-inch mains and appurtenances along McArthur Street, from Mill Street to Waianae Valley Road - approx. 1,500 lin. ft. Install 8-inch and 4-inch mains and appurtenances along Kawili Street, from Ihuku Street to end; and along Alamihi Street, from Kawili Street to end - approx. 1,900 lin. ft.	Const	-	-	-	-		3,000,000	-	3,000,000

	Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
18.	Kapolei Parkway 12-Inch Water Main	Install 12-inch mains and appurtenances along Kapolei Parkway, from Park Row to Kolowaka Drive - approx. 1,100 lin. ft.	Const	-	-	-	-	-	1,100,000	-	1,100,000
19.	Beretania Street Inactivate 12- Inch Blow-Off Main	Inactivate the existing 12- inch blow-off main and appurtenances at the intersection of Beretania Street and Kalakaua Avenue.	Const	250,000	-	-	-	-	-	-	250,000
20.	Service Lateral Replacement at Various Locations	Install and replace service laterals at various locations.	Const	500,000	-	-	-	-	-	-	500,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
21. New Service Lateral Installations at Various Location	Install new service laterals at various locations.	Const	1,875,000	-	-	-	-	-	-	1,875,000
		P&E	500,000	-	-	-	-	-	-	500,000
22. Auloa Road and Ulukahiki Street 16-Inch Main	Install 16-inch mains and appurtenances along Auloa Road, from FH W03044 to Kalanianaole Highway; and along Ulukahiki Street, from Kalanianaole Highway to Kailua Road - approx. 7,635 lin. ft. Install 8-inch main along Ulukahiki Street, from near Manu Aloha Street to Kailua Road – approx. 250 lin. ft.	Const	-	-	-	-	-	10,000,000	-	10,000,000

							Special Expendable	:		
Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
23. Water Main Installation & Replacement	Install and replace water mains at various locations.	Const	100,000	-	-	-	-	-	-	100,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
23A Lanikai Water System Improvements, Part II	Install 16-inch mains and appurtenances along Kalaheo Avenue from Kailua Road to Lihiwai Road; along Lihiwai Road from Kalaheo Avenue to Kawailoa Road; and along Kawiloa Road from Lihiwai Road to Popola Road – approximately 1,450 lin. ft. Install 8-inch mains and appurtenances along Kawailoa Road from Alala Road to end; along Alala Road from Kawailoa Road to FH W02578; and along Mokolea Drive from Aalapapa Drive to TMK 4-3-004:018 – approximately 1,850 lin. ft. Install 4-inch mains and appurtenances along Koohoo Place from TMK 4-3-005:040 to end – approximately 100 lin. ft.	Const						4,200,000		4,200,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
24. Kaimuki Avenue Area Water System Improvements	Install 8-inch mains and appurtenances along Maunaloa Avenue, from 16th Avenue; along Kaimuki Avenue; along Kaimuki Avenue, from 16th Avenue to 21st Avenue; along Pahoa Avenue, from 18th Avenue to 150 feet beyond FH M03591; along 17th Avenue, from Kilauea Avenue to Kaimuki Avenue; along 18th Avenue, from Kaimuki Avenue to Pahoa Avenue; along 19th Avenue, from Maunaloa Avenue to Pahoa Avenue, from Maunaloa Avenue to Pahoa Avenue, from Maunaloa Avenue to Pahoa Avenue - approx.	P&E				-		1,100,000		1,100,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
25. Aiealani Place and Welelau Place 8-Inch Main	Install 8-inch mains and appurtenances along Aiealani Place, from Halawa Heights Road to end and along Welelau Place, from Hoapono Place to end - approx. 1,000 lin. ft. Install 8-inch PRV and appurtenances along Halawa Heights Road, between Aiealani Place and Fernridge Place.	P&E	-	-	-	-	-	250,000	-	250,000
26. Prince Edward Street and Koa Avenue 8-Inch Mains	Install 8-inch mains and appurtenances along Prince Edward Street, from Kaiulani Avenue to Liliuokalani Avenue; and along Koa Street, from Kaiulani Avenue to Liliuokalani Avenue - approx. 2,050 lin. ft.	P&E	-	-	-	-	-	400,000	-	400,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
27. Lower Mariners Ridge Water System Improvements	Install 12-inch mains and appurtenances along Kaluanui Road, from Kaloaloa Street to Kaluanui Place - approx. 1,460 lin. ft. Install 8-inch mains and appurtenances along Kaloaloa Street, from Kaahue Street to Kaluanui Road; along Kaloaloa Street to Kaluanui Road; and along Kaluanui Place from Kaluanui Road to Kaluanui Way - approx. 2,885 lin. ft. Install 8-inch and 4-inch mains and appurtenances along Kawaiki Place, from Kaahue Street to end; along Kapoho Place, from Kaahue Street to end; along Kapapala Place, from Kaahue Street to end; along Kapoho Place, from Kaahue Street to End; along Kaohe Place, from Kaahue Street to End; along Kamoi Place, from Kaahue Street to End; along Kamoi Place, from	P&E						1,000,000		1,000,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
Lower Mariners Ridge Water System Improvements (continued)	from Kaluanui Road to end; along Kakapa Place, from Kaluanui Road to end; along Kaipuhaa Place, from Kaluanui Road to end; along Kahuwai Place, from Kaluanui Road to end; along Kahauloa Place, from Kaluanui Road to end; along Kaluanui Way, from end to end - approx. 4,785									

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
28. Monterey Drive and Sierra Drive 8-Inch Mains	Install 8-inch mains and appurtenances along Monterey Drive, from Lurline Drive to Mariposa Drive; and along Sierra Drive, from Wilhelmina Rise to Wilhelmina Rise near Manini Way - approx. 3,360 lin. ft. Install 8-inch and 4-inch mains and appurtenances along Monterey Place, from Monterey Drive to end; and along Lanipili Place, from Monterey Drive to end - approx. 1,170 lin. ft.	P&E		-	-	-	-	550,000	-	550,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
29. Fort Weaver Road and Hapalua Street Water System Improvements	Install 16-inch mains and appurtenances along Fort Weaver, from Papipi Road to Pohakupuna Road - approx. 2,600 lin. ft. Install 8-inch mains and appurtenances along Hapalua Street, from Fort Weaver Road to Ewa Beach Road; along Nalomeli Place, from Fort Weaver Road to end; and along Popoi Place, from Fort Weaver Road to end - approx. 5,750 lin. ft.	P&E	-	-	-	-	-	1,000,000		1,000,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
30. Kapahulu Avenue and Leahi Avenue Water System Improvements	Install 24-inch mains and appurtenances along Kapahulu Avenue, from Kuhio Avenue to Ala Wai Boulevard - approx. 1,365 lin. ft. Install 16-inch mains and appurtenances along Kapahulu Avenue, from Kalakaua Avenue to Kuhio Avenue - approx. 880 lin. ft. Install 8-inch mains and appurtenances along Leahi Avenue, from Kapahulu Avenue to Pualei Circle - approx. 2,680 lin. ft.	P&E		-	-		-	700,000	-	700,000

			Omanatina	Operating	Operating	Special	Special Expendable Fund -	I	Improvement	
Project Title	Description	Туре	Operating Fund	Fund-SRF Eligible	Fund-Federal Funds	Fund	Federal funds	Improvement Fund	Fund- Federal Funds	Total
31. Kaunaoa Street Area Water System Improvements	Install 30-inch mains and appurtenances along Kanaina Avenue, from Makini Street to Kaunaoa Street; and along Kaunaoa Street, from Kanaina Avenue to Campbell Avenue - approx. 915 lin. ft. Install 12-inch mains and appurtenances along Campbell Avenue, from Makini Street to Kaunaoa Street - approx. 250 lin. ft. Install 8-inch mains and appurtenances along Kaunaoa Street, from Campbell Avenue to Trousseau Street; along Makini Street, from Campbell Avenue to Trousseau Street; and along Campbell Avenue, from Monsarrat Avenue to Collins Street - 2,695 lin. ft.	P&E						550,000		550,000

	Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
32.	Non-Potable Irrigation Conversion for Keehi Lagoon Beach Park	Install new irrigation meter and appurtenances along Lagoon Drive for Keehi Lagoon Beach Park. Remove existing potable irrigation meter and perform cross-connection survey of irrigation system.	P&E	100,000	-	-	-	-	-	-	100,000
33.	Water Sampling Stations At Various Locations	Install water sampling stations at various locations.	P&E	500,000	-	-	-	-	-	-	500,000
34.	Service Lateral Replacement at Various Locations	Topographic Survey for the service lateral replacement at various locations.	P&E	150,000	-	-	-	-	-	-	150,000
35.	Water Main Installation & Replacement	Install and replace water mains at various locations.	P&E	100,000	-	-	-	-	-	-	100,000
	Pipelines Total			4,075,000	•	-	-	-	58,350,000	-	62,425,000

	Project Title	Description	Type	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
D. Tre	atment										
	GAC Interior Corrosion Control at Various Locations	Perform interior corrosion control of selected BWS GAC facilities.	Const	1,500,000	-	-	-	-	-	-	1,500,000
			P&E	500,000	-	-	-	-	-		500,000
	Treatment Total			2,000,000	-	-	-	-	-	-	2,000,000
E. Fac	ilities										
	Makiki 180 Reservoir Replace Altitude Valve Assembly	Replace altitude valve (AV) in AV vault, provide new titled disc check valve and emergency pump connection, install new electrical duct bank from control building to AV vault and various controls for new AV.	Const	-	-	2,500,000	-		-	-	2,500,000

	Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
38.	Pump Station Instrumentation & Controls And SCADA Upgrade	Upgrade instrumentation and controls equipment at various pump stations and revamp SCADA system to provide smarter functionality.	Const	1,000,000	-	-	-	-	-	-	1,000,000
39.	Halawa Xeriscape Garden Improvements	Install landscaping and irrigation, additional ADA parking stalls, modify existing parking and pathways to meet the ADA requirements, install accessible ramp/pathway connection to different garden attractions, additional gravel area for over-flow parking, perimeter fence to enclose the entire garden, and renovating the existing office and pavilion building.	Const	3,100,000	-		-	-	-	-	3,100,000

	Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
40	Rehabilitation of Pipeline Tunnels: Keanu and Fort Ruger Tunnels	Renovate pipeline and tunnel at Keanu and Ruger Tunnels.	Const	-	3,100,000	-	-	-	-	-	3,100,000
41	Facility Repair and Renovation	Repair, renovation, reroofing, fencing and repainting of selected BWS facilities.	Const	6,000,000	-	-	-	-	-	-	6,000,000
42	Security Improvements at Various Locations	Security improvements and enhancements includes, but not limited to fencing, doors and windows, vegetation setbacks and access control systems at various BWS locations.	Const	3,600,000	-	-		-	-	-	3,600,000

	Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
43.		Repave parking lot and courtyard, reconstruction curb and gutter, install curb ramps, repairs to the catwalk and fountain, and repaint the public service building exterior.	Const	3,100,000	-	-	-	-	-	-	3,100,000
44.	Waimalu Wells I Slope Stabilization	Install slope stabilization along the downhill slope at Waimalu Wells I.	P&E	400,000	-	-	-	-	-	-	400,000
45.	Slope Stabilization Investigation at Various Facilities	Inspect slopes and determine appropriate mitigation at various reservoir facilities.	P&E	400,000	-	-	-	-	-	-	400,000
46.	Halawa Xeriscape Garden Multipurpose Building	Construct new multipurpose building within the Halawa Xeriscape Garden. Prepare environmental assessment.	P&E	500,000	-	-	-	-	-	-	500,000

	Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
47.	Nanakuli 242 Altitude Valve	Install altitude valve and appurtenances in the vicinity of the Nanakuli Booster.	P&E	150,000	-	-	-	-	-	-	150,000
48.	Facility Repair and Renovation	Repair, renovation, reroofing, fencing and repainting of selected BWS facilities.	P&E	1,000,000	-	-	-	-	-	-	1,000,000
49.	Monitoring Well Assessment and Repair	Provide well condition assessment and associated repair services for monitor wells.	P&E	50,000	-	-	-	-	-	-	50,000
50.	Professional Services for BWS Projects	Obtain services of archaeologists, botanists, environmental engineers, water quality labs, planners, government agencies and others.	P&E	300,000	-	-	-	-	-	-	300,000
51.	Haiku Stairs Removal	Removal of Haiku Stairs	P&E	-	-	-	-	-	-	-	-
	Facilities Total			19,600,000	3,100,000	2,500,000	-	-	-	-	25,200,000

							Special Expendable	e		
Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
Total Category II - Renewal and										
Replacement			32,875,000	3,100,000	6,300,000	-	-	65,050,000	2,500,000.00	109,825,

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
III. Capacity Expansion										
A. Pumps										
52. Pacific Heights Booster No. 1	Land acquisition for new Pacific Heights Booster No. 1 to eliminate cross-country water main between Jack Lane and the Pacific Heights 578 Reservoir.	Land	-	-	-	100,000	-	-	-	100,000
Pumps Total			-	-	-	100,000	-	-	-	100,000
B. Reservoirs										
53A Kalawahine 180 2.0 MG Reservoir	Install 2.0 MG Type r prestressed concrete reservoir (Spillway elevation = 180'), deep foundations, retaining walls, reservoir piping and all appurtenances.	Const	-	-	-	18,200,000	-	-	-	18,200,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
53B Kalawahine 180 2.0 MG Reservoir - Pipelines	Install 24-inch main, including appurtenances and pipe corrosion protection from Anianiku Street to Kinau Street - approx. 4,913 lin. Ft.	Const	-	-	-	18,200,000	-	-	-	18,200,000
54. East Kapolei 215 R-1 3.0 MG Reservoir	Install 3.0 MG R-1 reservoir and appurtenances (TMK: 9-1-018:008). Install 16-inch main and appurtenances along the access road, from the proposed reservoir to the Farrington Highway - approx. 2,300 lin. ft.	P&E	-	-	-	800,000	-	-	-	800,000
Reservoirs Total			-	-		37,200,000		-	-	37,200,000

	Project Title	Description	Type	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
C. Pip	pelines										
55.	Salt Lake Boulevard 36- Inch Main - Foster Village to Aliamanu	Install 36-inch main and appurtenances along Salt Lake Boulevard, from 525 feet south of Maluna Street to Ala Lilikoi Street - approx. 4,275 lin. ft.	Const	-	-	-	-	6,700,000	-	-	6,700,000
56.	Sand Island Access Road 20- Inch Mains Along Bascule Bridge	Install two 20-inch mains and appurtenances along the Sand Island Access Road Bascule bridge - approx. 3,000 lin. ft.	Const	-	-	-	-	4,000,000	-	-	4,000,000

				Operating	Operating	Special	Special Expendable Fund -		Improvement	
Project Title	Description	Туре	Operating Fund	Fund-SRF Eligible	Fund-Federal Funds	Expendable Fund	Federal funds	Improvement Fund	Fund- Federal Funds	Total
57. Nimitz Highway 16-Inch Main, Waiakamilo Road to Sumner Street	Install 16-inch mains appurtenances along Nimitz Highway, from Waiakamilo Road to Sumner Street; and along Waiakamilo Road, from Nimitz Highway to Hart Street - approx. 5,960 lin. ft. Install 12-inch mains appurtenances along Hart Street, from Waiakamilo Road to end; along the Pier 31 access road, from N. Nimitz Highway to end; along the pier access road near FH no. M02371, from N. Nimitz Highway to end, along the pier access road near Alakawa Street, from N. Nimitz Highway to end and along Pier 38 Access Road, from N. Nimitz Highway to end and along Pier 38 Access Road, from N. Nimitz Highway to end - approx. 2,615 lin. ft.	P&E				1,400,000				1,400,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds		Improvement Fund- Federal Funds	Total
58. Kalakaua Avenue 16-Inch Main, Beretania Street to Ala Wai Canal	Install 20-inch main and appurtenances along Ala Wai Boulevard, at the intersection of McCully Street - approx. 200 lin. ft. Install 16-inch main and appurtenances along Kalakaua Avenue, from Beretania Street to Ala Wai Promenade; and along Ala Wai Promenade, from Kalakaua Avenue to McCully Street - approx. 4,800 lin. ft.	P&E		-	-	750,000				750,000
Pipelines Total			-	-	-	2,150,000	10,700,000	-	-	12,850,000
D. Treatment										
Treatment Total		•	-	-	-	-	-	-	-	-

							Special Expendable	•		
Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
E. Facilities										
59. Kapolei Base Yard Facility	Design-Build contract for installation of administration building,	Const	-	-	-	-	-	3,500,000	-	3,500,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds		Improvement Fund- Federal Funds	Total
59A Manana Corporation Yard - Microbiology Laboratory and Control Center Expansion	This project provides a secondary laboratory testing facility to enable BWS to prepare, respond, mitigate and manage its water resources and operations by expanding its laboratory testing capabilities to ensure the drinking water meets all federal and state regulations and the water is safe to drink. In addition, the provision of a back-up operations control center will enable BWS to safely control and operate its facilities in the event that the main control center is inoperable.		3,000,000							3,000,000
Facilities Total			3,000,000					3,500,000	-	6,500,000

Project Title	Description	Туре	Operating Fund	Operating Fund-SRF Eligible	Operating Fund-Federal Funds	Special Expendable Fund	Special Expendable Fund - Federal funds	Improvement Fund	Improvement Fund- Federal Funds	Total
Total Category III										
- Capacity										
Expansion			3,000,000		-	39,450,000	10,700,000	3,500,000	-	56,650,000
								5,000,000		
Total Categories										
I - III			38,535,000	3,100,000	6,300,000	39,450,000	10,700,000	68,550,000	2,500,000.00	169,135,000
Construction Cost Index Adjustment			2,952,500	310,000	630,000	3,640,000	1,070,000	6,300,000	250,000	15,152,500
Contract										
Adjustment Account			17,300,000	_		_		_	-	17,300,000
Account			11,500,000							17,500,000
FY2021 Capital										
Improvement										
Program Total			58,787,500	3,410,000	6,930,000	43,090,000	11,770,000	74,850,000	2,750,000.00	201,587,500