

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 2/12/2025 11:00:55 AM

JOB DESCRIPTION

RED-HILL
Weekly
RUSH Weekly Red Hill

JOB NUMBER

380-132646-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

Authorization



Generated
2/12/2025 11:00:55 AM

Authorized for release by
Rachelle Arada, Project Manager
Rachelle.Arada@et.eurofinsus.com
(626)386-1106



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Action Limit Summary	14
Surrogate Summary	15
QC Sample Results	18
QC Association Summary	34
Lab Chronicle	36
Certification Summary	38
Method Summary	40
Sample Summary	41
Chain of Custody	42
Receipt Checklists	44

Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: RED-HILL

Job ID: 380-132646-1

Job ID: 380-132646-1

Eurofins Eaton Analytical Pomona

Job Narrative 380-132646-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 1/29/2025 10:20 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.0°C and 2.5°C.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1
(331-206-TP065)**
PWSID Number: HI0000331

Lab Sample ID: 380-132646-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Dieldrin	0.040		0.0097	ug/L	1		525.2	Total/NA
Heptachlor epoxide (isomer B)	0.012		0.0097	ug/L	1		525.2	Total/NA

**Client Sample ID: TB: HALAWA WELLS UNITS 1&2
(331-206-TP065)**

Lab Sample ID: 380-132646-2

No Detections.

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)**

Lab Sample ID: 380-132646-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Dieldrin	0.011		0.0097	ug/L	1		525.2	Total/NA

**Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)
(331-203-TP400)**

Lab Sample ID: 380-132646-4

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1
(331-206-TP065)**

Lab Sample ID: 380-132646-1

Date Collected: 01/27/25 10:26

Matrix: Drinking Water

Date Received: 01/29/25 10:20

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
2,4'-DDD	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
2,4'-DDE	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
2,4'-DDT	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
2,4-Dinitrotoluene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
2,6-Dinitrotoluene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
2-Methylnaphthalene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
4,4'-DDD	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
4,4'-DDE	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
4,4'-DDT	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Acenaphthene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Acenaphthylene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Acetochlor	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Alachlor	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
alpha-BHC	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
alpha-Chlordane	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Anthracene	<0.019		0.019	ug/L		01/31/25 07:59	02/01/25 11:11	1
Atrazine	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Benz(a)anthracene	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Benzo[a]pyrene	<0.019		0.019	ug/L		01/31/25 07:59	02/01/25 11:11	1
Benzo[b]fluoranthene	<0.019		0.019	ug/L		01/31/25 07:59	02/01/25 11:11	1
Benzo[g,h,i]perylene	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Benzo[k]fluoranthene	<0.019		0.019	ug/L		01/31/25 07:59	02/01/25 11:11	1
beta-BHC	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Bis(2-ethylhexyl) phthalate	<0.58		0.58	ug/L		01/31/25 07:59	02/01/25 11:11	1
Bromacil	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Butachlor	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Butylbenzylphthalate	<0.48		0.48	ug/L		01/31/25 07:59	02/01/25 11:11	1
Chlorobenzilate	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Chloroneb	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Chlorothalonil (Draconil, Bravo)	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Chlorpyrifos	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Chrysene	<0.019		0.019	ug/L		01/31/25 07:59	02/01/25 11:11	1
delta-BHC	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Di(2-ethylhexyl)adipate	<0.58		0.58	ug/L		01/31/25 07:59	02/01/25 11:11	1
Dibenz(a,h)anthracene	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Diclorvos (DDVP)	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Dieldrin	0.040		0.0097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Diethylphthalate	<0.48		0.48	ug/L		01/31/25 07:59	02/01/25 11:11	1
Dimethylphthalate	<0.48		0.48	ug/L		01/31/25 07:59	02/01/25 11:11	1
Di-n-butyl phthalate	<0.97		0.97	ug/L		01/31/25 07:59	02/01/25 11:11	1
Di-n-octyl phthalate	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Endosulfan I (Alpha)	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Endosulfan II (Beta)	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Endosulfan sulfate	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Endrin	<0.0097		0.0097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Endrin aldehyde	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
EPTC	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1
(331-206-TP065)**

Lab Sample ID: 380-132646-1

Date Collected: 01/27/25 10:26

Matrix: Drinking Water

Date Received: 01/29/25 10:20

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Fluorene	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
gamma-Chlordane	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Heptachlor	<0.0097		0.0097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Heptachlor epoxide (isomer B)	0.012		0.0097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Hexachlorobenzene	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Hexachlorocyclopentadiene	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Indeno[1,2,3-cd]pyrene	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Isophorone	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Lindane	<0.0097		0.0097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Malathion	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Methoxychlor	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Metolachlor	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Molinate	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Naphthalene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Parathion	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Pendimethalin (Penoxaline)	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Phenanthrene	<0.039		0.039	ug/L		01/31/25 07:59	02/01/25 11:11	1
Propachlor	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Pyrene	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Simazine	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Terbacil	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Terbutylazine	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Thiobencarb	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1
Total Permethrin (mixed isomers)	<0.19		0.19	ug/L		01/31/25 07:59	02/01/25 11:11	1
trans-Nonachlor	<0.048		0.048	ug/L		01/31/25 07:59	02/01/25 11:11	1
Trifluralin	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 11:11	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	01/31/25 07:59	02/01/25 11:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	98		70 - 130	01/31/25 07:59	02/01/25 11:11	1
Perylene-d12	97		70 - 130	01/31/25 07:59	02/01/25 11:11	1
Triphenylphosphate	103		70 - 130	01/31/25 07:59	02/01/25 11:11	1

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
2-Methylnaphthalene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Acenaphthene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Acenaphthylene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Anthracene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Benzo[a]anthracene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Benzo[a]pyrene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Benzo[k]fluoranthene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Chrysene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1
(331-206-TP065)**

Lab Sample ID: 380-132646-1

Date Collected: 01/27/25 10:26

Matrix: Drinking Water

Date Received: 01/29/25 10:20

PWSID Number: HI0000331

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Fluoranthene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Fluorene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Naphthalene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Phenanthrene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1
Pyrene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	57		28 - 127	01/30/25 19:44	02/10/25 15:02	1
2-Fluorobiphenyl (Surr)	52		31 - 120	01/30/25 19:44	02/10/25 15:02	1
2-Fluorophenol (Surr)	25		17 - 120	01/30/25 19:44	02/10/25 15:02	1
Nitrobenzene-d5 (Surr)	51		27 - 120	01/30/25 19:44	02/10/25 15:02	1
Phenol-d6 (Surr)	15		10 - 120	01/30/25 19:44	02/10/25 15:02	1
p-Terphenyl-d14 (Surr)	78		45 - 120	01/30/25 19:44	02/10/25 15:02	1

Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	01/30/25 19:44	02/11/25 11:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	84		33 - 139	01/30/25 19:44	02/11/25 11:48	1
2-Fluorobiphenyl (Surr)	54		33 - 126	01/30/25 19:44	02/11/25 11:48	1
2-Fluorophenol (Surr)	28		12 - 120	01/30/25 19:44	02/11/25 11:48	1
Nitrobenzene-d5 (Surr)	55		36 - 120	01/30/25 19:44	02/11/25 11:48	1
Phenol-d6 (Surr)	14		10 - 120	01/30/25 19:44	02/11/25 11:48	1
p-Terphenyl-d14 (Surr)	83		47 - 131	01/30/25 19:44	02/11/25 11:48	1

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			01/31/25 13:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		38 - 134		01/31/25 13:29	1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<26		26	ug/L		01/31/25 18:43	02/02/25 17:21	1
Motor Oil Range Organics [C24-C36]	<26		26	ug/L		01/31/25 18:43	02/02/25 17:21	1
C8-C18	<26		26	ug/L		01/31/25 18:43	02/02/25 17:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	90		60 - 130	01/31/25 18:43	02/02/25 17:21	1

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

**Client Sample ID: TB: HALAWA WELLS UNITS 1&2
(331-206-TP065)**

Lab Sample ID: 380-132646-2

Date Collected: 01/27/25 10:26

Matrix: Water

Date Received: 01/29/25 10:20

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			01/31/25 17:22	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		38 - 134				01/31/25 17:22	1

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)**

Lab Sample ID: 380-132646-3

Date Collected: 01/27/25 11:33

Matrix: Drinking Water

Date Received: 01/29/25 10:20

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
2,4'-DDD	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
2,4'-DDE	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
2,4'-DDT	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
2,4-Dinitrotoluene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
2,6-Dinitrotoluene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
2-Methylnaphthalene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
4,4'-DDD	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
4,4'-DDE	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
4,4'-DDT	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Acenaphthene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Acenaphthylene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Acetochlor	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Alachlor	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
alpha-BHC	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
alpha-Chlordane	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Anthracene	<0.019		0.019	ug/L		01/31/25 07:59	02/01/25 10:50	1
Atrazine	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Benz(a)anthracene	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Benzo[a]pyrene	<0.019		0.019	ug/L		01/31/25 07:59	02/01/25 10:50	1
Benzo[b]fluoranthene	<0.019		0.019	ug/L		01/31/25 07:59	02/01/25 10:50	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Benzo[k]fluoranthene	<0.019		0.019	ug/L		01/31/25 07:59	02/01/25 10:50	1
beta-BHC	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Bis(2-ethylhexyl) phthalate	<0.58		0.58	ug/L		01/31/25 07:59	02/01/25 10:50	1
Bromacil	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Butachlor	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Butylbenzylphthalate	<0.49		0.49	ug/L		01/31/25 07:59	02/01/25 10:50	1
Chlorobenzilate	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Chloroneb	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Chlorothalonil (Draconil, Bravo)	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Chlorpyrifos	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Chrysene	<0.019		0.019	ug/L		01/31/25 07:59	02/01/25 10:50	1
delta-BHC	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Di(2-ethylhexyl)adipate	<0.58		0.58	ug/L		01/31/25 07:59	02/01/25 10:50	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)

Lab Sample ID: 380-132646-3

Date Collected: 01/27/25 11:33

Matrix: Drinking Water

Date Received: 01/29/25 10:20

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Dieldrin	0.011		0.0097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Diethylphthalate	<0.49		0.49	ug/L		01/31/25 07:59	02/01/25 10:50	1
Dimethylphthalate	<0.49		0.49	ug/L		01/31/25 07:59	02/01/25 10:50	1
Di-n-butyl phthalate	<0.97		0.97	ug/L		01/31/25 07:59	02/01/25 10:50	1
Di-n-octyl phthalate	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Endosulfan I (Alpha)	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Endosulfan II (Beta)	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Endosulfan sulfate	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Endrin	<0.0097		0.0097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Endrin aldehyde	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
EPTC	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Fluoranthene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Fluorene	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
gamma-Chlordane	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Heptachlor	<0.0097		0.0097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Heptachlor epoxide (isomer B)	<0.0097		0.0097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Hexachlorobenzene	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Isophorone	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Lindane	<0.0097		0.0097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Malathion	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Methoxychlor	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Metolachlor	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Molinate	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Naphthalene	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Parathion	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Pendimethalin (Penoxaline)	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Phenanthrene	<0.039		0.039	ug/L		01/31/25 07:59	02/01/25 10:50	1
Propachlor	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Pyrene	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Simazine	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Terbacil	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Terbutylazine	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Thiobencarb	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1
Total Permethrin (mixed isomers)	<0.19		0.19	ug/L		01/31/25 07:59	02/01/25 10:50	1
trans-Nonachlor	<0.049		0.049	ug/L		01/31/25 07:59	02/01/25 10:50	1
Trifluralin	<0.097		0.097	ug/L		01/31/25 07:59	02/01/25 10:50	1

<i>Tentatively Identified Compound</i>	<i>Est. Result</i>	<i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>RT</i>	<i>CAS No.</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Tentatively Identified Compound</i>	<i>None</i>		<i>ug/L</i>			<i>N/A</i>	<i>01/31/25 07:59</i>	<i>02/01/25 10:50</i>	<i>1</i>

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>		<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>2-Nitro-m-xylene</i>	<i>99</i>		<i>70 - 130</i>		<i>01/31/25 07:59</i>	<i>02/01/25 10:50</i>	<i>1</i>
<i>Perylene-d12</i>	<i>99</i>		<i>70 - 130</i>		<i>01/31/25 07:59</i>	<i>02/01/25 10:50</i>	<i>1</i>
<i>Triphenylphosphate</i>	<i>97</i>		<i>70 - 130</i>		<i>01/31/25 07:59</i>	<i>02/01/25 10:50</i>	<i>1</i>

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)**

Lab Sample ID: 380-132646-3

Date Collected: 01/27/25 11:33

Matrix: Drinking Water

Date Received: 01/29/25 10:20

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
2-Methylnaphthalene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Acenaphthene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Acenaphthylene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Anthracene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Benzo[a]anthracene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Benzo[a]pyrene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Benzo[k]fluoranthene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Chrysene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Fluoranthene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Fluorene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Naphthalene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Phenanthrene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1
Pyrene	<0.19		0.19	ug/L		01/30/25 19:44	02/10/25 15:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	60		28 - 127	01/30/25 19:44	02/10/25 15:24	1
2-Fluorobiphenyl (Surr)	47		31 - 120	01/30/25 19:44	02/10/25 15:24	1
2-Fluorophenol (Surr)	21		17 - 120	01/30/25 19:44	02/10/25 15:24	1
Nitrobenzene-d5 (Surr)	45		27 - 120	01/30/25 19:44	02/10/25 15:24	1
Phenol-d6 (Surr)	13		10 - 120	01/30/25 19:44	02/10/25 15:24	1
p-Terphenyl-d14 (Surr)	64		45 - 120	01/30/25 19:44	02/10/25 15:24	1

Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Cyclohexanamine, N-cyclohexyl-	17	T J N	ug/L		6.43	101-83-7	01/30/25 19:44	02/11/25 12:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	84		33 - 139	01/30/25 19:44	02/11/25 12:11	1
2-Fluorobiphenyl (Surr)	47		33 - 126	01/30/25 19:44	02/11/25 12:11	1
2-Fluorophenol (Surr)	23		12 - 120	01/30/25 19:44	02/11/25 12:11	1
Nitrobenzene-d5 (Surr)	49		36 - 120	01/30/25 19:44	02/11/25 12:11	1
Phenol-d6 (Surr)	12		10 - 120	01/30/25 19:44	02/11/25 12:11	1
p-Terphenyl-d14 (Surr)	65		47 - 131	01/30/25 19:44	02/11/25 12:11	1

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			01/31/25 14:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		38 - 134		01/31/25 14:47	1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<26		26	ug/L		01/31/25 18:43	02/02/25 17:42	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)**

Lab Sample ID: 380-132646-3

Date Collected: 01/27/25 11:33

Matrix: Drinking Water

Date Received: 01/29/25 10:20

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Motor Oil Range Organics [C24-C36]	<26		26	ug/L		01/31/25 18:43	02/02/25 17:42	1
C8-C18	<26		26	ug/L		01/31/25 18:43	02/02/25 17:42	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
<i>n-Octacosane (Surr)</i>	90		60 - 130			01/31/25 18:43	02/02/25 17:42	1

**Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)
(331-203-TP400)**

Lab Sample ID: 380-132646-4

Date Collected: 01/27/25 11:33

Matrix: Water

Date Received: 01/29/25 10:20

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			01/31/25 17:46	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
<i>4-Bromofluorobenzene (Surr)</i>	91		38 - 134				01/31/25 17:46	1

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1
(331-206-TP065)
PWSID Number: HI0000331

Lab Sample ID: 380-132646-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.048		ug/L	2	0.048	525.2	Total/NA
Atrazine	<0.048		ug/L	3	0.048	525.2	Total/NA
Benzo[a]pyrene	<0.019		ug/L	0.2	0.019	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.58		ug/L	6	0.58	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.58		ug/L	400	0.58	525.2	Total/NA
Endrin	<0.0097		ug/L	2	0.0097	525.2	Total/NA
Heptachlor	<0.0097		ug/L	0.4	0.0097	525.2	Total/NA
Heptachlor epoxide (isomer B)	0.012		ug/L	0.2	0.0097	525.2	Total/NA
Hexachlorobenzene	<0.048		ug/L	1	0.048	525.2	Total/NA
Hexachlorocyclopentadiene	<0.048		ug/L	50	0.048	525.2	Total/NA
Lindane	<0.0097		ug/L	0.2	0.0097	525.2	Total/NA
Methoxychlor	<0.048		ug/L	40	0.048	525.2	Total/NA
Simazine	<0.048		ug/L	4	0.048	525.2	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)

Lab Sample ID: 380-132646-3

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.049		ug/L	2	0.049	525.2	Total/NA
Atrazine	<0.049		ug/L	3	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.019		ug/L	0.2	0.019	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.58		ug/L	6	0.58	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.58		ug/L	400	0.58	525.2	Total/NA
Endrin	<0.0097		ug/L	2	0.0097	525.2	Total/NA
Heptachlor	<0.0097		ug/L	0.4	0.0097	525.2	Total/NA
Heptachlor epoxide (isomer B)	<0.0097		ug/L	0.2	0.0097	525.2	Total/NA
Hexachlorobenzene	<0.049		ug/L	1	0.049	525.2	Total/NA
Hexachlorocyclopentadiene	<0.049		ug/L	50	0.049	525.2	Total/NA
Lindane	<0.0097		ug/L	0.2	0.0097	525.2	Total/NA
Methoxychlor	<0.049		ug/L	40	0.049	525.2	Total/NA
Simazine	<0.049		ug/L	4	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-132646-1	HALAWA WELLS UNITS 1 & 2 F	98	97	103
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	99	99	97
380-132646-3 DU	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	99	99	102

Surrogate Legend
 2NMX = 2-Nitro-m-xylene
 PRY = Perylene-d12
 TPP = Triphenylphosphate

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-132662-B-3-A MS	Matrix Spike	99	98	102
LCS 380-131760/23-A	Lab Control Sample	100	96	102
MB 380-131760/21-A	Method Blank	99	96	104
MRL 380-131760/22-A	Lab Control Sample	99	94	102

Surrogate Legend
 2NMX = 2-Nitro-m-xylene
 PRY = Perylene-d12
 TPP = Triphenylphosphate

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
380-132646-1	HALAWA WELLS UNITS 1 & 2 F	84	54	28	55	14	83
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	84	47	23	49	12	65

Surrogate Legend
 TBP = 2,4,6-Tribromophenol (Surr)
 FBP = 2-Fluorobiphenyl (Surr)
 2FP = 2-Fluorophenol (Surr)
 NBZ = Nitrobenzene-d5 (Surr)
 PHL6 = Phenol-d6 (Surr)
 TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
MB 570-528373/1-A	Method Blank	115	82	43	78	26	99

Surrogate Legend

Eurofins Eaton Analytical Pomona

Surrogate Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-132646-1
 SDG: Weekly

TBP = 2,4,6-Tribromophenol (Surr)
 FBP = 2-Fluorobiphenyl (Surr)
 2FP = 2-Fluorophenol (Surr)
 NBZ = Nitrobenzene-d5 (Surr)
 PHL6 = Phenol-d6 (Surr)
 TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-132646-1	HALAWA WELLS UNITS 1 & 2 F	57	52	25	51	15	78
380-132646-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	70	66	36	57	22	82
380-132646-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	75	73	39	63	25	82
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	60	47	21	45	13	64

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
 FBP = 2-Fluorobiphenyl (Surr)
 2FP = 2-Fluorophenol (Surr)
 NBZ = Nitrobenzene-d5 (Surr)
 PHL6 = Phenol-d6 (Surr)
 TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
LCS 570-528373/2-A	Lab Control Sample	79	78	42	66	26	81
LCSD 570-528373/3-A	Lab Control Sample Dup	74	75	43	63	27	85
MB 570-528373/1-A	Method Blank	85	82	35	78	22	82

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
 FBP = 2-Fluorobiphenyl (Surr)
 2FP = 2-Fluorophenol (Surr)
 NBZ = Nitrobenzene-d5 (Surr)
 PHL6 = Phenol-d6 (Surr)
 TPHd14 = p-Terphenyl-d14 (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		BFB1 (38-134)
380-132646-1	HALAWA WELLS UNITS 1 & 2 F	89
380-132646-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	94
380-132646-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	95
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	92

Eurofins Eaton Analytical Pomona

Surrogate Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-132646-1
 SDG: Weekly

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1 (38-134)
380-132646-2	TB: HALAWA WELLS UNITS 1&	94
380-132646-4	TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TP400)	91
LCS 570 528518/4	Lab Control Sample	96
LCSD 570-528518/5	Lab Control Sample Dup	96
MB 570-528518/6	Method Blank	92
MRL 570-528518/3	Lab Control Sample	90

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Drinking Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-132646-1	HALAWA WELLS UNITS 1 & 2 F	90
380-132646-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	95
380-132646-1 MSD	HALAWA WELLS UNITS 1 & 2 (331 206 TP065)	94
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	90

Surrogate Legend

OTCSN = n-Octacosane (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
LCS 570-528773/2-A	Lab Control Sample	91
LCSD 570-528773/3-A	Lab Control Sample Dup	93
MB 570-528773/1-A	Method Blank	91
MRL 570-528773/4-A	Lab Control Sample	98

Surrogate Legend

OTCSN = n-Octacosane (Surr)

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-132646-1
 SDG: Weekly

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 380-131760/21-A
Matrix: Water
Analysis Batch: 131948

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 131760

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
2,4'-DDD	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
2,4'-DDE	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
2,4'-DDT	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
2,4-Dinitrotoluene	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
2,6-Dinitrotoluene	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
2-Methylnaphthalene	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
4,4'-DDD	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
4,4'-DDE	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
4,4'-DDT	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Acenaphthene	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Acenaphthylene	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Acetochlor	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Alachlor	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
alpha-BHC	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
alpha-Chlordane	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Anthracene	<0.020		0.020	ug/L		01/31/25 07:59	02/01/25 10:09	1
Atrazine	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Benz(a)anthracene	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Benzo[a]pyrene	<0.020		0.020	ug/L		01/31/25 07:59	02/01/25 10:09	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		01/31/25 07:59	02/01/25 10:09	1
Benzo[g,h,i]perylene	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		01/31/25 07:59	02/01/25 10:09	1
beta-BHC	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Bis(2-ethylhexyl) phthalate	<0.60		0.60	ug/L		01/31/25 07:59	02/01/25 10:09	1
Bromacil	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Butachlor	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Butylbenzylphthalate	<0.50		0.50	ug/L		01/31/25 07:59	02/01/25 10:09	1
Chlorobenzilate	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Chloroneb	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Chlorothalonil (Draconil, Bravo)	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Chlorpyrifos	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Chrysene	<0.020		0.020	ug/L		01/31/25 07:59	02/01/25 10:09	1
delta-BHC	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Di(2-ethylhexyl)adipate	<0.60		0.60	ug/L		01/31/25 07:59	02/01/25 10:09	1
Dibenz(a,h)anthracene	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Diclorvos (DDVP)	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Dieldrin	<0.0099		0.0099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Diethylphthalate	<0.50		0.50	ug/L		01/31/25 07:59	02/01/25 10:09	1
Dimethylphthalate	<0.50		0.50	ug/L		01/31/25 07:59	02/01/25 10:09	1
Di-n-butyl phthalate	<0.99		0.99	ug/L		01/31/25 07:59	02/01/25 10:09	1
Di-n-octyl phthalate	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Endosulfan I (Alpha)	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Endosulfan II (Beta)	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Endosulfan sulfate	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Endrin	<0.0099		0.0099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Endrin aldehyde	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
EPTC	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-131760/21-A
Matrix: Water
Analysis Batch: 131948

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 131760

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Fluorene	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
gamma-Chlordane	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Heptachlor	<0.0099		0.0099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Heptachlor epoxide (isomer B)	<0.0099		0.0099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Hexachlorobenzene	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Hexachlorocyclopentadiene	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Indeno[1,2,3-cd]pyrene	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Isophorone	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Lindane	<0.0099		0.0099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Malathion	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Methoxychlor	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Metolachlor	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Molinate	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Naphthalene	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Parathion	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Pendimethalin (Penoxaline)	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Phenanthrene	<0.040		0.040	ug/L		01/31/25 07:59	02/01/25 10:09	1
Propachlor	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Pyrene	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Simazine	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Terbacil	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Terbutylazine	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Thiobencarb	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		01/31/25 07:59	02/01/25 10:09	1
trans-Nonachlor	<0.050		0.050	ug/L		01/31/25 07:59	02/01/25 10:09	1
Trifluralin	<0.099		0.099	ug/L		01/31/25 07:59	02/01/25 10:09	1

Tentatively Identified Compound	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Unknown	0.518	T J	ug/L		3.29	N/A	01/31/25 07:59	02/01/25 10:09	1
9-Octadecenamide, (Z)-	1.56	T J N	ug/L		7.95	301-02-0	01/31/25 07:59	02/01/25 10:09	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	99		70 - 130	01/31/25 07:59	02/01/25 10:09	1
Perylene-d12	96		70 - 130	01/31/25 07:59	02/01/25 10:09	1
Triphenylphosphate	104		70 - 130	01/31/25 07:59	02/01/25 10:09	1

Lab Sample ID: LCS 380-131760/23-A
Matrix: Water
Analysis Batch: 131948

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 131760

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	1.99	1.82		ug/L		92	70 - 130
2,4'-DDD	1.99	1.99		ug/L		100	70 - 130
2,4'-DDE	1.99	1.97		ug/L		99	70 - 130
2,4'-DDT	1.99	2.02		ug/L		101	70 - 130
2,4-Dinitrotoluene	1.99	1.91		ug/L		96	70 - 130
2,6-Dinitrotoluene	1.99	2.00		ug/L		101	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-131760/23-A
Matrix: Water
Analysis Batch: 131948

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 131760

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2-Methylnaphthalene	1.99	1.84		ug/L		93	70 - 130
4,4'-DDD	1.99	2.01		ug/L		101	70 - 130
4,4'-DDE	1.99	1.94		ug/L		97	70 - 130
4,4'-DDT	1.99	1.89		ug/L		95	70 - 130
Acenaphthene	1.99	1.97		ug/L		99	70 - 130
Acenaphthylene	1.99	1.94		ug/L		97	70 - 130
Acetochlor	1.99	2.01		ug/L		101	70 - 130
Alachlor	1.99	2.02		ug/L		101	70 - 130
alpha-BHC	1.99	1.97		ug/L		99	70 - 130
alpha-Chlordane	1.99	1.99		ug/L		100	70 - 130
Anthracene	1.99	1.77		ug/L		89	70 - 130
Atrazine	1.99	2.07		ug/L		104	70 - 130
Benz(a)anthracene	1.99	1.92		ug/L		96	70 - 130
Benzo[a]pyrene	1.99	1.91		ug/L		96	70 - 130
Benzo[b]fluoranthene	1.99	2.07		ug/L		104	70 - 130
Benzo[g,h,i]perylene	1.99	1.96		ug/L		98	70 - 130
Benzo[k]fluoranthene	1.99	1.99		ug/L		100	70 - 130
beta-BHC	1.99	2.04		ug/L		103	70 - 130
Bis(2-ethylhexyl) phthalate	1.99	1.92		ug/L		97	70 - 130
Bromacil	1.99	1.97		ug/L		99	70 - 130
Butachlor	1.99	2.19		ug/L		110	70 - 130
Butylbenzylphthalate	1.99	2.06		ug/L		103	70 - 130
Chlorobenzilate	1.99	1.72		ug/L		87	70 - 130
Chloroneb	1.99	1.96		ug/L		99	70 - 130
Chlorothalonil (Draconil, Bravo)	1.99	2.17		ug/L		109	70 - 130
Chlorpyrifos	1.99	2.05		ug/L		103	70 - 130
Chrysene	1.99	1.94		ug/L		97	70 - 130
delta-BHC	1.99	1.98		ug/L		100	70 - 130
Di(2-ethylhexyl)adipate	1.99	1.90		ug/L		95	70 - 130
Dibenz(a,h)anthracene	1.99	1.89		ug/L		95	70 - 130
Diclorvos (DDVP)	1.99	2.02		ug/L		101	70 - 130
Dieldrin	1.99	1.92		ug/L		97	70 - 130
Diethylphthalate	1.99	2.07		ug/L		104	70 - 130
Dimethylphthalate	1.99	2.02		ug/L		101	70 - 130
Di-n-butyl phthalate	3.98	4.10		ug/L		103	70 - 130
Di-n-octyl phthalate	1.99	1.72		ug/L		86	70 - 130
Endosulfan I (Alpha)	1.99	1.99		ug/L		100	70 - 130
Endosulfan II (Beta)	1.99	2.00		ug/L		101	70 - 130
Endosulfan sulfate	1.99	1.99		ug/L		100	70 - 130
Endrin	1.99	1.97		ug/L		99	70 - 130
Endrin aldehyde	1.99	1.96		ug/L		98	60 - 130
EPTC	1.99	2.01		ug/L		101	70 - 130
Fluoranthene	1.99	2.04		ug/L		102	70 - 130
Fluorene	1.99	1.97		ug/L		99	70 - 130
gamma-Chlordane	1.99	1.98		ug/L		100	70 - 130
Heptachlor	1.99	2.04		ug/L		102	70 - 130
Heptachlor epoxide (isomer B)	1.99	1.96		ug/L		98	70 - 130
Hexachlorobenzene	1.99	1.84		ug/L		92	70 - 130
Hexachlorocyclopentadiene	1.99	1.81		ug/L		91	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-131760/23-A
Matrix: Water
Analysis Batch: 131948

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 131760

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Indeno[1,2,3-cd]pyrene	1.99	1.88		ug/L		95	70 - 130
Isophorone	1.99	1.86		ug/L		93	70 - 130
Lindane	1.99	1.99		ug/L		100	70 - 130
Malathion	1.99	1.98		ug/L		100	70 - 130
Methoxychlor	1.99	1.96		ug/L		99	70 - 130
Metolachlor	1.99	2.12		ug/L		106	70 - 130
Molinate	1.99	2.06		ug/L		104	70 - 130
Naphthalene	1.99	1.96		ug/L		99	70 - 130
Parathion	1.99	2.02		ug/L		102	70 - 130
Pendimethalin (Penoxaline)	1.99	1.93		ug/L		97	70 - 130
Phenanthrene	1.99	2.00		ug/L		100	70 - 130
Propachlor	1.99	2.09		ug/L		105	70 - 130
Pyrene	1.99	2.04		ug/L		103	70 - 130
Simazine	1.99	2.08		ug/L		104	70 - 130
Terbacil	1.99	2.12		ug/L		107	70 - 130
Terbutylazine	1.99	2.08		ug/L		105	70 - 130
Thiobencarb	1.99	2.14		ug/L		107	70 - 130
trans-Nonachlor	1.99	1.98		ug/L		99	70 - 130
Trifluralin	1.99	1.82		ug/L		92	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Nitro-m-xylene	100		70 - 130
Perylene-d12	96		70 - 130
Triphenylphosphate	102		70 - 130

Lab Sample ID: MRL 380-131760/22-A
Matrix: Water
Analysis Batch: 131948

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 131760

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	0.0992	0.0993		ug/L		100	50 - 150
2,4'-DDD	0.0992	0.0894	J	ug/L		90	50 - 150
2,4'-DDE	0.0992	0.0952	J	ug/L		96	50 - 150
2,4'-DDT	0.0992	0.0962	J	ug/L		97	50 - 150
2,4-Dinitrotoluene	0.0992	0.0980	J	ug/L		99	50 - 150
2,6-Dinitrotoluene	0.0992	0.0885	J	ug/L		89	50 - 150
2-Methylnaphthalene	0.0992	0.0958	J	ug/L		97	50 - 150
4,4'-DDD	0.0992	0.102		ug/L		103	50 - 150
4,4'-DDE	0.0992	0.101		ug/L		101	50 - 150
4,4'-DDT	0.0992	0.108		ug/L		109	50 - 150
Acenaphthene	0.0992	0.0838	J	ug/L		84	50 - 150
Acenaphthylene	0.0992	0.0925	J	ug/L		93	50 - 150
Acetochlor	0.0992	0.111		ug/L		112	50 - 150
Alachlor	0.0496	0.0467	J	ug/L		94	50 - 150
alpha-BHC	0.0992	0.106		ug/L		107	50 - 150
alpha-Chlordane	0.0248	<0.029		ug/L		105	50 - 150
Anthracene	0.0198	0.0214		ug/L		108	50 - 150
Atrazine	0.0496	0.0495	J	ug/L		100	50 - 150

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-131760/22-A
Matrix: Water
Analysis Batch: 131948

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 131760

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Benz(a)anthracene	0.0496	0.0530		ug/L		107	50 - 150
Benzo[a]pyrene	0.0198	0.0180	J	ug/L		91	50 - 150
Benzo[b]fluoranthene	0.0198	0.0169	J	ug/L		85	50 - 150
Benzo[g,h,i]perylene	0.0496	0.0388	J	ug/L		78	50 - 150
Benzo[k]fluoranthene	0.0198	<0.017		ug/L		78	50 - 150
beta-BHC	0.0992	0.112		ug/L		113	50 - 150
Bis(2-ethylhexyl) phthalate	0.595	0.571	J	ug/L		96	50 - 150
Bromacil	0.0992	0.102		ug/L		103	50 - 150
Butachlor	0.0496	0.0471	J	ug/L		95	50 - 150
Butylbenzylphthalate	0.496	0.542		ug/L		109	50 - 150
Chlorobenzilate	0.0992	0.0742	J	ug/L		75	50 - 150
Chloroneb	0.0992	0.114		ug/L		115	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0992	0.0836	J	ug/L		84	50 - 150
Chlorpyrifos	0.0496	0.0489	J	ug/L		99	50 - 150
Chrysene	0.0198	0.0209		ug/L		105	50 - 150
delta-BHC	0.0992	0.108		ug/L		109	50 - 150
Di(2-ethylhexyl)adipate	0.595	0.630		ug/L		106	50 - 150
Dibenz(a,h)anthracene	0.0496	0.0417	J	ug/L		84	50 - 150
Diclorvos (DDVP)	0.0496	0.0563		ug/L		113	50 - 150
Dieldrin	0.00992	0.0128		ug/L		129	50 - 150
Diethylphthalate	0.496	0.522		ug/L		105	50 - 150
Dimethylphthalate	0.496	0.507		ug/L		102	50 - 150
Di-n-butyl phthalate	0.496	0.518	J	ug/L		104	49 - 243
Di-n-octyl phthalate	0.0992	0.0888	J	ug/L		90	50 - 150
Endosulfan I (Alpha)	0.0992	0.0943	J	ug/L		95	50 - 150
Endosulfan II (Beta)	0.0992	0.103		ug/L		104	50 - 150
Endosulfan sulfate	0.0992	0.0984	J	ug/L		99	50 - 150
Endrin	0.00992	0.0106		ug/L		107	50 - 150
Endrin aldehyde	0.0992	0.0925	J	ug/L		93	50 - 150
EPTC	0.0992	0.0907	J	ug/L		91	50 - 150
Fluoranthene	0.0992	0.0970	J	ug/L		98	50 - 150
Fluorene	0.0496	<0.050		ug/L		98	50 - 150
gamma-Chlordane	0.0248	0.0231	J	ug/L		93	50 - 150
Heptachlor	0.00992	0.0114		ug/L		115	50 - 150
Heptachlor epoxide (isomer B)	0.00992	0.0116		ug/L		117	50 - 150
Hexachlorobenzene	0.0496	0.0445	J	ug/L		90	50 - 150
Hexachlorocyclopentadiene	0.0496	0.0422	J	ug/L		85	50 - 150
Indeno[1,2,3-cd]pyrene	0.0496	0.0437	J	ug/L		88	50 - 150
Isophorone	0.0992	0.115		ug/L		116	50 - 150
Lindane	0.00992	0.0104		ug/L		105	50 - 150
Malathion	0.0992	0.0987	J	ug/L		99	50 - 150
Methoxychlor	0.0496	0.0590		ug/L		119	50 - 150
Metolachlor	0.0496	0.0548		ug/L		110	50 - 150
Molinate	0.0992	0.0996		ug/L		100	50 - 150
Naphthalene	0.0992	0.0885	J	ug/L		89	50 - 150
Parathion	0.0992	0.0846	J	ug/L		85	50 - 150
Pendimethalin (Penoxaline)	0.0992	0.0900	J	ug/L		91	50 - 150
Phenanthrene	0.0397	0.0345	J	ug/L		87	50 - 150
Propachlor	0.0496	0.0489	J	ug/L		99	50 - 150

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-131760/22-A
Matrix: Water
Analysis Batch: 131948

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 131760

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Pyrene	0.0496	0.0466	J	ug/L		94	50 - 150
Simazine	0.0496	0.0488	J	ug/L		98	50 - 150
Terbacil	0.0992	0.103		ug/L		104	50 - 150
Terbutylazine	0.0992	0.100		ug/L		101	50 - 150
Thiobencarb	0.0992	0.0981	J	ug/L		99	50 - 150
trans-Nonachlor	0.0248	<0.026		ug/L		93	50 - 150
Trifluralin	0.0992	0.0919	J	ug/L		93	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
2-Nitro-m-xylene	99		70 - 130
Perylene-d12	94		70 - 130
Triphenylphosphate	102		70 - 130

Lab Sample ID: 380-132662-B-3-A MS
Matrix: Water
Analysis Batch: 131948

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 131760

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.098		1.95	1.84		ug/L		94	70 - 130
2,4'-DDD	<0.098		1.95	2.03		ug/L		104	70 - 130
2,4'-DDE	<0.098		1.95	2.02		ug/L		103	70 - 130
2,4'-DDT	<0.098		1.95	2.05		ug/L		105	70 - 130
2,4-Dinitrotoluene	<0.098		1.95	2.06		ug/L		106	70 - 130
2,6-Dinitrotoluene	<0.098		1.95	2.12		ug/L		108	70 - 130
2-Methylnaphthalene	<0.098		1.95	1.86		ug/L		95	70 - 130
4,4'-DDD	<0.098		1.95	2.07		ug/L		106	70 - 130
4,4'-DDE	<0.098		1.95	2.01		ug/L		103	70 - 130
4,4'-DDT	<0.098		1.95	1.96		ug/L		100	70 - 130
Acenaphthene	<0.098		1.95	2.00		ug/L		103	70 - 130
Acenaphthylene	<0.098		1.95	1.97		ug/L		101	70 - 130
Acetochlor	<0.098		1.95	2.00		ug/L		102	70 - 130
Alachlor	<0.049		1.95	2.06		ug/L		106	70 - 130
alpha-BHC	<0.098		1.95	2.01		ug/L		103	70 - 130
alpha-Chlordane	<0.049		1.95	2.03		ug/L		104	70 - 130
Anthracene	<0.020	F1	1.95	1.33	F1	ug/L		68	70 - 130
Atrazine	<0.049		1.95	2.15		ug/L		110	70 - 130
Benz(a)anthracene	<0.049		1.95	1.91		ug/L		98	70 - 130
Benzo[a]pyrene	<0.020		1.95	1.85		ug/L		95	70 - 130
Benzo[b]fluoranthene	<0.020		1.95	2.11		ug/L		108	70 - 130
Benzo[g,h,i]perylene	<0.049		1.95	2.04		ug/L		105	70 - 130
Benzo[k]fluoranthene	<0.020		1.95	2.06		ug/L		106	70 - 130
beta-BHC	<0.098		1.95	2.09		ug/L		107	70 - 130
Bis(2-ethylhexyl) phthalate	<0.59		1.95	2.00		ug/L		102	70 - 130
Bromacil	<0.098		1.95	2.04		ug/L		105	70 - 130
Butachlor	<0.049		1.95	2.21		ug/L		113	70 - 130
Butylbenzylphthalate	<0.49		1.95	2.08		ug/L		106	70 - 130
Chlorobenzilate	<0.098		1.95	1.84		ug/L		94	70 - 130
Chloroneb	<0.098		1.95	2.03		ug/L		104	70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-132662-B-3-A MS
Matrix: Water
Analysis Batch: 131948

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 131760

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
Chlorothalonil (Draconil, Bravo)	<0.098		1.95	2.16		ug/L		110	70 - 130
Chlorpyrifos	<0.049		1.95	2.08		ug/L		107	70 - 130
Chrysene	<0.020		1.95	1.97		ug/L		101	70 - 130
delta-BHC	<0.098		1.95	1.99		ug/L		102	70 - 130
Di(2-ethylhexyl)adipate	<0.59		1.95	2.02		ug/L		104	70 - 130
Dibenz(a,h)anthracene	<0.049		1.95	1.97		ug/L		101	70 - 130
Diclorvos (DDVP)	<0.049		1.95	2.02		ug/L		103	70 - 130
Dieldrin	<0.0098		1.95	1.98		ug/L		101	70 - 130
Diethylphthalate	<0.49		1.95	2.10		ug/L		108	70 - 130
Dimethylphthalate	<0.49		1.95	2.04		ug/L		104	70 - 130
Di-n-butyl phthalate	<0.98		3.91	4.15		ug/L		106	70 - 130
Di-n-octyl phthalate	<0.098		1.95	1.78		ug/L		91	70 - 130
Endosulfan I (Alpha)	<0.098		1.95	1.96		ug/L		100	70 - 130
Endosulfan II (Beta)	<0.098		1.95	2.04		ug/L		105	70 - 130
Endosulfan sulfate	<0.098		1.95	2.03		ug/L		104	70 - 130
Endrin	<0.0098		1.95	2.04		ug/L		105	70 - 130
Endrin aldehyde	<0.098		1.95	1.75		ug/L		90	60 - 130
EPTC	<0.098		1.95	2.04		ug/L		104	70 - 130
Fluoranthene	<0.098		1.95	2.09		ug/L		107	70 - 130
Fluorene	<0.049		1.95	2.00		ug/L		102	70 - 130
gamma-Chlordane	<0.049		1.95	2.03		ug/L		104	70 - 130
Heptachlor	<0.0098		1.95	2.10		ug/L		108	70 - 130
Heptachlor epoxide (isomer B)	<0.0098		1.95	2.02		ug/L		103	70 - 130
Hexachlorobenzene	<0.049		1.95	1.92		ug/L		99	70 - 130
Hexachlorocyclopentadiene	<0.049		1.95	1.87		ug/L		96	70 - 130
Indeno[1,2,3-cd]pyrene	<0.049		1.95	1.97		ug/L		101	70 - 130
Isophorone	<0.098		1.95	1.96		ug/L		100	70 - 130
Lindane	<0.0098		1.95	2.04		ug/L		104	70 - 130
Malathion	<0.098		1.95	2.02		ug/L		103	70 - 130
Methoxychlor	<0.049		1.95	2.01		ug/L		103	70 - 130
Metolachlor	<0.049		1.95	2.14		ug/L		109	70 - 130
Molinate	<0.098		1.95	2.08		ug/L		107	70 - 130
Naphthalene	<0.098		1.95	1.98		ug/L		101	70 - 130
Parathion	<0.098		1.95	2.09		ug/L		107	70 - 130
Pendimethalin (Penoxaline)	<0.098		1.95	2.05		ug/L		105	70 - 130
Phenanthrene	<0.039		1.95	2.02		ug/L		103	70 - 130
Propachlor	<0.049		1.95	2.15		ug/L		110	70 - 130
Pyrene	<0.049		1.95	2.09		ug/L		107	70 - 130
Simazine	<0.049		1.95	2.16		ug/L		110	70 - 130
Terbacil	<0.098		1.95	2.23		ug/L		114	70 - 130
Terbutylazine	<0.098		1.95	2.15		ug/L		110	70 - 130
Thiobencarb	<0.098		1.95	2.16		ug/L		111	70 - 130
trans-Nonachlor	<0.049		1.95	2.02		ug/L		103	70 - 130
Trifluralin	<0.098		1.95	1.93		ug/L		99	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	99		70 - 130
Perylene-d12	98		70 - 130

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-132646-1
 SDG: Weekly

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-132662-B-3-A MS
Matrix: Water
Analysis Batch: 131948

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 131760

Surrogate	%Recovery	MS MS Qualifier	Limits
Triphenylphosphate	102		70 - 130

Lab Sample ID: 380-132646-3 DU
Matrix: Drinking Water
Analysis Batch: 131948

Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)
Prep Type: Total/NA
Prep Batch: 131760

Analyte	Sample Result	Sample Qualifier	DU DU		Unit	D	RPD	Limit
			Result	Qualifier				
1-Methylnaphthalene	<0.097		<0.097		ug/L		NC	20
2,4'-DDD	<0.097		<0.097		ug/L		NC	20
2,4'-DDE	<0.097		<0.097		ug/L		NC	20
2,4'-DDT	<0.097		<0.097		ug/L		NC	20
2,4-Dinitrotoluene	<0.097		<0.097		ug/L		NC	20
2,6-Dinitrotoluene	<0.097		<0.097		ug/L		NC	20
2-Methylnaphthalene	<0.097		<0.097		ug/L		NC	20
4,4'-DDD	<0.097		<0.097		ug/L		NC	20
4,4'-DDE	<0.097		<0.097		ug/L		NC	20
4,4'-DDT	<0.097		<0.097		ug/L		NC	20
Acenaphthene	<0.097		<0.097		ug/L		NC	20
Acenaphthylene	<0.097		<0.097		ug/L		NC	20
Acetochlor	<0.097		<0.097		ug/L		NC	20
Alachlor	<0.049		<0.048		ug/L		NC	20
alpha-BHC	<0.097		<0.097		ug/L		NC	20
alpha-Chlordane	<0.049		<0.048		ug/L		NC	20
Anthracene	<0.019		<0.019		ug/L		NC	20
Atrazine	<0.049		<0.048		ug/L		NC	20
Benz(a)anthracene	<0.049		<0.048		ug/L		NC	20
Benzo[a]pyrene	<0.019		<0.019		ug/L		NC	20
Benzo[b]fluoranthene	<0.019		<0.019		ug/L		NC	20
Benzo[g,h,i]perylene	<0.049		<0.048		ug/L		NC	20
Benzo[k]fluoranthene	<0.019		<0.019		ug/L		NC	20
beta-BHC	<0.097		<0.097		ug/L		NC	20
Bis(2-ethylhexyl) phthalate	<0.58		<0.58		ug/L		NC	20
Bromacil	<0.097		<0.097		ug/L		NC	20
Butachlor	<0.049		<0.048		ug/L		NC	20
Butylbenzylphthalate	<0.49		<0.48		ug/L		NC	20
Chlorobenzilate	<0.097		<0.097		ug/L		NC	20
Chloroneb	<0.097		<0.097		ug/L		NC	20
Chlorothalonil (Draconil, Bravo)	<0.097		<0.097		ug/L		NC	20
Chlorpyrifos	<0.049		<0.048		ug/L		NC	20
Chrysene	<0.019		<0.019		ug/L		NC	20
delta-BHC	<0.097		<0.097		ug/L		NC	20
Di(2-ethylhexyl)adipate	<0.58		<0.58		ug/L		NC	20
Dibenz(a,h)anthracene	<0.049		<0.048		ug/L		NC	20
Diclorvos (DDVP)	<0.049		<0.048		ug/L		NC	20
Dieldrin	0.011		0.0113		ug/L		6	20
Diethylphthalate	<0.49		<0.48		ug/L		NC	20
Dimethylphthalate	<0.49		<0.48		ug/L		NC	20
Di-n-butyl phthalate	<0.97		<0.97		ug/L		NC	20

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-132646-3 DU

Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)

Matrix: Drinking Water

Prep Type: Total/NA

Analysis Batch: 131948

Prep Batch: 131760

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Di-n-octyl phthalate	<0.097		<0.097		ug/L		NC	20
Endosulfan I (Alpha)	<0.097		<0.097		ug/L		NC	20
Endosulfan II (Beta)	<0.097		<0.097		ug/L		NC	20
Endosulfan sulfate	<0.097		<0.097		ug/L		NC	20
Endrin	<0.0097		<0.0097		ug/L		NC	20
Endrin aldehyde	<0.097		<0.097		ug/L		NC	20
EPTC	<0.097		<0.097		ug/L		NC	20
Fluoranthene	<0.097		<0.097		ug/L		NC	20
Fluorene	<0.049		<0.048		ug/L		NC	20
gamma-Chlordane	<0.049		<0.048		ug/L		NC	20
Heptachlor	<0.0097		<0.0097		ug/L		NC	20
Heptachlor epoxide (isomer B)	<0.0097		<0.0097		ug/L		NC	20
Hexachlorobenzene	<0.049		<0.048		ug/L		NC	20
Hexachlorocyclopentadiene	<0.049		<0.048		ug/L		NC	20
Indeno[1,2,3-cd]pyrene	<0.049		<0.048		ug/L		NC	20
Isophorone	<0.097		<0.097		ug/L		NC	20
Lindane	<0.0097		<0.0097		ug/L		NC	20
Malathion	<0.097		<0.097		ug/L		NC	20
Methoxychlor	<0.049		<0.048		ug/L		NC	20
Metolachlor	<0.049		<0.048		ug/L		NC	20
Molinate	<0.097		<0.097		ug/L		NC	20
Naphthalene	<0.097		<0.097		ug/L		NC	20
Parathion	<0.097		<0.097		ug/L		NC	20
Pendimethalin (Penoxaline)	<0.097		<0.097		ug/L		NC	20
Phenanthrene	<0.039		<0.039		ug/L		NC	20
Propachlor	<0.049		<0.048		ug/L		NC	20
Pyrene	<0.049		<0.048		ug/L		NC	20
Simazine	<0.049		<0.048		ug/L		NC	20
Terbacil	<0.097		<0.097		ug/L		NC	20
Terbutylazine	<0.097		<0.097		ug/L		NC	20
Thiobencarb	<0.097		<0.097		ug/L		NC	20
Total Permethrin (mixed isomers)	<0.19		<0.19		ug/L		NC	20
trans-Nonachlor	<0.049		<0.048		ug/L		NC	20
Trifluralin	<0.097		<0.097		ug/L		NC	20

Surrogate	DU	DU	Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	99		70 - 130
Perylene-d12	99		70 - 130
Triphenylphosphate	102		70 - 130

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-528373/1-A

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 532334

Prep Batch: 528373

Tentatively Identified Compound	MB	MB	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
	Est. Result	Qualifier							
Tentatively Identified Compound	None		ug/L			N/A	01/30/25 19:44	02/11/25 11:25	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 625.1 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-528373/1-A
Matrix: Water
Analysis Batch: 532334

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 528373

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
2,4,6-Tribromophenol (Surr)	115		33 - 139	01/30/25 19:44	02/11/25 11:25	1
2-Fluorobiphenyl (Surr)	82		33 - 126	01/30/25 19:44	02/11/25 11:25	1
2-Fluorophenol (Surr)	43		12 - 120	01/30/25 19:44	02/11/25 11:25	1
Nitrobenzene-d5 (Surr)	78		36 - 120	01/30/25 19:44	02/11/25 11:25	1
Phenol-d6 (Surr)	26		10 - 120	01/30/25 19:44	02/11/25 11:25	1
p-Terphenyl-d14 (Surr)	99		47 - 131	01/30/25 19:44	02/11/25 11:25	1

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Lab Sample ID: MB 570-528373/1-A
Matrix: Water
Analysis Batch: 531865

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 528373

Analyte	MB MB		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
1-Methylnaphthalene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
2-Methylnaphthalene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Acenaphthene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Acenaphthylene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Anthracene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Benzo[a]anthracene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Benzo[a]pyrene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Benzo[b]fluoranthene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Benzo[g,h,i]perylene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Benzo[k]fluoranthene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Chrysene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Dibenz(a,h)anthracene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Fluoranthene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Fluorene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Indeno[1,2,3-cd]pyrene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Naphthalene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Phenanthrene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1
Pyrene	<0.20		0.20	ug/L		01/30/25 19:44	02/10/25 10:40	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
2,4,6-Tribromophenol (Surr)	85		28 - 127	01/30/25 19:44	02/10/25 10:40	1
2-Fluorobiphenyl (Surr)	82		31 - 120	01/30/25 19:44	02/10/25 10:40	1
2-Fluorophenol (Surr)	35		17 - 120	01/30/25 19:44	02/10/25 10:40	1
Nitrobenzene-d5 (Surr)	78		27 - 120	01/30/25 19:44	02/10/25 10:40	1
Phenol-d6 (Surr)	22		10 - 120	01/30/25 19:44	02/10/25 10:40	1
p-Terphenyl-d14 (Surr)	82		45 - 120	01/30/25 19:44	02/10/25 10:40	1

Lab Sample ID: LCS 570-528373/2-A
Matrix: Water
Analysis Batch: 531865

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 528373

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2-Methylnaphthalene	20.0	15.0		ug/L		75	43 - 120

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCS 570-528373/2-A
Matrix: Water
Analysis Batch: 531865

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 528373

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene	20.0	16.5		ug/L		82	60 - 132
Acenaphthylene	20.0	16.2		ug/L		81	54 - 126
Anthracene	20.0	17.5		ug/L		87	43 - 120
Benzo[a]anthracene	20.0	17.1		ug/L		85	42 - 133
Benzo[a]pyrene	20.0	18.0		ug/L		90	32 - 148
Benzo[b]fluoranthene	20.0	17.3		ug/L		86	42 - 140
Benzo[g,h,i]perylene	20.0	16.7		ug/L		83	1 - 195
Benzo[k]fluoranthene	20.0	17.3		ug/L		87	25 - 146
Chrysene	20.0	16.4		ug/L		82	44 - 140
Dibenz(a,h)anthracene	20.0	16.9		ug/L		85	1 - 200
Fluoranthene	20.0	17.0		ug/L		85	43 - 121
Fluorene	20.0	17.0		ug/L		85	70 - 120
Indeno[1,2,3-cd]pyrene	20.0	17.4		ug/L		87	1 - 151
Naphthalene	20.0	13.5		ug/L		67	36 - 120
Phenanthrene	20.0	17.5		ug/L		87	65 - 120
Pyrene	20.0	17.4		ug/L		87	70 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	79		28 - 127
2-Fluorobiphenyl (Surr)	78		31 - 120
2-Fluorophenol (Surr)	42		17 - 120
Nitrobenzene-d5 (Surr)	66		27 - 120
Phenol-d6 (Surr)	26		10 - 120
p-Terphenyl-d14 (Surr)	81		45 - 120

Lab Sample ID: LCSD 570-528373/3-A
Matrix: Water
Analysis Batch: 531865

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 528373

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	20.0	12.9		ug/L		64	47 - 120	4	20
2-Methylnaphthalene	20.0	14.1		ug/L		70	43 - 120	6	20
Acenaphthene	20.0	15.6		ug/L		78	60 - 132	5	29
Acenaphthylene	20.0	15.0		ug/L		75	54 - 126	8	45
Anthracene	20.0	16.1		ug/L		80	43 - 120	8	40
Benzo[a]anthracene	20.0	16.9		ug/L		85	42 - 133	1	32
Benzo[a]pyrene	20.0	18.0		ug/L		90	32 - 148	0	43
Benzo[b]fluoranthene	20.0	17.4		ug/L		87	42 - 140	1	43
Benzo[g,h,i]perylene	20.0	16.0		ug/L		80	1 - 195	4	61
Benzo[k]fluoranthene	20.0	17.4		ug/L		87	25 - 146	1	38
Chrysene	20.0	16.4		ug/L		82	44 - 140	0	53
Dibenz(a,h)anthracene	20.0	16.3		ug/L		81	1 - 200	4	75
Fluoranthene	20.0	15.7		ug/L		79	43 - 121	8	40
Fluorene	20.0	15.8		ug/L		79	70 - 120	7	23
Indeno[1,2,3-cd]pyrene	20.0	17.0		ug/L		85	1 - 151	2	60
Naphthalene	20.0	12.6		ug/L		63	36 - 120	7	39
Phenanthrene	20.0	16.0		ug/L		80	65 - 120	9	24
Pyrene	20.0	17.6		ug/L		88	70 - 120	1	30

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCSD 570-528373/3-A
Matrix: Water
Analysis Batch: 531865

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 528373

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
2,4,6-Tribromophenol (Surr)	74		28 - 127
2-Fluorobiphenyl (Surr)	75		31 - 120
2-Fluorophenol (Surr)	43		17 - 120
Nitrobenzene-d5 (Surr)	63		27 - 120
Phenol-d6 (Surr)	27		10 - 120
p-Terphenyl-d14 (Surr)	85		45 - 120

Lab Sample ID: 380-132646-1 MS
Matrix: Drinking Water
Analysis Batch: 531865

Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)
Prep Type: Total/NA
Prep Batch: 528373

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	%Rec Limits
				Result	Qualifier				
1-Methylnaphthalene	<0.19		19.1	11.7		ug/L		61	36 - 120
2-Methylnaphthalene	<0.19		19.1	13.1		ug/L		69	32 - 124
Acenaphthene	<0.19		19.1	13.8		ug/L		72	47 - 145
Acenaphthylene	<0.19		19.1	13.3		ug/L		70	33 - 145
Anthracene	<0.19		19.1	14.9		ug/L		78	27 - 133
Benzo[a]anthracene	<0.19		19.1	16.5		ug/L		87	33 - 143
Benzo[a]pyrene	<0.19		19.1	17.8		ug/L		93	17 - 163
Benzo[b]fluoranthene	<0.19		19.1	17.1		ug/L		90	24 - 159
Benzo[g,h,i]perylene	<0.19		19.1	16.3		ug/L		85	1 - 219
Benzo[k]fluoranthene	<0.19		19.1	16.9		ug/L		89	11 - 162
Chrysene	<0.19		19.1	15.9		ug/L		83	17 - 168
Dibenz(a,h)anthracene	<0.19		19.1	16.9		ug/L		88	1 - 227
Fluoranthene	<0.19		19.1	15.4		ug/L		81	26 - 137
Fluorene	<0.19		19.1	14.4		ug/L		75	59 - 121
Indeno[1,2,3-cd]pyrene	<0.19		19.1	16.8		ug/L		88	1 - 171
Naphthalene	<0.19		19.1	11.9		ug/L		62	21 - 133
Phenanthrene	<0.19		19.1	14.8		ug/L		77	54 - 120
Pyrene	<0.19		19.1	17.0		ug/L		89	52 - 120

Surrogate	MS		Limits
	%Recovery	Qualifier	
2,4,6-Tribromophenol (Surr)	70		28 - 127
2-Fluorobiphenyl (Surr)	66		31 - 120
2-Fluorophenol (Surr)	36		17 - 120
Nitrobenzene-d5 (Surr)	57		27 - 120
Phenol-d6 (Surr)	22		10 - 120
p-Terphenyl-d14 (Surr)	82		45 - 120

Lab Sample ID: 380-132646-1 MSD
Matrix: Drinking Water
Analysis Batch: 531865

Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)
Prep Type: Total/NA
Prep Batch: 528373

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD		Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
				Result	Qualifier						
1-Methylnaphthalene	<0.19		19.4	12.5		ug/L		64	36 - 120	7	30
2-Methylnaphthalene	<0.19		19.4	13.7		ug/L		71	32 - 124	5	30
Acenaphthene	<0.19		19.4	15.7		ug/L		81	47 - 145	13	48
Acenaphthylene	<0.19		19.4	15.2		ug/L		78	33 - 145	14	74

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: 380-132646-1 MSD

Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)

Matrix: Drinking Water

Prep Type: Total/NA

Analysis Batch: 531865

Prep Batch: 528373

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec		RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits	RPD		
Anthracene	<0.19		19.4	16.8		ug/L		87	27 - 133	12	66	
Benzo[a]anthracene	<0.19		19.4	17.8		ug/L		91	33 - 143	7	53	
Benzo[a]pyrene	<0.19		19.4	19.4		ug/L		100	17 - 163	9	72	
Benzo[b]fluoranthene	<0.19		19.4	18.3		ug/L		94	24 - 159	7	71	
Benzo[g,h,i]perylene	<0.19		19.4	18.0		ug/L		93	1 - 219	10	97	
Benzo[k]fluoranthene	<0.19		19.4	18.1		ug/L		93	11 - 162	7	63	
Chrysene	<0.19		19.4	17.3		ug/L		89	17 - 168	8	87	
Dibenz(a,h)anthracene	<0.19		19.4	18.6		ug/L		96	1 - 227	10	126	
Fluoranthene	<0.19		19.4	16.8		ug/L		86	26 - 137	8	66	
Fluorene	<0.19		19.4	16.2		ug/L		83	59 - 121	12	38	
Indeno[1,2,3-cd]pyrene	<0.19		19.4	18.6		ug/L		95	1 - 171	10	99	
Naphthalene	<0.19		19.4	12.6		ug/L		65	21 - 133	6	65	
Phenanthrene	<0.19		19.4	17.0		ug/L		87	54 - 120	14	39	
Pyrene	<0.19		19.4	18.0		ug/L		93	52 - 120	6	49	

Surrogate	MSD %Recovery	MSD Qualifier	Limits
2,4,6-Tribromophenol (Surr)	75		28 - 127
2-Fluorobiphenyl (Surr)	73		31 - 120
2-Fluorophenol (Surr)	39		17 - 120
Nitrobenzene-d5 (Surr)	63		27 - 120
Phenol-d6 (Surr)	25		10 - 120
p-Terphenyl-d14 (Surr)	82		45 - 120

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-528518/6

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 528518

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			01/31/25 12:01	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		38 - 134		01/31/25 12:01	1

Lab Sample ID: LCS 570-528518/4

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 528518

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	400	418		ug/L		104	78 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	96		38 - 134

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: LCSD 570-528518/5
Matrix: Water
Analysis Batch: 528518

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	400	418		ug/L		105	78 - 120	0	10
Surrogate		LCSD %Recovery	LCSD Qualifier				Limits		
4-Bromofluorobenzene (Surr)		96					38 - 134		

Lab Sample ID: MRL 570-528518/3
Matrix: Water
Analysis Batch: 528518

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	10.0	10.6		ug/L		106	50 - 150
Surrogate		MRL %Recovery	MRL Qualifier				Limits
4-Bromofluorobenzene (Surr)		90					38 - 134

Lab Sample ID: 380-132646-1 MS
Matrix: Drinking Water
Analysis Batch: 528518

Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	<10		400	426		ug/L		106	68 - 122
Surrogate				MS %Recovery	MS Qualifier				Limits
4-Bromofluorobenzene (Surr)				94					38 - 134

Lab Sample ID: 380-132646-1 MSD
Matrix: Drinking Water
Analysis Batch: 528518

Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	<10		400	398		ug/L		100	68 - 122	7	18
Surrogate				MSD %Recovery	MSD Qualifier				Limits		
4-Bromofluorobenzene (Surr)				95					38 - 134		

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Lab Sample ID: MB 570-528773/1-A
Matrix: Water
Analysis Batch: 528995

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 528773

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		01/31/25 18:43	02/02/25 15:35	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		01/31/25 18:43	02/02/25 15:35	1
C8-C18	<25		25	ug/L		01/31/25 18:43	02/02/25 15:35	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	91		60 - 130	01/31/25 18:43	02/02/25 15:35	1

Lab Sample ID: LCS 570-528773/2-A
Matrix: Water
Analysis Batch: 528995

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 528773

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	1600	1360		ug/L		85	56 - 127

Surrogate	LCS %Recovery	LCS Qualifier	Limits
<i>n</i> -Octacosane (Surr)	91		60 - 130

Lab Sample ID: LCSD 570-528773/3-A
Matrix: Water
Analysis Batch: 528995

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 528773

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
C10-C28	1600	1420		ug/L		89	56 - 127	4	23

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
<i>n</i> -Octacosane (Surr)	93		60 - 130

Lab Sample ID: MRL 570-528773/4-A
Matrix: Water
Analysis Batch: 528995

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 528773

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	0.0200	0.0290		mg/L		145	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
<i>n</i> -Octacosane (Surr)	98		60 - 130

Lab Sample ID: 380-132646-1 MS
Matrix: Drinking Water
Analysis Batch: 528995

Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)
Prep Type: Total/NA
Prep Batch: 528773

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	<26		1630	1490		ug/L		91	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
<i>n</i> -Octacosane (Surr)	95		60 - 130

Lab Sample ID: 380-132646-1 MSD
Matrix: Drinking Water
Analysis Batch: 528995

Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)
Prep Type: Total/NA
Prep Batch: 528773

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
C10-C28	<26		1660	1480		ug/L		89	70 - 130	1	20

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

Lab Sample ID: 380-132646-1 MSD
Matrix: Drinking Water
Analysis Batch: 528995

Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)
Prep Type: Total/NA
Prep Batch: 528773

<i>Surrogate</i>	<i>MSD</i>	<i>MSD</i>	<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
<i>n-Octacosane (Surr)</i>	94		60 - 130

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

GC/MS Semi VOA

Prep Batch: 131760

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-132646-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01	Total/NA	Drinking Water	525.2	
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP	Total/NA	Drinking Water	525.2	
MB 380-131760/21-A	Method Blank	Total/NA	Water	525.2	
LCS 380-131760/23-A	Lab Control Sample	Total/NA	Water	525.2	
MRL 380-131760/22-A	Lab Control Sample	Total/NA	Water	525.2	
380-132662-B-3-A MS	Matrix Spike	Total/NA	Water	525.2	
380-132646-3 DU	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP	Total/NA	Drinking Water	525.2	

Analysis Batch: 131948

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-132646-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01	Total/NA	Drinking Water	525.2	131760
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP	Total/NA	Drinking Water	525.2	131760
MB 380-131760/21-A	Method Blank	Total/NA	Water	525.2	131760
LCS 380-131760/23-A	Lab Control Sample	Total/NA	Water	525.2	131760
MRL 380-131760/22-A	Lab Control Sample	Total/NA	Water	525.2	131760
380-132662-B-3-A MS	Matrix Spike	Total/NA	Water	525.2	131760
380-132646-3 DU	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP	Total/NA	Drinking Water	525.2	131760

Prep Batch: 528373

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-132646-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01	Total/NA	Drinking Water	625.1	
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP	Total/NA	Drinking Water	625.1	
MB 570-528373/1-A	Method Blank	Total/NA	Water	625.1	
LCS 570-528373/2-A	Lab Control Sample	Total/NA	Water	625.1	
LCSD 570-528373/3-A	Lab Control Sample Dup	Total/NA	Water	625.1	
380-132646-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	625.1	
380-132646-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	625.1	

Analysis Batch: 531865

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-132646-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01	Total/NA	Drinking Water	625.1 SIM	528373
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP	Total/NA	Drinking Water	625.1 SIM	528373
MB 570-528373/1-A	Method Blank	Total/NA	Water	625.1 SIM	528373
LCS 570-528373/2-A	Lab Control Sample	Total/NA	Water	625.1 SIM	528373
LCSD 570-528373/3-A	Lab Control Sample Dup	Total/NA	Water	625.1 SIM	528373
380-132646-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	625.1 SIM	528373
380-132646-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	625.1 SIM	528373

Analysis Batch: 532334

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-132646-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01	Total/NA	Drinking Water	625.1	528373
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP	Total/NA	Drinking Water	625.1	528373
MB 570-528373/1-A	Method Blank	Total/NA	Water	625.1	528373

GC VOA

Analysis Batch: 528518

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-132646-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01	Total/NA	Drinking Water	8015B GRO LL	
380-132646-2	TB: HALAWA WELLS UNITS 1&2 (331-206-TP06	Total/NA	Water	8015B GRO LL	
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP	Total/NA	Drinking Water	8015B GRO LL	

QC Association Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-132646-1
 SDG: Weekly

GC VOA (Continued)

Analysis Batch: 528518 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-132646-4	TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TF	Total/NA	Water	8015B GRO LL	
MB 570-528518/6	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-528518/4	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-528518/5	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	
MRL 570-528518/3	Lab Control Sample	Total/NA	Water	8015B GRO LL	
380-132646-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	8015B GRO LL	
380-132646-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	8015B GRO LL	

GC Semi VOA

Prep Batch: 528773

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-132646-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP065)	Total/NA	Drinking Water	3510C	
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP	Total/NA	Drinking Water	3510C	
MB 570-528773/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-528773/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-528773/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MRL 570-528773/4-A	Lab Control Sample	Total/NA	Water	3510C	
380-132646-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	3510C	
380-132646-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	3510C	

Analysis Batch: 528995

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-132646-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP065)	Total/NA	Drinking Water	8015B	528773
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP	Total/NA	Drinking Water	8015B	528773
MB 570-528773/1-A	Method Blank	Total/NA	Water	8015B	528773
LCS 570-528773/2-A	Lab Control Sample	Total/NA	Water	8015B	528773
LCSD 570-528773/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	528773
MRL 570-528773/4-A	Lab Control Sample	Total/NA	Water	8015B	528773
380-132646-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	8015B	528773
380-132646-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	8015B	528773

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1
(331-206-TP065)**

Lab Sample ID: 380-132646-1

Date Collected: 01/27/25 10:26

Matrix: Drinking Water

Date Received: 01/29/25 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			131760	OTM3	EA POM	01/31/25 07:59
Total/NA	Analysis	525.2		1	131948	Q8LA	EA POM	02/01/25 11:11
Total/NA	Prep	625.1			528373	UD4J	EET CAL 4	01/30/25 19:44
Total/NA	Analysis	625.1		1	532334	CG	EET CAL 4	02/11/25 11:48
Total/NA	Prep	625.1			528373	UD4J	EET CAL 4	01/30/25 19:44
Total/NA	Analysis	625.1 SIM		1	531865	PQS1	EET CAL 4	02/10/25 15:02
Total/NA	Analysis	8015B GRO LL		1	528518	A9VE	EET CAL 4	01/31/25 13:29
Total/NA	Prep	3510C			528773	TVD6	EET CAL 4	01/31/25 18:43
Total/NA	Analysis	8015B		1	528995	H6FE	EET CAL 4	02/02/25 17:21

**Client Sample ID: TB: HALAWA WELLS UNITS 1&2
(331-206-TP065)**

Lab Sample ID: 380-132646-2

Date Collected: 01/27/25 10:26

Matrix: Water

Date Received: 01/29/25 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	528518	A9VE	EET CAL 4	01/31/25 17:22

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)**

Lab Sample ID: 380-132646-3

Date Collected: 01/27/25 11:33

Matrix: Drinking Water

Date Received: 01/29/25 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			131760	OTM3	EA POM	01/31/25 07:59
Total/NA	Analysis	525.2		1	131948	Q8LA	EA POM	02/01/25 10:50
Total/NA	Prep	625.1			528373	UD4J	EET CAL 4	01/30/25 19:44
Total/NA	Analysis	625.1		1	532334	CG	EET CAL 4	02/11/25 12:11
Total/NA	Prep	625.1			528373	UD4J	EET CAL 4	01/30/25 19:44
Total/NA	Analysis	625.1 SIM		1	531865	PQS1	EET CAL 4	02/10/25 15:24
Total/NA	Analysis	8015B GRO LL		1	528518	A9VE	EET CAL 4	01/31/25 14:47
Total/NA	Prep	3510C			528773	TVD6	EET CAL 4	01/31/25 18:43
Total/NA	Analysis	8015B		1	528995	H6FE	EET CAL 4	02/02/25 17:42

**Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)
(331-203-TP400)**

Lab Sample ID: 380-132646-4

Date Collected: 01/27/25 11:33

Matrix: Water

Date Received: 01/29/25 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	528518	A9VE	EET CAL 4	01/31/25 17:46

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100
EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Laboratory: Eurofins Eaton Analytical Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-25 *

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	1-Methylnaphthalene
525.2	525.2	Drinking Water	2,4'-DDD
525.2	525.2	Drinking Water	2,4'-DDE
525.2	525.2	Drinking Water	2,4'-DDT
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	2-Methylnaphthalene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4' DDT
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diclorvos (DDVP)
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin (Penoxaline)
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor

Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
Arizona	State	AZ0830	11-16-25
Arkansas DEQ	State	88-01672	07-02-25
California	Los Angeles County Sanitation Districts	9257304	07-31-26
California	SCAQMD LAP	17LA0919	11-30-25
California	State	3082	07-31-25

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Eaton Analytical Pomona

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Laboratory: Eurofins Calscience (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Kansas	NELAP	E-10420	07-31-25
Nevada	State	CA00111	07-31-25
Oregon	NELAP	4175	02-02-26
USDA	US Federal Programs	525-23-159-97150	06-08-26
Washington	State	C916	10-11-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
625.1	Semivolatile Organic Compounds (GC/MS)	EPA	EET CAL 4
625.1 SIM	Semivolatile Organic Compounds GC/MS (SIM)	EPA	EET CAL 4
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
525.2	Extraction of Semivolatile Compounds	EPA	EA POM
625.1	Liquid-Liquid Extraction	40CFR136A	EET CAL 4

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-132646-1
SDG: Weekly

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
380-132646-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP065)	Drinking Water	01/27/25 10:26	01/29/25 10:20	HI0000331
380-132646-2	TB: HALAWA WELLS UNITS 1&2 (331-206-TP065)	Water	01/27/25 10:26	01/29/25 10:20	
380-132646-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	Drinking Water	01/27/25 11:33	01/29/25 10:20	
380-132646-4	TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TP400)	Water	01/27/25 11:33	01/29/25 10:20	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Eurofins Eaton Analytical Pomona
941 Corporate Center Drive
Pomona CA 91768-2642
Phone (626) 386-1100

Chain of Custody Record

eurofins | Environment Testing

Client Information		Sampler bailey		Lab PM Arada, Rachelle		Carrier Tracking No(s)		COC No: 380-28005-2757 1	
Client Contact: Kirk Iwamoto		Phone: +1 808 748 5840		E-Mail Rachelle.Arada@et.eurofins.com		State of Origin		Page: Page 1 of 1	
Company City & County of Honolulu		FWSID:		Analysis Requested		Total Number of Containers		Job #: Preservation Codes: R - NaThioSO4 RA - NaThioHCl D - Na2SO3 QA - Na2SO3/HCl Y - Triazma I - NHA Acetate Other	
Address: 630 South Beretania Street Chemistry Lab		Due Date Requested		Perform MS/MSD (Yes or No)		503 All Analytes		Special Instructions/Note: (631A) 2-2-403-25 Feek: 771732416945	
City: Honolulu		TAT Requested (days)		Field Filtered Sample (Yes or No)		507 1, DM, PREC - 507 1 Full List			
State, Zip: HI, 96843		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		R		505.2, PREC - (MOD) 525plus Plus TICs			
Phone: 808-748-5840 (Tel)		PO #: C20525101 exp 05312023		RA		8015B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C38-C18			
Email: kiwamoto@hbws.org		WO #: 1026		Q		8015B_GRO_LL - (MOD) GRO			
Project Name: RED-HILL/HBWS Sites Event Desc: RUSH Weekly Red Hill		Sample Time		Preservation Code:		825.1, 825.1 SIM			
Site: Hawaii		Sample Date		G		925.1, 925.1 SIM			
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=Water, S=Soil, G=Grab, O=Other)	
Halawa Wells Units 1 & 2 DL		27-Jan-2025		1026		G		Water	
Halawa Wells Units 1 & 2 (Matrix Spike)								Water	
Halawa Wells Units 1 & 2 (Matrix Spike Duplicate)								Water	
TB, Halawa Wells Units 1 & 2		27-Jan-2025		1026				Water	
Aiea Wells Pumps 1&2 (260) PZ		27-Jan-2025		1133		G		Water	
Aiea Wells Pumps 1&2 (260) (Matrix Spike)								Water	
Aiea Wells Pumps 1&2 (Matrix Spike Duplicate)								Water	
TB: Aiea Wells Pumps 1&2 (260)		27-Jan-2025		1133				Water	
Possible Hazard Identification		Sample Date		Sample Time		Sample Type		Matrix	
<input type="checkbox"/> Non-Hazard		27-Jan-2025		1133		G		Water	
<input type="checkbox"/> Flammable									
<input type="checkbox"/> Skin Irritant									
<input type="checkbox"/> Poison B									
<input type="checkbox"/> Unknown									
<input type="checkbox"/> Radiological									
Empty Kit Relinquished by		Date		Time		Method of Shipment		Archive For	
Non-Hazard		28-Jan-2025		1400		Company: HBWS		Months	
Deliverable Requested I, II, III, IV, Other (specify)		Date/Time:		Date/Time:		Date/Time:		Date/Time:	
Received by:		Date/Time:		Date/Time:		Date/Time:		Date/Time:	
Relinquished by:		Date/Time:		Date/Time:		Date/Time:		Date/Time:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No		Cooler Temperature(s) °C and Other Remarks:		(631A) 1-7-10-3 2.0 g/L - Feek		Ver 04/02/2024	



Chain of Custody Record

Client Information (Sub Contract Lab)
 Client Contact: N/A
 Shipping/Receiving: N/A
 Company: Eurofins Environment Testing Southwest,
 Address: 2841 Dow Avenue, Suite 100,
 City: Tustin
 State, Zip: CA, 92780
 Phone: 714-895-5494(Tel)
 Email: N/A
 Project Name: RED-HILL
 Site: Honolulu BWS Sites

Due Date Requested: 2/11/2025
TAT Requested (days): N/A
Lab Pk#: N/A
Carrier Tracking No(s): N/A
State of Origin: Hawaii
Accreditations Required (See note): State Hawaii
Job #: 380-132646-1
Preservation Codes:

Analysis Requested
 380-132646 Chain of Custody
 9016B DR0 LL CS3510C LL HNL Ranges: C10
 C24/C24-C36/C8-C18
 626.1_S1M/525_Prep (MOD) Extended PAH List
 625.1625_Prep (MOD) Tentatively Identified Compounds (Field)
 8015B_GRO_LL/8030C (MOD) GRO

Sample ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Water, Solid, Over-sat)	Field Filled Sample (Yes or No)	Perform MS/MSD (Yes or No)	9016B DR0 LL CS3510C LL HNL Ranges: C10	C24/C24-C36/C8-C18	626.1_S1M/525_Prep (MOD) Extended PAH List	625.1625_Prep (MOD) Tentatively Identified Compounds (Field)	8015B_GRO_LL/8030C (MOD) GRO	Special Instructions/Note:
HALAWA WELLS UNITS 1 & 2 (331-206-TP065) (380-132646-1)	1/27/25	10:26 Hawaiian	G	Water	X	X	X	X	X	X	X	MRLs are needed. Confirm any hits >RL.
HALAWA WELLS UNITS 1 & 2 (331-206-TP065) (380-132646-1M)	1/27/25	10:26 Hawaiian	G	Water	X	X	X	X	X	X	X	MRLs are needed. Confirm any hits >RL.
HALAWA WELLS UNITS 1 & 2 (331-206-TP065) (380-132646-1M)	1/27/25	10:26 Hawaiian	G	Water	X	X	X	X	X	X	X	MRLs are needed. Confirm any hits >RL.
TB: HALAWA WELLS UNITS 1&2 (331-206-TP065) (380-132646)	1/27/25	10:26 Hawaiian	G	Water	X	X	X	X	X	X	X	MRLs are needed.
AIEA WELLS PUMPS 1&2 (260) (331-203-TP400) (380-132646-3)	1/27/25	11:33 Hawaiian	G	Water	X	X	X	X	X	X	X	MRLs are needed. Confirm any hits >RL.
TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TP400) (380-1326)	1/27/25	11:33 Hawaiian	G	Water	X	X	X	X	X	X	X	MRLs are needed.

Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV Other (specify) Primary Deliverable Rank: 2
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For Months

Relinquished by:	Date:	Company:	Method of Shipment:
Relinquished by: <i>[Signature]</i>	1/30/25 12:50	Company	
Relinquished by: <i>[Signature]</i>	1/30/25 12:50	Company	
Relinquished by: <i>[Signature]</i>	1/30/25 12:50	Company	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No. 141-65014		

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-132646-1

SDG Number: Weekly

Login Number: 132646

List Number: 1

Creator: Segura, Ryan

List Source: Eurofins Eaton Analytical Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	



Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-132646-1

SDG Number: Weekly

Login Number: 132646

List Number: 2

Creator: Khana, Piyush

List Source: Eurofins Calscience

List Creation: 01/30/25 03:53 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.6
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

