

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mr. Erwin Kawata  
City & County of Honolulu  
630 South Beretania Street  
Public Service Bldg. Room 310  
Honolulu, Hawaii 96843

Generated 12/23/2024 4:36:16 PM

## JOB DESCRIPTION

RED-HILL  
Weekly PFAS

## JOB NUMBER

380-127251-1

# Eurofins Eaton Analytical Pomona

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

## Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

## Authorization



Generated  
12/23/2024 4:36:16 PM

Authorized for release by  
Rachelle Arada, Project Manager  
[Rachelle.Arada@et.eurofinsus.com](mailto:Rachelle.Arada@et.eurofinsus.com)  
(626)386-1106



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Action Limit Summary . . . . .	11
Surrogate Summary . . . . .	12
Isotope Dilution Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	25
Lab Chronicle . . . . .	26
Certification Summary . . . . .	27
Method Summary . . . . .	28
Sample Summary . . . . .	29
Chain of Custody . . . . .	30
Receipt Checklists . . . . .	31

# Definitions/Glossary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Qualifiers

### LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: City & County of Honolulu  
Project: RED-HILL

Job ID: 380-127251-1

**Job ID: 380-127251-1**

**Eurofins Eaton Analytical Pomona**

## Job Narrative 380-127251-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 12/19/2024 10:17 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.3°C.

### PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

# Detection Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Client Sample ID: HALAWA SHAFT VIEWING POOL

## Lab Sample ID: 380-127251-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanesulfonic acid (PFOS)	2.6		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.2		2.0	ng/L	1		537.1	Total/NA

## Client Sample ID: FB: HALAWA SHAFT VIEWING POOL

## Lab Sample ID: 380-127251-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical Pomona



# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

**Client Sample ID: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-127251-1**

Date Collected: 12/17/24 10:00

Matrix: Water

Date Received: 12/19/24 10:17

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>2.6</b>		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:21	1
<b>Isotope Dilution</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C3 HFPO-DA	105		50 - 200			12/21/24 18:34	12/22/24 13:21	1
13C6 PFDA	102		50 - 200			12/21/24 18:34	12/22/24 13:21	1
13C5 PFHxA	106		50 - 200			12/21/24 18:34	12/22/24 13:21	1
13C4 PFHpA	109		50 - 200			12/21/24 18:34	12/22/24 13:21	1
13C8 PFOA	108		50 - 200			12/21/24 18:34	12/22/24 13:21	1
13C9 PFNA	105		50 - 200			12/21/24 18:34	12/22/24 13:21	1
13C7 PFUnA	101		50 - 200			12/21/24 18:34	12/22/24 13:21	1
13C2 PFDoA	98		50 - 200			12/21/24 18:34	12/22/24 13:21	1
13C4 PFBA	105		50 - 200			12/21/24 18:34	12/22/24 13:21	1
13C5 PFPeA	103		50 - 200			12/21/24 18:34	12/22/24 13:21	1
13C3 PFBS	106		50 - 200			12/21/24 18:34	12/22/24 13:21	1
13C3 PFHxS	108		50 - 200			12/21/24 18:34	12/22/24 13:21	1
13C8 PFOS	106		50 - 200			12/21/24 18:34	12/22/24 13:21	1

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

**Client Sample ID: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-127251-1**

Date Collected: 12/17/24 10:00

Matrix: Water

Date Received: 12/19/24 10:17

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2-4:2-FTS	101		50 - 200	12/21/24 18:34	12/22/24 13:21	1
13C2-6:2-FTS	124		50 - 200	12/21/24 18:34	12/22/24 13:21	1
13C2-8:2-FTS	111		50 - 200	12/21/24 18:34	12/22/24 13:21	1

**Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>2.2</b>		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
N-methylperfluorooctanesulfonamide acetic acid (NMeFOSAA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
N-ethylperfluorooctanesulfonamide acetic acid (NEtFOSAA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 16:14	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
d5-NEtFOSAA	107		70 - 130			12/20/24 06:52	12/20/24 16:14	1
13C2 PFHxA	109		70 - 130			12/20/24 06:52	12/20/24 16:14	1
13C2 PFDA	97		70 - 130			12/20/24 06:52	12/20/24 16:14	1
13C3-GenX	110		70 - 130			12/20/24 06:52	12/20/24 16:14	1

**Client Sample ID: FB: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-127251-2**

Date Collected: 12/17/24 10:00

Matrix: Water

Date Received: 12/19/24 10:17

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1

Eurofins Eaton Analytical Pomona



# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

**Client Sample ID: FB: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-127251-2**

Date Collected: 12/17/24 10:00

Matrix: Water

Date Received: 12/19/24 10:17

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		12/21/24 18:34	12/22/24 13:31	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	93		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C6 PFDA	99		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C5 PFHxA	100		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C4 PFHpA	107		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C8 PFOA	104		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C9 PFNA	100		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C7 PFUnA	97		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C2 PFDoA	94		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C4 PFBA	104		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C5 PFPeA	99		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C3 PFBS	109		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C3 PFHxS	109		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C8 PFOS	107		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C2-4:2-FTS	106		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C2-6:2-FTS	130		50 - 200	12/21/24 18:34	12/22/24 13:31	1
13C2-8:2-FTS	111		50 - 200	12/21/24 18:34	12/22/24 13:31	1

**Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

**Client Sample ID: FB: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-127251-2**

**Date Collected: 12/17/24 10:00**

**Matrix: Water**

**Date Received: 12/19/24 10:17**

**Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		12/20/24 06:52	12/20/24 19:51	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
d5-NEtFOSAA	99		70 - 130			12/20/24 06:52	12/20/24 19:51	1
13C2 PFHxA	105		70 - 130			12/20/24 06:52	12/20/24 19:51	1
13C2 PFDA	102		70 - 130			12/20/24 06:52	12/20/24 19:51	1
13C3-GenX	103		70 - 130			12/20/24 06:52	12/20/24 19:51	1

# Action Limit Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

**Client Sample ID: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-127251-1**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.6		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	537.1	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.2		ng/L	4	2.0	537.1	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	537.1	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	537.1	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	537.1	Total/NA

**Client Sample ID: FB: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-127251-2**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	537.1	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	537.1	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	537.1	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	537.1	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	537.1	Total/NA

# Surrogate Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-127251-1  
 SDG: Weekly PFAS

**Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)**

**Matrix: Water**

**Prep Type: Total/NA**

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-127251-1	HALAWA SHAFT VIEWING POC	107	109	97	110
380-127251-1 MS	HALAWA SHAFT VIEWING POOL	101	109	101	110
380-127251-1 MSD	HALAWA SHAFT VIEWING POOL	101	105	96	100
380-127251-2	FB: HALAWA SHAFT VIEWING POOL	99	105	102	103
LCS 380-124746/22-A	Lab Control Sample	100	106	96	109
MBL 380-124746/20-A	Method Blank	105	111	103	109
MRL 380-124746/21-A	Lab Control Sample	105	110	100	108

**Surrogate Legend**

d5NEFOS = d5-NEtFOSAA

PFHxA = 13C2 PFHxA

PFDA = 13C2 PFDA

GenX = 13C3-GenX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

# Isotope Dilution Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Matrix: Water

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFDoA (50-200)
380-127251-1	HALAWA SHAFT VIEWING POC	105	102	106	109	108	105	101	98
380-127251-2	FB: HALAWA SHAFT VIEWING POOL	93	99	100	107	104	100	97	94
380-127327-B-1-A MS	Matrix Spike	101	100	99	105	105	102	99	92
380-127327-B-1-B MSD	Matrix Spike Duplicate	103	102	98	105	107	103	100	94
LCS 380-124945/24-A	Lab Control Sample	85	93	87	92	93	93	95	90
MBL 380-124945/22-A	Method Blank	88	96	90	93	94	97	95	89
MRL 380-124945/23-A	Lab Control Sample	87	93	87	92	96	93	94	90

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-127251-1	HALAWA SHAFT VIEWING POC	105	103	106	108	106	101	124	111
380-127251-2	FB: HALAWA SHAFT VIEWING POOL	104	99	109	109	107	106	130	111
380-127327-B-1-A MS	Matrix Spike	101	97	106	109	107	93	121	104
380-127327-B-1-B MSD	Matrix Spike Duplicate	104	98	104	106	105	94	117	106
LCS 380-124945/24-A	Lab Control Sample	87	83	110	113	109	96	121	110
MBL 380-124945/22-A	Method Blank	90	85	107	112	109	98	125	115
MRL 380-124945/23-A	Lab Control Sample	87	85	106	109	108	96	116	106

### Surrogate Legend

- HFPODA = 13C3 HFPO-DA
- C6PFDA = 13C6 PFDA
- 13C5PHA = 13C5 PFHxA
- C4PFHA = 13C4 PFHpA
- C8PFOA = 13C8 PFOA
- C9PFNA = 13C9 PFNA
- 13C7PUA = 13C7 PFUnA
- PFDoA = 13C2 PFDoA
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA
- C3PFBS = 13C3 PFBS
- C3PFHS = 13C3 PFHxS
- C8PFOS = 13C8 PFOS
- 42FTS = 13C2-4:2-FTS
- 62FTS = 13C2-6:2-FTS
- 82FTS = 13C2-8:2-FTS

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

**Lab Sample ID: MBL 380-124945/22-A**  
**Matrix: Water**  
**Analysis Batch: 124950**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 124945**

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosfluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluorobutanoic acid (PFBA)	<0.69		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<0.38		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<0.37		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<0.48		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<0.47		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<0.25		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<0.46		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<0.15		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluoropentanoic acid (PFPeA)	<0.38		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluoroheptanesulfonic acid (PFHpS)	<0.36		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1
Perfluoropentanesulfonic acid (PFPeS)	<0.39		2.0	ng/L		12/21/24 18:34	12/22/24 10:32	1

Isotope Dilution	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	88		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C6 PFDA	96		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C5 PFHxA	90		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C4 PFHpA	93		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C8 PFOA	94		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C9 PFNA	97		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C7 PFUnA	95		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C2 PFDoA	89		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C4 PFBA	90		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C5 PFPeA	85		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C3 PFBS	107		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C3 PFHxS	112		50 - 200	12/21/24 18:34	12/22/24 10:32	1

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: MBL 380-124945/22-A**  
**Matrix: Water**  
**Analysis Batch: 124950**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 124945**

<i>Isotope Dilution</i>	<i>MBL %Recovery</i>	<i>MBL Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
13C8 PFOS	109		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C2-4:2-FTS	98		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C2-6:2-FTS	125		50 - 200	12/21/24 18:34	12/22/24 10:32	1
13C2-8:2-FTS	115		50 - 200	12/21/24 18:34	12/22/24 10:32	1

**Lab Sample ID: LCS 380-124945/24-A**  
**Matrix: Water**  
**Analysis Batch: 124950**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 124945**

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	60.1	55.5		ng/L		92	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	60.1	54.7		ng/L		91	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	60.1	55.9		ng/L		93	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	60.1	56.8		ng/L		94	70 - 130
Perfluorobutanesulfonic acid (PFBS)	60.1	57.7		ng/L		96	70 - 130
Perfluorodecanoic acid (PFDA)	60.1	59.9		ng/L		100	70 - 130
Perfluorododecanoic acid (PFDoA)	60.1	60.9		ng/L		101	70 - 130
Perfluoroheptanoic acid (PFHpA)	60.1	61.5		ng/L		102	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	60.1	59.5		ng/L		99	70 - 130
Perfluorohexanoic acid (PFHxA)	60.1	59.8		ng/L		99	70 - 130
Perfluorononanoic acid (PFNA)	60.1	59.8		ng/L		99	70 - 130
Perfluorooctanesulfonic acid (PFOS)	60.1	61.5		ng/L		102	70 - 130
Perfluorooctanoic acid (PFOA)	60.1	60.2		ng/L		100	70 - 130
Perfluoroundecanoic acid (PFUnA)	60.1	60.3		ng/L		100	70 - 130
Perfluorobutanoic acid (PFBA)	60.1	59.9		ng/L		100	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	60.1	61.4		ng/L		102	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	60.1	60.9		ng/L		101	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	60.1	61.6		ng/L		102	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	60.1	58.3		ng/L		97	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	60.1	58.3		ng/L		97	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	60.1	55.6		ng/L		93	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	60.1	54.6		ng/L		91	70 - 130
Perfluoropentanoic acid (PFPeA)	60.1	58.8		ng/L		98	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	60.1	60.7		ng/L		101	70 - 130

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: LCS 380-124945/24-A**  
**Matrix: Water**  
**Analysis Batch: 124950**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 124945**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoropentanesulfonic acid (PFPeS)	60.1	57.0		ng/L		95	70 - 130
<b>LCS LCS</b>							
<b>Isotope Dilution</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				
13C3 HFPO-DA	85		50 - 200				
13C6 PFDA	93		50 - 200				
13C5 PFHxA	87		50 - 200				
13C4 PFHpA	92		50 - 200				
13C8 PFOA	93		50 - 200				
13C9 PFNA	93		50 - 200				
13C7 PFUnA	95		50 - 200				
13C2 PFDoA	90		50 - 200				
13C4 PFBA	87		50 - 200				
13C5 PFPeA	83		50 - 200				
13C3 PFBS	110		50 - 200				
13C3 PFHxS	113		50 - 200				
13C8 PFOS	109		50 - 200				
13C2-4:2-FTS	96		50 - 200				
13C2-6:2-FTS	121		50 - 200				
13C2-8:2-FTS	110		50 - 200				

**Lab Sample ID: MRL 380-124945/23-A**  
**Matrix: Water**  
**Analysis Batch: 124950**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 124945**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	1.79	J	ng/L		89	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	1.81	J	ng/L		90	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	1.87	J	ng/L		94	50 - 150
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	2.08	J	ng/L		104	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	2.07	J	ng/L		103	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	1.93	J	ng/L		96	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	2.05	J	ng/L		102	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	2.09	J	ng/L		104	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	2.05	J	ng/L		102	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	2.16	J	ng/L		108	50 - 150
Perfluorononanoic acid (PFNA)	2.00	2.06	J	ng/L		103	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	2.10	J	ng/L		105	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	1.99	J	ng/L		99	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	1.96	J	ng/L		98	50 - 150
Perfluorobutanoic acid (PFBA)	2.00	2.06	J	ng/L		103	50 - 150

Eurofins Eaton Analytical Pomona



# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: MRL 380-124945/23-A**  
**Matrix: Water**  
**Analysis Batch: 124950**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 124945**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	2.00	2.17	J	ng/L		108	50 - 150
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	2.00	2.14	J	ng/L		107	50 - 150
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	2.00	2.33	J	ng/L		116	50 - 150
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	2.00	2.12	J	ng/L		106	50 - 150
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	2.00	2.01	J	ng/L		100	50 - 150
Perfluoro-3-methoxypropanoic acid (PFMPA)	2.00	2.01	J	ng/L		100	50 - 150
Perfluoro-4-methoxybutanoic acid (PFMBA)	2.00	1.82	J	ng/L		91	50 - 150
Perfluoropentanoic acid (PFPeA)	2.00	2.04	J	ng/L		102	50 - 150
Perfluoroheptanesulfonic acid (PFHpS)	2.00	2.03	J	ng/L		101	50 - 150
Perfluoropentanesulfonic acid (PFPeS)	2.00	1.95	J	ng/L		97	50 - 150

Isotope Dilution	MRL %Recovery	MRL Qualifier	MRL Limits
13C3 HFPO-DA	87		50 - 200
13C6 PFDA	93		50 - 200
13C5 PFHxA	87		50 - 200
13C4 PFHpA	92		50 - 200
13C8 PFOA	96		50 - 200
13C9 PFNA	93		50 - 200
13C7 PFUnA	94		50 - 200
13C2 PFDoA	90		50 - 200
13C4 PFBA	87		50 - 200
13C5 PFPeA	85		50 - 200
13C3 PFBS	106		50 - 200
13C3 PFHxS	109		50 - 200
13C8 PFOS	108		50 - 200
13C2-4:2-FTS	96		50 - 200
13C2-6:2-FTS	116		50 - 200
13C2-8:2-FTS	106		50 - 200

**Lab Sample ID: 380-127327-B-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 124950**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 124945**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		60.2	56.6		ng/L		94	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		60.2	55.1		ng/L		91	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		60.2	58.9		ng/L		98	70 - 130

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: 380-127327-B-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 124950**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 124945**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide	<2.0		60.2	59.5		ng/L		99	70 - 130
Dimer Acid (HFPO-DA/GenX)									
Perfluorobutanesulfonic acid (PFBS)	<2.0		60.2	60.7		ng/L		101	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		60.2	61.9		ng/L		103	70 - 130
Perfluorododecanoic acid (PFDoA)	<2.0		60.2	60.2		ng/L		100	70 - 130
Perfluoroheptanoic acid (PFHpA)	<2.0		60.2	61.4		ng/L		102	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	<2.0		60.2	60.6		ng/L		101	70 - 130
Perfluorohexanoic acid (PFHxA)	<2.0		60.2	62.6		ng/L		104	70 - 130
Perfluorononanoic acid (PFNA)	<2.0		60.2	61.0		ng/L		101	70 - 130
Perfluorooctanesulfonic acid (PFOS)	<2.0		60.2	61.7		ng/L		102	70 - 130
Perfluorooctanoic acid (PFOA)	<2.0		60.2	61.4		ng/L		102	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		60.2	59.6		ng/L		99	70 - 130
Perfluorobutanoic acid (PFBA)	<2.0		60.2	60.5		ng/L		100	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		60.2	63.8		ng/L		106	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		60.2	62.4		ng/L		104	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		60.2	61.3		ng/L		102	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		60.2	62.3		ng/L		103	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		60.2	60.9		ng/L		101	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		60.2	60.0		ng/L		100	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		60.2	58.2		ng/L		97	70 - 130
Perfluoropentanoic acid (PFPeA)	<2.0		60.2	61.7		ng/L		102	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		60.2	61.5		ng/L		102	70 - 130
Perfluoropentanesulfonic acid (PFPeS)	<2.0		60.2	59.8		ng/L		99	70 - 130

Isotope Dilution	MS MS		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	101		50 - 200
13C6 PFDA	100		50 - 200
13C5 PFHxA	99		50 - 200
13C4 PFHpA	105		50 - 200
13C8 PFOA	105		50 - 200
13C9 PFNA	102		50 - 200
13C7 PFUnA	99		50 - 200
13C2 PFDoA	92		50 - 200
13C4 PFBA	101		50 - 200
13C5 PFPeA	97		50 - 200
13C3 PFBS	106		50 - 200
13C3 PFHxS	109		50 - 200
13C8 PFOS	107		50 - 200

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: 380-127327-B-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 124950**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 124945**

<i>Isotope Dilution</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
13C2-4:2-FTS	93		50 - 200
13C2-6:2-FTS	121		50 - 200
13C2-8:2-FTS	104		50 - 200

**Lab Sample ID: 380-127327-B-1-B MSD**  
**Matrix: Water**  
**Analysis Batch: 124950**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 124945**

<b>Analyte</b>	<b>Sample Result</b>	<b>Sample Qualifier</b>	<b>Spike Added</b>	<b>MSD Result</b>	<b>MSD Qualifier</b>	<b>Unit</b>	<b>D</b>	<b>%Rec</b>	<b>%Rec Limits</b>	<b>RPD</b>	<b>RPD Limit</b>
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		60.2	56.2		ng/L		93	70 - 130	1	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		60.2	55.4		ng/L		92	70 - 130	1	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		60.2	58.5		ng/L		97	70 - 130	1	30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		60.2	58.9		ng/L		98	70 - 130	1	30
Perfluorobutanesulfonic acid (PFBS)	<2.0		60.2	59.7		ng/L		99	70 - 130	2	30
Perfluorodecanoic acid (PFDA)	<2.0		60.2	59.0		ng/L		98	70 - 130	5	30
Perfluorododecanoic acid (PFDoA)	<2.0		60.2	60.2		ng/L		100	70 - 130	0	30
Perfluoroheptanoic acid (PFHpA)	<2.0		60.2	61.4		ng/L		102	70 - 130	0	30
Perfluorohexanesulfonic acid (PFHxS)	<2.0		60.2	60.7		ng/L		101	70 - 130	0	30
Perfluorohexanoic acid (PFHxA)	<2.0		60.2	63.3		ng/L		105	70 - 130	1	30
Perfluorononanoic acid (PFNA)	<2.0		60.2	61.3		ng/L		102	70 - 130	1	30
Perfluorooctanesulfonic acid (PFOS)	<2.0		60.2	62.6		ng/L		104	70 - 130	1	30
Perfluorooctanoic acid (PFOA)	<2.0		60.2	60.5		ng/L		100	70 - 130	1	30
Perfluoroundecanoic acid (PFUnA)	<2.0		60.2	61.0		ng/L		101	70 - 130	2	30
Perfluorobutanoic acid (PFBA)	<2.0		60.2	60.9		ng/L		101	70 - 130	1	30
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		60.2	61.3		ng/L		102	70 - 130	4	30
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		60.2	57.8		ng/L		96	70 - 130	8	30
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		60.2	59.6		ng/L		99	70 - 130	3	30
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		60.2	64.2		ng/L		107	70 - 130	3	30
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		60.2	62.8		ng/L		104	70 - 130	3	30
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		60.2	60.1		ng/L		100	70 - 130	0	30
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		60.2	57.8		ng/L		96	70 - 130	1	30
Perfluoropentanoic acid (PFPeA)	<2.0		60.2	61.7		ng/L		102	70 - 130	0	30
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		60.2	60.8		ng/L		101	70 - 130	1	30
Perfluoropentanesulfonic acid (PFPeS)	<2.0		60.2	58.8		ng/L		98	70 - 130	2	30

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	MSD MSD		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	103		50 - 200
13C6 PFDA	102		50 - 200
13C5 PFHxA	98		50 - 200
13C4 PFHpA	105		50 - 200
13C8 PFOA	107		50 - 200
13C9 PFNA	103		50 - 200
13C7 PFUnA	100		50 - 200
13C2 PFDoA	94		50 - 200
13C4 PFBA	104		50 - 200
13C5 PFPeA	98		50 - 200
13C3 PFBS	104		50 - 200
13C3 PFHxS	106		50 - 200
13C8 PFOS	105		50 - 200
13C2-4:2-FTS	94		50 - 200
13C2-6:2-FTS	117		50 - 200
13C2-8:2-FTS	106		50 - 200

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)

**Lab Sample ID: MBL 380-124746/20-A**  
**Matrix: Water**  
**Analysis Batch: 124849**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 124746**

Analyte	MBL MBL		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<0.58		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<0.42		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Perfluorotetradecanoic acid (PFTA)	<0.54		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Perfluorotridecanoic acid (PFTrDA)	<0.36		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		12/20/24 06:52	12/20/24 15:42	1
Surrogate	MBL MBL		Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
d5-NEtFOSAA	105		70 - 130			12/20/24 06:52	12/20/24 15:42	1
13C2 PFHxA	111		70 - 130			12/20/24 06:52	12/20/24 15:42	1
13C2 PFDA	103		70 - 130			12/20/24 06:52	12/20/24 15:42	1

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-127251-1  
 SDG: Weekly PFAS

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID: MBL 380-124746/20-A**  
**Matrix: Water**  
**Analysis Batch: 124849**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 124746**

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
13C3-GenX	109		70 - 130	12/20/24 06:52	12/20/24 15:42	1

**Lab Sample ID: LCS 380-124746/22-A**  
**Matrix: Water**  
**Analysis Batch: 124849**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 124746**

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>Limits</i>
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	50.2	56.2		ng/L		112	70 - 130
Perfluorooctanesulfonic acid (PFOS)	50.2	51.6		ng/L		103	70 - 130
Perfluoroundecanoic acid (PFUnA)	50.2	52.0		ng/L		103	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	50.2	52.6		ng/L		105	70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	50.2	54.2		ng/L		108	70 - 130
Perfluorohexanoic acid (PFHxA)	50.2	54.8		ng/L		109	70 - 130
Perfluorododecanoic acid (PFDoA)	50.2	50.7		ng/L		101	70 - 130
Perfluorooctanoic acid (PFOA)	50.2	53.6		ng/L		107	70 - 130
Perfluorodecanoic acid (PFDA)	50.2	49.7		ng/L		99	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	50.2	54.7		ng/L		109	70 - 130
Perfluorobutanesulfonic acid (PFBS)	50.2	53.6		ng/L		107	70 - 130
Perfluoroheptanoic acid (PFHpA)	50.2	54.8		ng/L		109	70 - 130
Perfluorononanoic acid (PFNA)	50.2	51.6		ng/L		103	70 - 130
Perfluorotetradecanoic acid (PFTA)	50.2	50.4		ng/L		100	70 - 130
Perfluorotridecanoic acid (PFTrDA)	50.2	52.2		ng/L		104	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	50.2	53.6		ng/L		107	70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	50.2	51.2		ng/L		102	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	50.2	55.5		ng/L		110	70 - 130

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
d5-NEtFOSAA	100		70 - 130
13C2 PFHxA	106		70 - 130
13C2 PFDA	96		70 - 130
13C3-GenX	109		70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID: MRL 380-124746/21-A**  
**Matrix: Water**  
**Analysis Batch: 124849**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 124746**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	2.33	J	ng/L		116	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	2.21	J	ng/L		110	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	2.19	J	ng/L		109	50 - 150
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	2.00	2.10	J	ng/L		105	50 - 150
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	2.00	2.21	J	ng/L		110	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	2.49	J	ng/L		124	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	2.18	J	ng/L		109	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	2.39	J	ng/L		119	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	2.21	J	ng/L		110	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	2.37	J	ng/L		118	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	2.17	J	ng/L		108	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	2.36	J	ng/L		118	50 - 150
Perfluorononanoic acid (PFNA)	2.00	2.35	J	ng/L		117	50 - 150
Perfluorotetradecanoic acid (PFTA)	2.00	2.16	J	ng/L		108	50 - 150
Perfluorotridecanoic acid (PFTTrDA)	2.00	2.23	J	ng/L		111	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	2.22	J	ng/L		111	50 - 150
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	2.03	J	ng/L		101	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	2.44	J	ng/L		122	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
d5-NEtFOSAA	105		70 - 130
13C2 PFHxA	110		70 - 130
13C2 PFDA	100		70 - 130
13C3-GenX	108		70 - 130

**Lab Sample ID: 380-127251-1 MS**  
**Matrix: Water**  
**Analysis Batch: 124849**

**Client Sample ID: HALAWA SHAFT VIEWING POOL**  
**Prep Type: Total/NA**  
**Prep Batch: 124746**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		25.2	29.3		ng/L		116	70 - 130
Perfluorooctanesulfonic acid (PFOS)	2.2		25.2	30.3		ng/L		112	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		25.2	26.1		ng/L		104	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		25.2	27.5		ng/L		109	70 - 130

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: 380-127251-1 MS

Client Sample ID: HALAWA SHAFT VIEWING POOL

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 124849

Prep Batch: 124746

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier	Added	Result	Qualifier				
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		25.2	27.3		ng/L		109	70 - 130
Perfluorohexanoic acid (PFHxA)	<2.0		25.2	30.4		ng/L		115	70 - 130
Perfluorododecanoic acid (PFDoA)	<2.0		25.2	26.4		ng/L		105	70 - 130
Perfluorooctanoic acid (PFOA)	<2.0		25.2	30.3		ng/L		115	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		25.2	26.7		ng/L		106	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	<2.0		25.2	29.1		ng/L		112	70 - 130
Perfluorobutanesulfonic acid (PFBS)	<2.0		25.2	27.9		ng/L		106	70 - 130
Perfluoroheptanoic acid (PFHpA)	<2.0		25.2	29.5		ng/L		114	70 - 130
Perfluorononanoic acid (PFNA)	<2.0		25.2	28.4		ng/L		113	70 - 130
Perfluorotetradecanoic acid (PFTA)	<2.0		25.2	26.9		ng/L		107	70 - 130
Perfluorotridecanoic acid (PFTrDA)	<2.0		25.2	27.7		ng/L		110	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		25.2	28.0		ng/L		111	70 - 130
11-Chloroeicosasfluoro-3-oxaundecane-1-sulfonic acid(11Cl-PF3OUdS)	<2.0		25.2	28.1		ng/L		112	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		25.2	30.1		ng/L		120	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
d5-NEtFOSAA	101		70 - 130
13C2 PFHxA	109		70 - 130
13C2 PFDA	101		70 - 130
13C3-GenX	110		70 - 130

Lab Sample ID: 380-127251-1 MSD

Client Sample ID: HALAWA SHAFT VIEWING POOL

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 124849

Prep Batch: 124746

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	
	Result	Qualifier	Added	Result	Qualifier						Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		25.1	27.8		ng/L		111	70 - 130	5	30
Perfluorooctanesulfonic acid (PFOS)	2.2		25.1	29.0		ng/L		107	70 - 130	4	30
Perfluoroundecanoic acid (PFUnA)	<2.0		25.1	25.7		ng/L		103	70 - 130	1	30
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		25.1	25.9		ng/L		103	70 - 130	6	30
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		25.1	25.9		ng/L		103	70 - 130	5	30
Perfluorohexanoic acid (PFHxA)	<2.0		25.1	30.6		ng/L		116	70 - 130	1	30
Perfluorododecanoic acid (PFDoA)	<2.0		25.1	25.4		ng/L		101	70 - 130	4	30
Perfluorooctanoic acid (PFOA)	<2.0		25.1	27.7		ng/L		105	70 - 130	9	30
Perfluorodecanoic acid (PFDA)	<2.0		25.1	25.2		ng/L		100	70 - 130	6	30

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: 380-127251-1 MSD

Matrix: Water

Analysis Batch: 124849

Client Sample ID: HALAWA SHAFT VIEWING POOL

Prep Type: Total/NA

Prep Batch: 124746

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Perfluorohexanesulfonic acid (PFHxS)	<2.0		25.1	28.4		ng/L		109	70 - 130	2	30
Perfluorobutanesulfonic acid (PFBS)	<2.0		25.1	28.6		ng/L		109	70 - 130	2	30
Perfluoroheptanoic acid (PFHpA)	<2.0		25.1	29.7		ng/L		115	70 - 130	1	30
Perfluorononanoic acid (PFNA)	<2.0		25.1	26.0		ng/L		104	70 - 130	9	30
Perfluorotetradecanoic acid (PFTA)	<2.0		25.1	24.6		ng/L		98	70 - 130	9	30
Perfluorotridecanoic acid (PFTTrDA)	<2.0		25.1	26.3		ng/L		105	70 - 130	5	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		25.1	27.1		ng/L		108	70 - 130	3	30
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		25.1	26.3		ng/L		105	70 - 130	7	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		25.1	28.2		ng/L		112	70 - 130	6	30
<b>Surrogate</b>											
		<i>MSD</i>	<i>MSD</i>								
	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>								
d5-NEtFOSAA	101		70 - 130								
13C2 PFHxA	105		70 - 130								
13C2 PFDA	96		70 - 130								
13C3-GenX	100		70 - 130								



# QC Association Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-127251-1  
 SDG: Weekly PFAS

## LCMS

### Prep Batch: 124746

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-127251-1	HALAWA SHAFT VIEWING POOL	Total/NA	Water	537.1 DW	
380-127251-2	FB: HALAWA SHAFT VIEWING POOL	Total/NA	Water	537.1 DW	
MBL 380-124746/20-A	Method Blank	Total/NA	Water	537.1 DW	
LCS 380-124746/22-A	Lab Control Sample	Total/NA	Water	537.1 DW	
MRL 380-124746/21-A	Lab Control Sample	Total/NA	Water	537.1 DW	
380-127251-1 MS	HALAWA SHAFT VIEWING POOL	Total/NA	Water	537.1 DW	
380-127251-1 MSD	HALAWA SHAFT VIEWING POOL	Total/NA	Water	537.1 DW	

### Analysis Batch: 124849

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-127251-1	HALAWA SHAFT VIEWING POOL	Total/NA	Water	537.1	124746
380-127251-2	FB: HALAWA SHAFT VIEWING POOL	Total/NA	Water	537.1	124746
MBL 380-124746/20-A	Method Blank	Total/NA	Water	537.1	124746
LCS 380-124746/22-A	Lab Control Sample	Total/NA	Water	537.1	124746
MRL 380-124746/21-A	Lab Control Sample	Total/NA	Water	537.1	124746
380-127251-1 MS	HALAWA SHAFT VIEWING POOL	Total/NA	Water	537.1	124746
380-127251-1 MSD	HALAWA SHAFT VIEWING POOL	Total/NA	Water	537.1	124746

### Prep Batch: 124945

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-127251-1	HALAWA SHAFT VIEWING POOL	Total/NA	Water	533	
380-127251-2	FB: HALAWA SHAFT VIEWING POOL	Total/NA	Water	533	
MBL 380-124945/22-A	Method Blank	Total/NA	Water	533	
LCS 380-124945/24-A	Lab Control Sample	Total/NA	Water	533	
MRL 380-124945/23-A	Lab Control Sample	Total/NA	Water	533	
380-127327-B-1-A MS	Matrix Spike	Total/NA	Water	533	
380-127327-B-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	533	

### Analysis Batch: 124950

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-127251-1	HALAWA SHAFT VIEWING POOL	Total/NA	Water	533	124945
380-127251-2	FB: HALAWA SHAFT VIEWING POOL	Total/NA	Water	533	124945
MBL 380-124945/22-A	Method Blank	Total/NA	Water	533	124945
LCS 380-124945/24-A	Lab Control Sample	Total/NA	Water	533	124945
MRL 380-124945/23-A	Lab Control Sample	Total/NA	Water	533	124945
380-127327-B-1-A MS	Matrix Spike	Total/NA	Water	533	124945
380-127327-B-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	533	124945

# Lab Chronicle

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-127251-1  
 SDG: Weekly PFAS

**Client Sample ID: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-127251-1**

**Date Collected: 12/17/24 10:00**

**Matrix: Water**

**Date Received: 12/19/24 10:17**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			124945	E9PK	EA POM	12/21/24 18:34
Total/NA	Analysis	533		1	124950	SZ9R	EA POM	12/22/24 13:21
Total/NA	Prep	537.1 DW			124746	G9MN	EA POM	12/20/24 06:52
Total/NA	Analysis	537.1		1	124849	Y5FM	EA POM	12/20/24 16:14

**Client Sample ID: FB: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-127251-2**

**Date Collected: 12/17/24 10:00**

**Matrix: Water**

**Date Received: 12/19/24 10:17**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			124945	E9PK	EA POM	12/21/24 18:34
Total/NA	Analysis	533		1	124950	SZ9R	EA POM	12/22/24 13:31
Total/NA	Prep	537.1 DW			124746	G9MN	EA POM	12/20/24 06:52
Total/NA	Analysis	537.1		1	124849	Y5FM	EA POM	12/20/24 19:51

**Laboratory References:**

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

# Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

## Laboratory: Eurofins Eaton Analytical Pomona

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

# Method Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-127251-1  
SDG: Weekly PFAS

Method	Method Description	Protocol	Laboratory
533	Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water	EPA	EA POM
537.1	Perfluorinated Alkyl Acids (LC/MS)	EPA	EA POM
533	Extraction of Perfluorinated and Polyfluorinated Alkyl Acids	EPA	EA POM
537.1 DW	Extraction of Perfluorinated Alkyl Acids	EPA	EA POM

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100



# Sample Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL


Job ID: 380-127251-1  
SDG: Weekly PFAS

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
380-127251-1	HALAWA SHAFT VIEWING POOL	Water	12/17/24 10:00	12/19/24 10:17
380-127251-2	FB: HALAWA SHAFT VIEWING POOL	Water	12/17/24 10:00	12/19/24 10:17

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

### Chain of Custody Record

<b>Client Information</b>	Sampler: Ryan Greer Phone: 808-748-5840 Dr. Ron Fenstermacher PWSID:	Lab PM: Arada, Rachelle E-Mail: Rachelle-Arada@et.eurofins.com Carrier Tracking No(s): State of Origin: HI Job #:	COC No: 380-28005-2757 1 Page: Page 1 of 1			
Address: 630 South Beretania Street Chemistry Lab City: Honolulu State Zip: HI, 96843 Phone: 808-748-5091 (Tel) Email: RFENSTEMACHER@hbws.org		Due Date Requested: TAT Requested (days): Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No PO #: C20525101 exp 05312023 WO #:		Analysis Requested Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> 626.1_626.1_SIM 8016B_GRO_LL - (MOD) GRO 8016B_DRO_LL_CS - HNL Ranges C10-C24/C24-C36/C8-C18 625.2_PREC - (MOD) 625plus Plus TICs 627.1_DW_PREC - 627 1 Full List 633 - All Analytes		Preservation Codes: R - NaHSO4 RA - NaHSO4/HCl Q - Na2SO3 QA - Na2SO3/HCl Y - Trizma I - NH4 Acetate
Project Name: RED-HILL/HBWS Sites Event Desc: RUSH Weekly Red Hill Site: Hawaii		Matrix (Water, Soil, Organics, Tissue, AA) Sample Type (C=comp, G=grab) Sample Date: 12/17/24 Sample Time: 1000 Preservation Code: Water		Other:  Total Number of Containers: <input checked="" type="checkbox"/>		Special Instructions/Note:   380-127251 COC
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested I, II, III, IV, Other (specify)						
Empty Kit Relinquished by Relinquished Date: 12/18/24 1300 Relinquished by: HBWS Relinquished by: Company Relinquished by: Company Relinquished by: Company						
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/QC Requirements						
Date/Time: 12/18/24 1300 Date/Time: 12/19/24 10:17 Date/Time:		Date/Time: 12/19/24 10:17 Date/Time:		Date/Time: 12/19/24 10:17 Date/Time:		Method of Shipment: FEDEX #7708 8343 5308 Company: Company Company: Company Company: Company
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Cooler Temperature(s) °C and Other Remarks: 75A 1.3-0.0 = 1.3 °C		Custody Seal No.		Ver 04/02/2024



# Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-127251-1  
SDG Number: Weekly PFAS

**Login Number: 127251**  
**List Number: 1**  
**Creator: Ngo, Theodore**

**List Source: Eurofins Eaton Analytical Pomona**

Question	Answer	Comment
The coolers custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

