

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mr. Erwin Kawata  
City & County of Honolulu  
630 South Beretania Street  
Public Service Bldg. Room 310  
Honolulu, Hawaii 96843

Generated 2/26/2025 10:20:06 AM

## JOB DESCRIPTION

RED-HILL  
Weekly PFAS

## JOB NUMBER

380-136897-1

# Eurofins Eaton Analytical Pomona

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

## Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

## Authorization



Generated  
2/26/2025 10:20:06 AM

Authorized for release by  
Rachelle Arada, Project Manager  
[Rachelle.Arada@et.eurofinsus.com](mailto:Rachelle.Arada@et.eurofinsus.com)  
(626)386-1106



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Action Limit Summary . . . . .	11
Surrogate Summary . . . . .	12
Isotope Dilution Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	25
Lab Chronicle . . . . .	26
Certification Summary . . . . .	27
Method Summary . . . . .	28
Sample Summary . . . . .	29
Chain of Custody . . . . .	30
Receipt Checklists . . . . .	31

# Definitions/Glossary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Qualifiers

### LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: City & County of Honolulu  
Project: RED-HILL

Job ID: 380-136897-1

**Job ID: 380-136897-1**

**Eurofins Eaton Analytical Pomona**

## Job Narrative 380-136897-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 2/21/2025 9:34 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.5°C.

### PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

# Detection Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Client Sample ID: Halawa Shaft Viewing Pool

Lab Sample ID: 380-136897-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanesulfonic acid (PFHxS)	3.6		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.4		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.4		2.0	ng/L	1		537.1	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.8		2.0	ng/L	1		537.1	Total/NA

## Client Sample ID: FB: Halawa Shaft Viewing Pool

Lab Sample ID: 380-136897-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical Pomona



# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

**Client Sample ID: Halawa Shaft Viewing Pool**

**Lab Sample ID: 380-136897-1**

Date Collected: 02/18/25 10:00

Matrix: Water

Date Received: 02/21/25 09:34

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafuoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>3.6</b>		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>3.4</b>		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:21	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	98		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C6 PFDA	115		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C5 PFHxA	103		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C4 PFHpA	104		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C8 PFOA	106		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C9 PFNA	107		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C7 PFUnA	111		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C2 PFDoA	115		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C4 PFBA	103		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C5 PFPeA	105		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C3 PFBS	97		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C3 PFHxS	99		50 - 200	02/21/25 19:50	02/22/25 13:21	1

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

**Client Sample ID: Halawa Shaft Viewing Pool**

**Lab Sample ID: 380-136897-1**

Date Collected: 02/18/25 10:00

Matrix: Water

Date Received: 02/21/25 09:34

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C8 PFOS	104		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C2-4:2-FTS	105		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C2-6:2-FTS	102		50 - 200	02/21/25 19:50	02/22/25 13:21	1
13C2-8:2-FTS	112		50 - 200	02/21/25 19:50	02/22/25 13:21	1

**Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>3.4</b>		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>3.8</b>		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:01	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
d5-NEtFOSAA	101		70 - 130			02/23/25 15:21	02/24/25 13:01	1
13C2 PFHxA	100		70 - 130			02/23/25 15:21	02/24/25 13:01	1
13C2 PFDA	97		70 - 130			02/23/25 15:21	02/24/25 13:01	1
13C3-GenX	101		70 - 130			02/23/25 15:21	02/24/25 13:01	1

**Client Sample ID: FB: Halawa Shaft Viewing Pool**

**Lab Sample ID: 380-136897-2**

Date Collected: 02/18/25 10:00

Matrix: Water

Date Received: 02/21/25 09:34

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1

Eurofins Eaton Analytical Pomona



# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

**Client Sample ID: FB: Halawa Shaft Viewing Pool**

**Lab Sample ID: 380-136897-2**

Date Collected: 02/18/25 10:00

Matrix: Water

Date Received: 02/21/25 09:34

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		02/21/25 19:50	02/22/25 13:30	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	95		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C6 PFDA	109		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C5 PFHxA	101		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C4 PFHpA	106		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C8 PFOA	106		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C9 PFNA	105		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C7 PFUnA	109		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C2 PFDoA	111		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C4 PFBA	104		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C5 PFPeA	104		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C3 PFBS	99		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C3 PFHxS	104		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C8 PFOS	107		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C2-4:2-FTS	108		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C2-6:2-FTS	109		50 - 200	02/21/25 19:50	02/22/25 13:30	1
13C2-8:2-FTS	105		50 - 200	02/21/25 19:50	02/22/25 13:30	1

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

**Client Sample ID: FB: Halawa Shaft Viewing Pool**

**Lab Sample ID: 380-136897-2**

Date Collected: 02/18/25 10:00

Matrix: Water

Date Received: 02/21/25 09:34

**Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		02/23/25 15:21	02/24/25 13:10	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
d5-NEtFOSAA	102		70 - 130			02/23/25 15:21	02/24/25 13:10	1
13C2 PFHxA	103		70 - 130			02/23/25 15:21	02/24/25 13:10	1
13C2 PFDA	94		70 - 130			02/23/25 15:21	02/24/25 13:10	1
13C3-GenX	95		70 - 130			02/23/25 15:21	02/24/25 13:10	1

# Action Limit Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

**Client Sample ID: Halawa Shaft Viewing Pool**

**Lab Sample ID: 380-136897-1**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.6		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.4		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	537.1	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.4		ng/L	4	2.0	537.1	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	537.1	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.8		ng/L	10	2.0	537.1	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	537.1	Total/NA

**Client Sample ID: FB: Halawa Shaft Viewing Pool**

**Lab Sample ID: 380-136897-2**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	537.1	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	537.1	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	537.1	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	537.1	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	537.1	Total/NA

# Surrogate Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

**Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)**

**Matrix: Water**

**Prep Type: Total/NA**

## Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	d5NEFOS	PFHxA	PFDA	GenX
		(70-130)	(70-130)	(70-130)	(70-130)
380-136897-1	Halawa Shaft Viewing Pool	101	100	97	101
380-136897-2	FB: Halawa Shaft Viewing Pool	102	103	94	95
380-136903-B-1-A MS	Matrix Spike	98	102	93	93
380-136903-C-1-A MSD	Matrix Spike Duplicate	100	99	93	88
LCS 380-137257/22-A	Lab Control Sample	96	102	98	96
MBL 380-137257/20-A	Method Blank	102	104	99	100
MRL 380-137257/21-A	Lab Control Sample	106	104	98	102

### Surrogate Legend

d5NEFOS = d5-NEtFOSAA

PFHxA = 13C2 PFHxA

PFDA = 13C2 PFDA

GenX = 13C3-GenX

# Isotope Dilution Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Matrix: Water

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFDoA (50-200)
380-136783-E-1-A MS	Matrix Spike	101	116	100	106	106	111	116	119
380-136783-F-1-A MSD	Matrix Spike Duplicate	97	109	103	106	107	107	113	116
380-136897-1	Halawa Shaft Viewing Pool	98	115	103	104	106	107	111	115
380-136897-2	FB: Halawa Shaft Viewing Pool	95	109	101	106	106	105	109	111
LCS 380-137186/22-A	Lab Control Sample	103	116	105	106	107	111	115	119
MBL 380-137186/20-A	Method Blank	101	120	108	106	109	113	118	124
MRL 380-137186/21-A	Lab Control Sample	99	117	104	109	107	113	114	119

  

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-136783-E-1-A MS	Matrix Spike	102	101	98	99	105	99	101	107
380-136783-F-1-A MSD	Matrix Spike Duplicate	104	105	99	100	102	107	103	106
380-136897-1	Halawa Shaft Viewing Pool	103	105	97	99	104	105	102	112
380-136897-2	FB: Halawa Shaft Viewing Pool	104	104	99	104	107	108	109	105
LCS 380-137186/22-A	Lab Control Sample	107	105	98	99	104	103	98	101
MBL 380-137186/20-A	Method Blank	104	107	97	101	106	103	105	105
MRL 380-137186/21-A	Lab Control Sample	106	106	101	103	106	103	101	102

### Surrogate Legend

- HFPODA = 13C3 HFPO-DA
- C6PFDA = 13C6 PFDA
- 13C5PHA = 13C5 PFHxA
- C4PFHA = 13C4 PFHpA
- C8PFOA = 13C8 PFOA
- C9PFNA = 13C9 PFNA
- 13C7PUA = 13C7 PFUnA
- PFDoA = 13C2 PFDoA
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA
- C3PFBS = 13C3 PFBS
- C3PFHS = 13C3 PFHxS
- C8PFOS = 13C8 PFOS
- 42FTS = 13C2-4:2-FTS
- 62FTS = 13C2-6:2-FTS
- 82FTS = 13C2-8:2-FTS

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

**Lab Sample ID: MBL 380-137186/20-A**  
**Matrix: Water**  
**Analysis Batch: 137205**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 137186**

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosfluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluorobutanoic acid (PFBA)	<0.69		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<0.38		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<0.37		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<0.48		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<0.47		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<0.25		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<0.46		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<0.15		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluoropentanoic acid (PFPeA)	<0.38		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluoroheptanesulfonic acid (PFHpS)	<0.36		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1
Perfluoropentanesulfonic acid (PFPeS)	<0.39		2.0	ng/L		02/21/25 19:50	02/22/25 09:43	1

Isotope Dilution	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	101		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C6 PFDA	120		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C5 PFHxA	108		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C4 PFHpA	106		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C8 PFOA	109		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C9 PFNA	113		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C7 PFUnA	118		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C2 PFDoA	124		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C4 PFBA	104		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C5 PFPeA	107		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C3 PFBS	97		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C3 PFHxS	101		50 - 200	02/21/25 19:50	02/22/25 09:43	1

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: MBL 380-137186/20-A**  
**Matrix: Water**  
**Analysis Batch: 137205**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 137186**

<i>Isotope Dilution</i>	<i>MBL %Recovery</i>	<i>MBL Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
13C8 PFOS	106		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C2-4:2-FTS	103		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C2-6:2-FTS	105		50 - 200	02/21/25 19:50	02/22/25 09:43	1
13C2-8:2-FTS	105		50 - 200	02/21/25 19:50	02/22/25 09:43	1

**Lab Sample ID: LCS 380-137186/22-A**  
**Matrix: Water**  
**Analysis Batch: 137205**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 137186**

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	60.1	52.6		ng/L		88	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	60.1	53.5		ng/L		89	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	60.1	58.5		ng/L		97	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	60.1	57.5		ng/L		96	70 - 130
Perfluorobutanesulfonic acid (PFBS)	60.1	57.8		ng/L		96	70 - 130
Perfluorodecanoic acid (PFDA)	60.1	56.8		ng/L		94	70 - 130
Perfluorododecanoic acid (PFDoA)	60.1	57.6		ng/L		96	70 - 130
Perfluoroheptanoic acid (PFHpA)	60.1	59.4		ng/L		99	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	60.1	58.7		ng/L		98	70 - 130
Perfluorohexanoic acid (PFHxA)	60.1	58.8		ng/L		98	70 - 130
Perfluorononanoic acid (PFNA)	60.1	56.9		ng/L		95	70 - 130
Perfluorooctanesulfonic acid (PFOS)	60.1	56.7		ng/L		94	70 - 130
Perfluorooctanoic acid (PFOA)	60.1	58.3		ng/L		97	70 - 130
Perfluoroundecanoic acid (PFUnA)	60.1	55.4		ng/L		92	70 - 130
Perfluorobutanoic acid (PFBA)	60.1	58.3		ng/L		97	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	60.1	59.1		ng/L		98	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	60.1	56.2		ng/L		94	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	60.1	59.4		ng/L		99	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	60.1	61.0		ng/L		101	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	60.1	54.1		ng/L		90	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	60.1	56.6		ng/L		94	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	60.1	60.2		ng/L		100	70 - 130
Perfluoropentanoic acid (PFPeA)	60.1	59.9		ng/L		100	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	60.1	54.0		ng/L		90	70 - 130

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: LCS 380-137186/22-A**  
**Matrix: Water**  
**Analysis Batch: 137205**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 137186**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoropentanesulfonic acid (PFPeS)	60.1	57.8		ng/L		96	70 - 130
<b>LCS LCS</b>							
<b>Isotope Dilution</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				
13C3 HFPO-DA	103		50 - 200				
13C6 PFDA	116		50 - 200				
13C5 PFHxA	105		50 - 200				
13C4 PFHpA	106		50 - 200				
13C8 PFOA	107		50 - 200				
13C9 PFNA	111		50 - 200				
13C7 PFUnA	115		50 - 200				
13C2 PFDoA	119		50 - 200				
13C4 PFBA	107		50 - 200				
13C5 PFPeA	105		50 - 200				
13C3 PFBS	98		50 - 200				
13C3 PFHxS	99		50 - 200				
13C8 PFOS	104		50 - 200				
13C2-4:2-FTS	103		50 - 200				
13C2-6:2-FTS	98		50 - 200				
13C2-8:2-FTS	101		50 - 200				

**Lab Sample ID: MRL 380-137186/21-A**  
**Matrix: Water**  
**Analysis Batch: 137205**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 137186**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	1.96	J	ng/L		98	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	2.01	J	ng/L		100	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	2.14	J	ng/L		107	50 - 150
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	2.26	J	ng/L		113	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	2.06	J	ng/L		103	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	2.11	J	ng/L		105	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	2.23	J	ng/L		111	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	2.15	J	ng/L		107	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	2.17	J	ng/L		108	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	2.23	J	ng/L		111	50 - 150
Perfluorononanoic acid (PFNA)	2.00	2.06	J	ng/L		103	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	2.13	J	ng/L		106	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	2.20	J	ng/L		110	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	2.14	J	ng/L		107	50 - 150
Perfluorobutanoic acid (PFBA)	2.00	2.16	J	ng/L		108	50 - 150

Eurofins Eaton Analytical Pomona



# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: MRL 380-137186/21-A**  
**Matrix: Water**  
**Analysis Batch: 137205**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 137186**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	2.00	2.29	J	ng/L		114	50 - 150
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	2.00	2.25	J	ng/L		112	50 - 150
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	2.00	2.46	J	ng/L		123	50 - 150
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	2.00	2.50	J	ng/L		125	50 - 150
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	2.00	2.06	J	ng/L		103	50 - 150
Perfluoro-3-methoxypropanoic acid (PFMPA)	2.00	2.14	J	ng/L		107	50 - 150
Perfluoro-4-methoxybutanoic acid (PFMBA)	2.00	2.11	J	ng/L		105	50 - 150
Perfluoropentanoic acid (PFPeA)	2.00	2.12	J	ng/L		106	50 - 150
Perfluoroheptanesulfonic acid (PFHpS)	2.00	1.98	J	ng/L		99	50 - 150
Perfluoropentanesulfonic acid (PFPeS)	2.00	2.08	J	ng/L		104	50 - 150

Isotope Dilution	MRL %Recovery	MRL Qualifier	MRL Limits
13C3 HFPO-DA	99		50 - 200
13C6 PFDA	117		50 - 200
13C5 PFHxA	104		50 - 200
13C4 PFHpA	109		50 - 200
13C8 PFOA	107		50 - 200
13C9 PFNA	113		50 - 200
13C7 PFUnA	114		50 - 200
13C2 PFDoA	119		50 - 200
13C4 PFBA	106		50 - 200
13C5 PFPeA	106		50 - 200
13C3 PFBS	101		50 - 200
13C3 PFHxS	103		50 - 200
13C8 PFOS	106		50 - 200
13C2-4:2-FTS	103		50 - 200
13C2-6:2-FTS	101		50 - 200
13C2-8:2-FTS	102		50 - 200

**Lab Sample ID: 380-136783-E-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 137205**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 137186**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		120	102		ng/L		85	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		120	105		ng/L		87	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		120	111		ng/L		92	70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: 380-136783-E-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 137205**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 137186**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide	<2.0		120	115		ng/L		96	70 - 130
Dimer Acid (HFPO-DA/GenX)									
Perfluorobutanesulfonic acid (PFBS)	<2.0		120	115		ng/L		95	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		120	109		ng/L		91	70 - 130
Perfluorododecanoic acid (PFDoA)	<2.0		120	113		ng/L		93	70 - 130
Perfluoroheptanoic acid (PFHpA)	<2.0		120	115		ng/L		95	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	<2.0		120	114		ng/L		94	70 - 130
Perfluorohexanoic acid (PFHxA)	<2.0		120	121		ng/L		100	70 - 130
Perfluorononanoic acid (PFNA)	<2.0		120	108		ng/L		90	70 - 130
Perfluorooctanesulfonic acid (PFOS)	<2.0		120	111		ng/L		92	70 - 130
Perfluorooctanoic acid (PFOA)	<2.0		120	111		ng/L		92	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		120	109		ng/L		91	70 - 130
Perfluorobutanoic acid (PFBA)	<2.0		120	119		ng/L		99	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		120	107		ng/L		89	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		120	110		ng/L		91	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		120	112		ng/L		93	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		120	118		ng/L		98	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		120	113		ng/L		94	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		120	114		ng/L		95	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		120	119		ng/L		99	70 - 130
Perfluoropentanoic acid (PFPeA)	<2.0		120	116		ng/L		97	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		120	106		ng/L		88	70 - 130
Perfluoropentanesulfonic acid (PFPeS)	<2.0		120	114		ng/L		95	70 - 130

Isotope Dilution	MS MS		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	101		50 - 200
13C6 PFDA	116		50 - 200
13C5 PFHxA	100		50 - 200
13C4 PFHpA	106		50 - 200
13C8 PFOA	106		50 - 200
13C9 PFNA	111		50 - 200
13C7 PFUnA	116		50 - 200
13C2 PFDoA	119		50 - 200
13C4 PFBA	102		50 - 200
13C5 PFPeA	101		50 - 200
13C3 PFBS	98		50 - 200
13C3 PFHxS	99		50 - 200
13C8 PFOS	105		50 - 200

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: 380-136783-E-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 137205**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 137186**

<i>Isotope Dilution</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
13C2-4:2-FTS	99		50 - 200
13C2-6:2-FTS	101		50 - 200
13C2-8:2-FTS	107		50 - 200

**Lab Sample ID: 380-136783-F-1-A MSD**  
**Matrix: Water**  
**Analysis Batch: 137205**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 137186**

<b>Analyte</b>	<b>Sample Result</b>	<b>Sample Qualifier</b>	<b>Spike Added</b>	<b>MSD Result</b>	<b>MSD Qualifier</b>	<b>Unit</b>	<b>D</b>	<b>%Rec</b>	<b>%Rec Limits</b>	<b>RPD</b>	<b>RPD Limit</b>
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		120	104		ng/L		87	70 - 130	2	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		120	105		ng/L		87	70 - 130	0	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		120	111		ng/L		92	70 - 130	0	30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		120	112		ng/L		93	70 - 130	3	30
Perfluorobutanesulfonic acid (PFBS)	<2.0		120	112		ng/L		93	70 - 130	2	30
Perfluorodecanoic acid (PFDA)	<2.0		120	114		ng/L		95	70 - 130	4	30
Perfluorododecanoic acid (PFDoA)	<2.0		120	112		ng/L		93	70 - 130	1	30
Perfluoroheptanoic acid (PFHpA)	<2.0		120	114		ng/L		95	70 - 130	1	30
Perfluorohexanesulfonic acid (PFHxS)	<2.0		120	114		ng/L		95	70 - 130	0	30
Perfluorohexanoic acid (PFHxA)	<2.0		120	112		ng/L		93	70 - 130	7	30
Perfluorononanoic acid (PFNA)	<2.0		120	113		ng/L		94	70 - 130	4	30
Perfluorooctanesulfonic acid (PFOS)	<2.0		120	114		ng/L		94	70 - 130	2	30
Perfluorooctanoic acid (PFOA)	<2.0		120	110		ng/L		92	70 - 130	1	30
Perfluoroundecanoic acid (PFUnA)	<2.0		120	107		ng/L		89	70 - 130	2	30
Perfluorobutanoic acid (PFBA)	<2.0		120	111		ng/L		92	70 - 130	7	30
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		120	108		ng/L		90	70 - 130	1	30
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		120	109		ng/L		91	70 - 130	0	30
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		120	116		ng/L		96	70 - 130	3	30
Nonfluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		120	112		ng/L		93	70 - 130	6	30
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<2.0		120	109		ng/L		90	70 - 130	4	30
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		120	109		ng/L		91	70 - 130	5	30
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		120	114		ng/L		95	70 - 130	4	30
Perfluoropentanoic acid (PFPeA)	<2.0		120	111		ng/L		93	70 - 130	4	30
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		120	106		ng/L		88	70 - 130	0	30
Perfluoropentanesulfonic acid (PFPeS)	<2.0		120	111		ng/L		92	70 - 130	3	30

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	MSD MSD		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	97		50 - 200
13C6 PFDA	109		50 - 200
13C5 PFHxA	103		50 - 200
13C4 PFHpA	106		50 - 200
13C8 PFOA	107		50 - 200
13C9 PFNA	107		50 - 200
13C7 PFUnA	113		50 - 200
13C2 PFDoA	116		50 - 200
13C4 PFBA	104		50 - 200
13C5 PFPeA	105		50 - 200
13C3 PFBS	99		50 - 200
13C3 PFHxS	100		50 - 200
13C8 PFOS	102		50 - 200
13C2-4:2-FTS	107		50 - 200
13C2-6:2-FTS	103		50 - 200
13C2-8:2-FTS	106		50 - 200

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MBL 380-137257/20-A  
Matrix: Water  
Analysis Batch: 137445

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 137257

Analyte	MBL MBL		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<0.58		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<0.42		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Perfluorotetradecanoic acid (PFTA)	<0.54		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Perfluorotridecanoic acid (PFTrDA)	<0.36		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		02/23/25 15:21	02/24/25 11:54	1
Surrogate	MBL MBL		Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
d5-NEtFOSAA	102		70 - 130			02/23/25 15:21	02/24/25 11:54	1
13C2 PFHxA	104		70 - 130			02/23/25 15:21	02/24/25 11:54	1
13C2 PFDA	99		70 - 130			02/23/25 15:21	02/24/25 11:54	1

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID: MBL 380-137257/20-A**  
**Matrix: Water**  
**Analysis Batch: 137445**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 137257**

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
13C3-GenX	100		70 - 130	02/23/25 15:21	02/24/25 11:54	1

**Lab Sample ID: LCS 380-137257/22-A**  
**Matrix: Water**  
**Analysis Batch: 137445**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 137257**

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>Limits</i>
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	50.3	49.3		ng/L		98	70 - 130
Perfluorooctanesulfonic acid (PFOS)	50.3	52.9		ng/L		105	70 - 130
Perfluoroundecanoic acid (PFUnA)	50.3	50.5		ng/L		100	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	50.3	50.9		ng/L		101	70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	50.3	52.8		ng/L		105	70 - 130
Perfluorohexanoic acid (PFHxA)	50.3	52.4		ng/L		104	70 - 130
Perfluorododecanoic acid (PFDoA)	50.3	48.8		ng/L		97	70 - 130
Perfluorooctanoic acid (PFOA)	50.3	51.8		ng/L		103	70 - 130
Perfluorodecanoic acid (PFDA)	50.3	49.3		ng/L		98	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	50.3	53.9		ng/L		107	70 - 130
Perfluorobutanesulfonic acid (PFBS)	50.3	53.7		ng/L		107	70 - 130
Perfluoroheptanoic acid (PFHpA)	50.3	53.1		ng/L		106	70 - 130
Perfluorononanoic acid (PFNA)	50.3	51.2		ng/L		102	70 - 130
Perfluorotetradecanoic acid (PFTA)	50.3	40.3		ng/L		80	70 - 130
Perfluorotridecanoic acid (PFTrDA)	50.3	47.6		ng/L		95	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	50.3	51.0		ng/L		101	70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	50.3	50.0		ng/L		99	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	50.3	51.3		ng/L		102	70 - 130

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
d5-NEtFOSAA	96		70 - 130
13C2 PFHxA	102		70 - 130
13C2 PFDA	98		70 - 130
13C3-GenX	96		70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID: MRL 380-137257/21-A**  
**Matrix: Water**  
**Analysis Batch: 137445**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 137257**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.01	2.09	J	ng/L		104	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.01	2.22	J	ng/L		110	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.01	2.18	J	ng/L		109	50 - 150
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	2.01	2.27	J	ng/L		113	50 - 150
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	2.01	2.44	J	ng/L		122	50 - 150
Perfluorohexanoic acid (PFHxA)	2.01	2.24	J	ng/L		112	50 - 150
Perfluorododecanoic acid (PFDoA)	2.01	2.14	J	ng/L		106	50 - 150
Perfluorooctanoic acid (PFOA)	2.01	2.16	J	ng/L		108	50 - 150
Perfluorodecanoic acid (PFDA)	2.01	2.09	J	ng/L		104	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.01	2.29	J	ng/L		114	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.01	2.15	J	ng/L		107	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.01	2.28	J	ng/L		114	50 - 150
Perfluorononanoic acid (PFNA)	2.01	2.16	J	ng/L		107	50 - 150
Perfluorotetradecanoic acid (PFTA)	2.01	1.80	J	ng/L		89	50 - 150
Perfluorotridecanoic acid (PFTrDA)	2.01	2.17	J	ng/L		108	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.01	2.13	J	ng/L		106	50 - 150
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.01	1.99	J	ng/L		99	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.01	2.19	J	ng/L		109	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
d5-NEtFOSAA	106		70 - 130
13C2 PFHxA	104		70 - 130
13C2 PFDA	98		70 - 130
13C3-GenX	102		70 - 130

**Lab Sample ID: 380-136903-B-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 137445**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 137257**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		25.1	25.3		ng/L		101	70 - 130
Perfluorooctanesulfonic acid (PFOS)	<2.0		25.1	28.0		ng/L		112	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		25.1	26.6		ng/L		106	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		25.1	26.9		ng/L		107	70 - 130

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID: 380-136903-B-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 137445**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 137257**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	%Rec	
				Result	Qualifier				Limits	
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		25.1	27.6		ng/L		110	70 - 130	
Perfluorohexanoic acid (PFHxA)	<2.0		25.1	28.2		ng/L		109	70 - 130	
Perfluorododecanoic acid (PFDoA)	<2.0		25.1	25.7		ng/L		102	70 - 130	
Perfluorooctanoic acid (PFOA)	<2.0		25.1	27.5		ng/L		109	70 - 130	
Perfluorodecanoic acid (PFDA)	<2.0		25.1	26.3		ng/L		105	70 - 130	
Perfluorohexanesulfonic acid (PFHxS)	<2.0		25.1	28.5		ng/L		112	70 - 130	
Perfluorobutanesulfonic acid (PFBS)	<2.0		25.1	27.3		ng/L		106	70 - 130	
Perfluoroheptanoic acid (PFHpA)	<2.0		25.1	27.9		ng/L		111	70 - 130	
Perfluorononanoic acid (PFNA)	<2.0		25.1	26.5		ng/L		105	70 - 130	
Perfluorotetradecanoic acid (PFTA)	<2.0		25.1	25.0		ng/L		100	70 - 130	
Perfluorotridecanoic acid (PFTrDA)	<2.0		25.1	24.9		ng/L		99	70 - 130	
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		25.1	26.9		ng/L		107	70 - 130	
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		25.1	25.7		ng/L		102	70 - 130	
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		25.1	25.9		ng/L		103	70 - 130	
<b>MS MS</b>										
<b>Surrogate</b>	<b>%Recovery</b>		<b>Qualifier</b>	<b>Limits</b>						
d5-NEtFOSAA	98			70 - 130						
13C2 PFHxA	102			70 - 130						
13C2 PFDA	93			70 - 130						
13C3-GenX	93			70 - 130						

**Lab Sample ID: 380-136903-C-1-A MSD**  
**Matrix: Water**  
**Analysis Batch: 137445**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 137257**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD		Unit	D	%Rec	%Rec		RPD	
				Result	Qualifier				Limits	RPD	Limit	
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		25.1	23.6		ng/L		94	70 - 130	7	30	
Perfluorooctanesulfonic acid (PFOS)	<2.0		25.1	27.7		ng/L		110	70 - 130	1	30	
Perfluoroundecanoic acid (PFUnA)	<2.0		25.1	25.3		ng/L		101	70 - 130	5	30	
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		25.1	25.2		ng/L		101	70 - 130	7	30	
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		25.1	27.3		ng/L		109	70 - 130	1	30	
Perfluorohexanoic acid (PFHxA)	<2.0		25.1	26.4		ng/L		102	70 - 130	7	30	
Perfluorododecanoic acid (PFDoA)	<2.0		25.1	25.2		ng/L		101	70 - 130	2	30	
Perfluorooctanoic acid (PFOA)	<2.0		25.1	26.5		ng/L		106	70 - 130	4	30	
Perfluorodecanoic acid (PFDA)	<2.0		25.1	24.9		ng/L		99	70 - 130	5	30	

Eurofins Eaton Analytical Pomona





# QC Association Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## LCMS

### Prep Batch: 137186

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-136897-1	Halawa Shaft Viewing Pool	Total/NA	Water	533	
380-136897-2	FB: Halawa Shaft Viewing Pool	Total/NA	Water	533	
MBL 380-137186/20-A	Method Blank	Total/NA	Water	533	
LCS 380-137186/22-A	Lab Control Sample	Total/NA	Water	533	
MRL 380-137186/21-A	Lab Control Sample	Total/NA	Water	533	
380-136783-E-1-A MS	Matrix Spike	Total/NA	Water	533	
380-136783-F-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	533	

### Analysis Batch: 137205

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-136897-1	Halawa Shaft Viewing Pool	Total/NA	Water	533	137186
380-136897-2	FB: Halawa Shaft Viewing Pool	Total/NA	Water	533	137186
MBL 380-137186/20-A	Method Blank	Total/NA	Water	533	137186
LCS 380-137186/22-A	Lab Control Sample	Total/NA	Water	533	137186
MRL 380-137186/21-A	Lab Control Sample	Total/NA	Water	533	137186
380-136783-E-1-A MS	Matrix Spike	Total/NA	Water	533	137186
380-136783-F-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	533	137186

### Prep Batch: 137257

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-136897-1	Halawa Shaft Viewing Pool	Total/NA	Water	537.1 DW	
380-136897-2	FB: Halawa Shaft Viewing Pool	Total/NA	Water	537.1 DW	
MBL 380-137257/20-A	Method Blank	Total/NA	Water	537.1 DW	
LCS 380-137257/22-A	Lab Control Sample	Total/NA	Water	537.1 DW	
MRL 380-137257/21-A	Lab Control Sample	Total/NA	Water	537.1 DW	
380-136903-B-1-A MS	Matrix Spike	Total/NA	Water	537.1 DW	
380-136903-C-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	537.1 DW	

### Analysis Batch: 137445

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-136897-1	Halawa Shaft Viewing Pool	Total/NA	Water	537.1	137257
380-136897-2	FB: Halawa Shaft Viewing Pool	Total/NA	Water	537.1	137257
MBL 380-137257/20-A	Method Blank	Total/NA	Water	537.1	137257
LCS 380-137257/22-A	Lab Control Sample	Total/NA	Water	537.1	137257
MRL 380-137257/21-A	Lab Control Sample	Total/NA	Water	537.1	137257
380-136903-B-1-A MS	Matrix Spike	Total/NA	Water	537.1	137257
380-136903-C-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	537.1	137257

# Lab Chronicle

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-136897-1  
 SDG: Weekly PFAS

**Client Sample ID: Halawa Shaft Viewing Pool**

**Lab Sample ID: 380-136897-1**

Date Collected: 02/18/25 10:00

Matrix: Water

Date Received: 02/21/25 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			137186	N8NE	EA POM	02/21/25 19:50
Total/NA	Analysis	533		1	137205	Y5FM	EA POM	02/22/25 13:21
Total/NA	Prep	537.1 DW			137257	N8NE	EA POM	02/23/25 15:21
Total/NA	Analysis	537.1		1	137445	SZ9R	EA POM	02/24/25 13:01

**Client Sample ID: FB: Halawa Shaft Viewing Pool**

**Lab Sample ID: 380-136897-2**

Date Collected: 02/18/25 10:00

Matrix: Water

Date Received: 02/21/25 09:34

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			137186	N8NE	EA POM	02/21/25 19:50
Total/NA	Analysis	533		1	137205	Y5FM	EA POM	02/22/25 13:30
Total/NA	Prep	537.1 DW			137257	N8NE	EA POM	02/23/25 15:21
Total/NA	Analysis	537.1		1	137445	SZ9R	EA POM	02/24/25 13:10

**Laboratory References:**

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

# Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

## Laboratory: Eurofins Eaton Analytical Pomona

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-25 *

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

# Method Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

Method	Method Description	Protocol	Laboratory
533	Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water	EPA	EA POM
537.1	Perfluorinated Alkyl Acids (LC/MS)	EPA	EA POM
533	Extraction of Perfluorinated and Polyfluorinated Alkyl Acids	EPA	EA POM
537.1 DW	Extraction of Perfluorinated Alkyl Acids	EPA	EA POM

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100



# Sample Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-136897-1  
SDG: Weekly PFAS

---

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Collected</u>	<u>Received</u>
380-136897-1	Halawa Shaft Viewing Pool	Water	02/18/25 10:00	02/21/25 09:34
380-136897-2	FB: Halawa Shaft Viewing Pool	Water	02/18/25 10:00	02/21/25 09:34

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17



## Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-136897-1

SDG Number: Weekly PFAS

**Login Number: 136897**

**List Number: 1**

**Creator: Hernandez, Orlando**

**List Source: Eurofins Eaton Analytical Pomona**

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

