

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mr. Erwin Kawata  
City & County of Honolulu  
630 South Beretania Street  
Public Service Bldg. Room 310  
Honolulu, Hawaii 96843

Generated 2/8/2025 7:31:57 PM Revision 1

## JOB DESCRIPTION

RED-HILL  
Weekly PFAS

## JOB NUMBER

380-130967-1

# Eurofins Eaton Analytical Pomona

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

## Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

## Authorization



Authorized for release by  
Rachelle Arada, Project Manager  
[Rachelle.Arada@et.eurofinsus.com](mailto:Rachelle.Arada@et.eurofinsus.com)  
(626)386-1106

Generated  
2/8/2025 7:31:57 PM  
Revision 1



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Action Limit Summary . . . . .	12
Surrogate Summary . . . . .	13
Isotope Dilution Summary . . . . .	14
QC Sample Results . . . . .	15
QC Association Summary . . . . .	26
Lab Chronicle . . . . .	27
Certification Summary . . . . .	28
Method Summary . . . . .	29
Sample Summary . . . . .	30
Chain of Custody . . . . .	31
Receipt Checklists . . . . .	32

# Definitions/Glossary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: City & County of Honolulu  
Project: RED-HILL

Job ID: 380-130967-1

**Job ID: 380-130967-1**

**Eurofins Eaton Analytical Pomona**

## Job Narrative 380-130967-1

### REVISION

The report being provided is a revision of the original report sent on 1/22/2025. The report (revision 1) is being revised due to: separate none Red Hill site into another report.

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 1/17/2025 10:28 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.9°C and 3.1°C.

### PFAS

Method 537.1\_DW\_PREC: The method blank associated with preparation batch 380-128779 and analytical batch 380-129104 contained Perfluorooctanoic acid (PFOA) greater than one-third the reporting limit (RL) due to contamination of internal standard. This has also caused MRL check to fail biased high. In addition, surrogate recoveries in MBLK and LCS failed high. The samples FB HALAWA WELLS P1 (380-130967-5), FB KAAMILO WELLS (380-130967-6), could not be re-analyzed because there is insufficient volume for re-extraction. Field blank data and associated field samples with detections excluded due to this QC issue.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Eaton Analytical Pomona

# Detection Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Client Sample ID: HALAWA WELLS P1

Lab Sample ID: 380-130967-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanesulfonic acid (PFHxS)	2.5		2.0	ng/L	1		533	Total/NA
Perfluorohexanoic acid (PFHxA)	2.2		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.3		2.0	ng/L	1		533	Total/NA
Perfluoropentanoic acid (PFPeA)	2.5		2.0	ng/L	1		533	Total/NA

## Client Sample ID: KAAMILO WELLS

Lab Sample ID: 380-130967-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanesulfonic acid (PFHxS)	2.0		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.2		2.0	ng/L	1		533	Total/NA

## Client Sample ID: FB HALAWA WELLS P1

Lab Sample ID: 380-130967-5

No Detections.

## Client Sample ID: FB KAAMILO WELLS

Lab Sample ID: 380-130967-6

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

**Client Sample ID: HALAWA WELLS P1**

**Lab Sample ID: 380-130967-1**

Date Collected: 01/14/25 09:40

Matrix: Water

Date Received: 01/17/25 10:28

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafuoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>2.5</b>		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
<b>Perfluorohexanoic acid (PFHxA)</b>	<b>2.2</b>		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>2.3</b>		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
<b>Perfluoropentanoic acid (PFPeA)</b>	<b>2.5</b>		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:27	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	95		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C6 PFDA	94		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C5 PFHxA	98		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C4 PFHpA	109		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C8 PFOA	107		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C9 PFNA	102		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C7 PFUnA	89		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C2 PFDoA	86		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C4 PFBA	110		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C5 PFPeA	108		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C3 PFBS	104		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C3 PFHxS	112		50 - 200	01/19/25 07:15	01/20/25 02:27	1

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

**Client Sample ID: HALAWA WELLS P1**

**Lab Sample ID: 380-130967-1**

Date Collected: 01/14/25 09:40

Matrix: Water

Date Received: 01/17/25 10:28

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C8 PFOS	111		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C2-4:2-FTS	93		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C2-6:2-FTS	119		50 - 200	01/19/25 07:15	01/20/25 02:27	1
13C2-8:2-FTS	89		50 - 200	01/19/25 07:15	01/20/25 02:27	1

**Client Sample ID: KAAMILO WELLS**

**Lab Sample ID: 380-130967-2**

Date Collected: 01/14/25 10:10

Matrix: Water

Date Received: 01/17/25 10:28

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafuoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>2.0</b>		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>2.2</b>		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 02:37	1
<b>Isotope Dilution</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C3 HFPO-DA	92		50 - 200			01/19/25 07:15	01/20/25 02:37	1

Eurofins Eaton Analytical Pomona



# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

**Client Sample ID: KAAMILO WELLS**

**Lab Sample ID: 380-130967-2**

**Date Collected: 01/14/25 10:10**

**Matrix: Water**

**Date Received: 01/17/25 10:28**

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C6 PFDA	93		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C5 PFHxA	94		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C4 PFHpA	106		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C8 PFOA	102		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C9 PFNA	93		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C7 PFUnA	86		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C2 PFDoA	82		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C4 PFBA	105		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C5 PFPeA	103		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C3 PFBS	100		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C3 PFHxS	110		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C8 PFOS	104		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C2-4:2-FTS	88		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C2-6:2-FTS	112		50 - 200	01/19/25 07:15	01/20/25 02:37	1
13C2-8:2-FTS	87		50 - 200	01/19/25 07:15	01/20/25 02:37	1

**Client Sample ID: FB HALAWA WELLS P1**

**Lab Sample ID: 380-130967-5**

**Date Collected: 01/14/25 09:40**

**Matrix: Water**

**Date Received: 01/17/25 10:28**

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosfluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

**Client Sample ID: FB HALAWA WELLS P1**

**Lab Sample ID: 380-130967-5**

**Date Collected: 01/14/25 09:40**

**Matrix: Water**

**Date Received: 01/17/25 10:28**

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:06	1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	100		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C6 PFDA	98		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C5 PFHxA	107		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C4 PFHpA	114		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C8 PFOA	108		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C9 PFNA	104		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C7 PFUnA	94		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C2 PFDoA	88		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C4 PFBA	109		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C5 PFPeA	109		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C3 PFBS	109		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C3 PFHxS	120		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C8 PFOS	112		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C2-4:2-FTS	97		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C2-6:2-FTS	118		50 - 200			01/19/25 07:15	01/20/25 03:06	1
13C2-8:2-FTS	92		50 - 200			01/19/25 07:15	01/20/25 03:06	1

**Client Sample ID: FB KAAMILO WELLS**

**Lab Sample ID: 380-130967-6**

**Date Collected: 01/14/25 10:10**

**Matrix: Water**

**Date Received: 01/17/25 10:28**

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosfluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

**Client Sample ID: FB KAAMILO WELLS**

**Lab Sample ID: 380-130967-6**

Date Collected: 01/14/25 10:10

Matrix: Water

Date Received: 01/17/25 10:28

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Nonafluoro-3,6-dioxiheptanoic acid (NFDHA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		01/19/25 07:15	01/20/25 03:16	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	92		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C6 PFDA	93		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C5 PFHxA	95		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C4 PFHpA	109		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C8 PFOA	101		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C9 PFNA	97		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C7 PFUnA	89		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C2 PFDoA	84		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C4 PFBA	109		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C5 PFPeA	106		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C3 PFBS	110		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C3 PFHxS	115		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C8 PFOS	111		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C2-4:2-FTS	93		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C2-6:2-FTS	119		50 - 200	01/19/25 07:15	01/20/25 03:16	1
13C2-8:2-FTS	93		50 - 200	01/19/25 07:15	01/20/25 03:16	1

# Action Limit Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Client Sample ID: HALAWA WELLS P1

Lab Sample ID: 380-130967-1

### Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	2.5		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.3		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA

## Client Sample ID: KAAMILO WELLS

Lab Sample ID: 380-130967-2

### Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	2.0		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	2.2		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA

## Client Sample ID: FB HALAWA WELLS P1

Lab Sample ID: 380-130967-5

### Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA

## Client Sample ID: FB KAAMILO WELLS

Lab Sample ID: 380-130967-6

### Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA

Eurofins Eaton Analytical Pomona

# Surrogate Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-130967-1  
 SDG: Weekly PFAS

**Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)**

**Matrix: Water**

**Prep Type: Total/NA**

**Percent Surrogate Recovery (Acceptance Limits)**

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-130639-I-1-A MS	Matrix Spike	100	95	102	91
380-130639-J-1-A MSD	Matrix Spike Duplicate	101	96	110	94
380-130967-3	PEARL CITY WELLS II PUMP 2	110	108	106	98
380-130967-4	PEARL CITY WELLS I PUMP 1	106	105	103	91
LCS 380-128885/21-A	Lab Control Sample	99	103	104	97
MBL 380-128885/19-A	Method Blank	104	109	108	100
MRL 380-128885/20-A	Lab Control Sample	109	108	106	100

**Surrogate Legend**

d5NEFOS = d5-NEtFOSAA  
 PFHxA = 13C2 PFHxA  
 PFDA = 13C2 PFDA  
 GenX = 13C3-GenX



# Isotope Dilution Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-130967-1  
 SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Matrix: Water

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFDoA (50-200)
380-130967-1	HALAWA WELLS P1	95	94	98	109	107	102	89	86
380-130967-2	KAAMILO WELLS	92	93	94	106	102	93	86	82
380-130967-5	FB HALAWA WELLS P1	100	98	107	114	108	104	94	88
380-130967-6	FB KAAMILO WELLS	92	93	95	109	101	97	89	84

  

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-130967-1	HALAWA WELLS P1	110	108	104	112	111	93	119	89
380-130967-2	KAAMILO WELLS	105	103	100	110	104	88	112	87
380-130967-5	FB HALAWA WELLS P1	109	109	109	120	112	97	118	92
380-130967-6	FB KAAMILO WELLS	109	106	110	115	111	93	119	93

### Surrogate Legend

- HFPODA = 13C3 HFPO-DA
- C6PFDA = 13C6 PFDA
- 13C5PHA = 13C5 PFHxA
- C4PFHA = 13C4 PFHpA
- C8PFOA = 13C8 PFOA
- C9PFNA = 13C9 PFNA
- 13C7PUA = 13C7 PFUnA
- PFDoA = 13C2 PFDoA
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA
- C3PFBS = 13C3 PFBS
- C3PFHS = 13C3 PFHxS
- C8PFOS = 13C8 PFOS
- 42FTS = 13C2-4:2-FTS
- 62FTS = 13C2-6:2-FTS
- 82FTS = 13C2-8:2-FTS

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

**Lab Sample ID: MBL 380-128822/21-A**  
**Matrix: Water**  
**Analysis Batch: 128889**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 128822**

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosfluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluorobutanoic acid (PFBA)	<0.69		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<0.38		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<0.37		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<0.48		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<0.47		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<0.25		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<0.46		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<0.15		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluoropentanoic acid (PFPeA)	<0.38		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluoroheptanesulfonic acid (PFHpS)	<0.36		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1
Perfluoropentanesulfonic acid (PFPeS)	<0.39		2.0	ng/L		01/19/25 07:15	01/20/25 01:28	1

Isotope Dilution	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	92		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C6 PFDA	99		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C5 PFHxA	101		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C4 PFHpA	112		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C8 PFOA	105		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C9 PFNA	100		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C7 PFUnA	95		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C2 PFDoA	88		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C4 PFBA	110		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C5 PFPeA	110		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C3 PFBS	105		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C3 PFHxS	114		50 - 200	01/19/25 07:15	01/20/25 01:28	1

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: MBL 380-128822/21-A**  
**Matrix: Water**  
**Analysis Batch: 128889**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 128822**

Isotope Dilution	MBL MBL		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
13C8 PFOS	109		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C2-4:2-FTS	92		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C2-6:2-FTS	125		50 - 200	01/19/25 07:15	01/20/25 01:28	1
13C2-8:2-FTS	92		50 - 200	01/19/25 07:15	01/20/25 01:28	1

**Lab Sample ID: LCS 380-128822/23-A**  
**Matrix: Water**  
**Analysis Batch: 128889**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 128822**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	60.1	51.2		ng/L		85	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	60.1	56.5		ng/L		94	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	60.1	57.2		ng/L		95	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	60.1	60.1		ng/L		100	70 - 130
Perfluorobutanesulfonic acid (PFBS)	60.1	61.7		ng/L		103	70 - 130
Perfluorodecanoic acid (PFDA)	60.1	58.4		ng/L		97	70 - 130
Perfluorododecanoic acid (PFDoA)	60.1	60.4		ng/L		100	70 - 130
Perfluoroheptanoic acid (PFHpA)	60.1	60.5		ng/L		101	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	60.1	57.0		ng/L		95	70 - 130
Perfluorohexanoic acid (PFHxA)	60.1	59.1		ng/L		98	70 - 130
Perfluorononanoic acid (PFNA)	60.1	61.5		ng/L		102	70 - 130
Perfluorooctanesulfonic acid (PFOS)	60.1	56.9		ng/L		95	70 - 130
Perfluorooctanoic acid (PFOA)	60.1	60.0		ng/L		100	70 - 130
Perfluoroundecanoic acid (PFUnA)	60.1	61.5		ng/L		102	70 - 130
Perfluorobutanoic acid (PFBA)	60.1	59.8		ng/L		99	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	60.1	61.4		ng/L		102	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	60.1	60.3		ng/L		100	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	60.1	60.7		ng/L		101	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	60.1	61.9		ng/L		103	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	60.1	67.0		ng/L		111	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	60.1	61.3		ng/L		102	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	60.1	59.9		ng/L		100	70 - 130
Perfluoropentanoic acid (PFPeA)	60.1	60.0		ng/L		100	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	60.1	61.7		ng/L		103	70 - 130

Eurofins Eaton Analytical Pomona



# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: LCS 380-128822/23-A**  
**Matrix: Water**  
**Analysis Batch: 128889**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 128822**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoropentanesulfonic acid (PFPeS)	60.1	52.1		ng/L		87	70 - 130
<b>LCS LCS</b>							
<b>Isotope Dilution</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				
13C3 HFPO-DA	98		50 - 200				
13C6 PFDA	100		50 - 200				
13C5 PFHxA	102		50 - 200				
13C4 PFHpA	112		50 - 200				
13C8 PFOA	108		50 - 200				
13C9 PFNA	99		50 - 200				
13C7 PFUnA	94		50 - 200				
13C2 PFDoA	86		50 - 200				
13C4 PFBA	111		50 - 200				
13C5 PFPeA	108		50 - 200				
13C3 PFBS	105		50 - 200				
13C3 PFHxS	118		50 - 200				
13C8 PFOS	111		50 - 200				
13C2-4:2-FTS	93		50 - 200				
13C2-6:2-FTS	121		50 - 200				
13C2-8:2-FTS	93		50 - 200				

**Lab Sample ID: MRL 380-128822/22-A**  
**Matrix: Water**  
**Analysis Batch: 128889**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 128822**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	1.97	J	ng/L		98	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	2.07	J	ng/L		103	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	2.06	J	ng/L		103	50 - 150
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	2.32	J	ng/L		116	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	2.29	J	ng/L		114	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	2.26	J	ng/L		113	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	2.38	J	ng/L		119	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	2.26	J	ng/L		113	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	2.08	J	ng/L		104	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	2.35	J	ng/L		117	50 - 150
Perfluorononanoic acid (PFNA)	2.00	2.30	J	ng/L		115	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	2.16	J	ng/L		108	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	2.25	J	ng/L		112	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	2.29	J	ng/L		114	50 - 150
Perfluorobutanoic acid (PFBA)	2.00	2.24	J	ng/L		112	50 - 150

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: MRL 380-128822/22-A**  
**Matrix: Water**  
**Analysis Batch: 128889**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 128822**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	2.00	2.39	J	ng/L		119	50 - 150
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	2.00	2.33	J	ng/L		116	50 - 150
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	2.00	2.52	J	ng/L		126	50 - 150
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	2.00	1.93	J	ng/L		96	50 - 150
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	2.00	2.50	J	ng/L		125	50 - 150
Perfluoro-3-methoxypropanoic acid (PFMPA)	2.00	2.26	J	ng/L		113	50 - 150
Perfluoro-4-methoxybutanoic acid (PFMBA)	2.00	2.18	J	ng/L		109	50 - 150
Perfluoropentanoic acid (PFPeA)	2.00	2.39	J	ng/L		119	50 - 150
Perfluoroheptanesulfonic acid (PFHpS)	2.00	2.30	J	ng/L		115	50 - 150
Perfluoropentanesulfonic acid (PFPeS)	2.00	1.95	J	ng/L		97	50 - 150

Isotope Dilution	MRL %Recovery	MRL Qualifier	MRL Limits
13C3 HFPO-DA	95		50 - 200
13C6 PFDA	95		50 - 200
13C5 PFHxA	97		50 - 200
13C4 PFHpA	108		50 - 200
13C8 PFOA	106		50 - 200
13C9 PFNA	98		50 - 200
13C7 PFUnA	89		50 - 200
13C2 PFDoA	83		50 - 200
13C4 PFBA	107		50 - 200
13C5 PFPeA	106		50 - 200
13C3 PFBS	103		50 - 200
13C3 PFHxS	112		50 - 200
13C8 PFOS	108		50 - 200
13C2-4:2-FTS	92		50 - 200
13C2-6:2-FTS	115		50 - 200
13C2-8:2-FTS	88		50 - 200

**Lab Sample ID: 380-130943-B-5-A LMS**  
**Matrix: Water**  
**Analysis Batch: 128889**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 128822**

Analyte	Sample Result	Sample Qualifier	Spike Added	LMS Result	LMS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.00	1.82	J	ng/L		91	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.00	2.00		ng/L		100	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.00	2.09		ng/L		105	50 - 150

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: 380-130943-B-5-A LMS**  
**Matrix: Water**  
**Analysis Batch: 128889**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 128822**

Analyte	Sample Result	Sample Qualifier	Spike Added	LMS Result	LMS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide	<2.0		2.00	2.28		ng/L		114	50 - 150
Dimer Acid (HFPO-DA/GenX)									
Perfluorobutanesulfonic acid (PFBS)	7.4		2.00	9.50		ng/L		104	50 - 150
Perfluorodecanoic acid (PFDA)	<2.0		2.00	2.20		ng/L		110	50 - 150
Perfluorododecanoic acid (PFDoA)	<2.0		2.00	2.25		ng/L		112	50 - 150
Perfluoroheptanoic acid (PFHpA)	<2.0		2.00	3.43		ng/L		114	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	7.9		2.00	9.96		ng/L		104	50 - 150
Perfluorohexanoic acid (PFHxA)	2.1		2.00	4.23		ng/L		108	50 - 150
Perfluorononanoic acid (PFNA)	<2.0		2.00	2.32		ng/L		116	50 - 150
Perfluorooctanesulfonic acid (PFOS)	5.8		2.00	7.88		ng/L		106	50 - 150
Perfluorooctanoic acid (PFOA)	4.6		2.00	6.72		ng/L		104	50 - 150
Perfluoroundecanoic acid (PFUnA)	<2.0		2.00	2.22		ng/L		111	50 - 150
Perfluorobutanoic acid (PFBA)	6.8		2.00	8.49		ng/L		87	50 - 150
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.00	2.36		ng/L		118	50 - 150
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.00	2.40		ng/L		120	50 - 150
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.00	2.43		ng/L		122	50 - 150
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.00	1.91	J	ng/L		96	50 - 150
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.00	2.44		ng/L		122	50 - 150
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.00	2.40		ng/L		120	50 - 150
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.00	2.08		ng/L		104	50 - 150
Perfluoropentanoic acid (PFPeA)	2.5		2.00	4.40		ng/L		95	50 - 150
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.00	2.61		ng/L		131	50 - 150
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.00	3.18		ng/L		82	50 - 150

Isotope Dilution	LMS LMS		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	93		50 - 200
13C6 PFDA	94		50 - 200
13C5 PFHxA	97		50 - 200
13C4 PFHpA	108		50 - 200
13C8 PFOA	106		50 - 200
13C9 PFNA	96		50 - 200
13C7 PFUnA	88		50 - 200
13C2 PFDoA	83		50 - 200
13C4 PFBA	110		50 - 200
13C5 PFPeA	118		50 - 200
13C3 PFBS	101		50 - 200
13C3 PFHxS	115		50 - 200
13C8 PFOS	105		50 - 200

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: 380-130943-B-5-A LMS**  
**Matrix: Water**  
**Analysis Batch: 128889**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 128822**

<i>Isotope Dilution</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
13C2-4:2-FTS	92		50 - 200
13C2-6:2-FTS	116		50 - 200
13C2-8:2-FTS	87		50 - 200

**Lab Sample ID: 380-130943-C-5-A LMSD**  
**Matrix: Water**  
**Analysis Batch: 128889**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 128822**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>LMSD Result</i>	<i>LMSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.00	1.76	J	ng/L		88	50 - 150	3	50
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.00	2.07		ng/L		104	50 - 150	4	50
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.00	2.03		ng/L		101	50 - 150	3	50
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.00	2.29		ng/L		115	50 - 150	0	50
Perfluorobutanesulfonic acid (PFBS)	7.4		2.00	9.98		ng/L		129	50 - 150	5	50
Perfluorodecanoic acid (PFDA)	<2.0		2.00	2.21		ng/L		111	50 - 150	1	50
Perfluorododecanoic acid (PFDoA)	<2.0		2.00	2.29		ng/L		115	50 - 150	2	50
Perfluoroheptanoic acid (PFHpA)	<2.0		2.00	3.26		ng/L		106	50 - 150	5	50
Perfluorohexanesulfonic acid (PFHxS)	7.9		2.00	10.3		ng/L		123	50 - 150	4	50
Perfluorohexanoic acid (PFHxA)	2.1		2.00	4.53		ng/L		123	50 - 150	7	50
Perfluorononanoic acid (PFNA)	<2.0		2.00	2.22		ng/L		111	50 - 150	5	50
Perfluorooctanesulfonic acid (PFOS)	5.8		2.00	7.76		ng/L		100	50 - 150	2	50
Perfluorooctanoic acid (PFOA)	4.6		2.00	7.01		ng/L		119	50 - 150	4	50
Perfluoroundecanoic acid (PFUnA)	<2.0		2.00	2.20		ng/L		110	50 - 150	1	50
Perfluorobutanoic acid (PFBA)	6.8		2.00	8.83		ng/L		104	50 - 150	4	50
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.00	2.30		ng/L		115	50 - 150	2	50
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.00	2.43		ng/L		122	50 - 150	1	50
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.00	2.40		ng/L		120	50 - 150	1	50
Nonfluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.00	2.23		ng/L		112	50 - 150	15	50
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<2.0		2.00	2.40		ng/L		120	50 - 150	2	50
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.00	2.44		ng/L		122	50 - 150	2	50
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.00	2.11		ng/L		106	50 - 150	2	50
Perfluoropentanoic acid (PFPeA)	2.5		2.00	4.65		ng/L		108	50 - 150	5	50
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.00	2.50		ng/L		125	50 - 150	5	50
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.00	3.63		ng/L		105	50 - 150	13	50

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	LMSD LMSD		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	93		50 - 200
13C6 PFDA	93		50 - 200
13C5 PFHxA	93		50 - 200
13C4 PFHpA	107		50 - 200
13C8 PFOA	99		50 - 200
13C9 PFNA	95		50 - 200
13C7 PFUnA	89		50 - 200
13C2 PFDoA	81		50 - 200
13C4 PFBA	104		50 - 200
13C5 PFPeA	115		50 - 200
13C3 PFBS	102		50 - 200
13C3 PFHxS	108		50 - 200
13C8 PFOS	107		50 - 200
13C2-4:2-FTS	93		50 - 200
13C2-6:2-FTS	109		50 - 200
13C2-8:2-FTS	87		50 - 200

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)

**Lab Sample ID: MBL 380-128885/19-A**  
**Matrix: Water**  
**Analysis Batch: 129110**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 128885**

Analyte	MBL MBL		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<0.58		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<0.42		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Perfluorotetradecanoic acid (PFTA)	<0.54		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Perfluorotridecanoic acid (PFTrDA)	<0.36		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		01/19/25 18:44	01/21/25 05:09	1
Surrogate	MBL MBL		Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
d5-NEtFOSAA	104		70 - 130			01/19/25 18:44	01/21/25 05:09	1
13C2 PFHxA	109		70 - 130			01/19/25 18:44	01/21/25 05:09	1
13C2 PFDA	108		70 - 130			01/19/25 18:44	01/21/25 05:09	1

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-130967-1  
 SDG: Weekly PFAS

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID: MBL 380-128885/19-A**  
**Matrix: Water**  
**Analysis Batch: 129110**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 128885**

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
13C3-GenX	100		70 - 130	01/19/25 18:44	01/21/25 05:09	1

**Lab Sample ID: LCS 380-128885/21-A**  
**Matrix: Water**  
**Analysis Batch: 129110**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 128885**

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>Limits</i>
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	25.1	24.3		ng/L		97	70 - 130
Perfluorooctanesulfonic acid (PFOS)	25.1	27.0		ng/L		108	70 - 130
Perfluoroundecanoic acid (PFUnA)	25.1	25.9		ng/L		103	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	25.1	24.6		ng/L		98	70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	25.1	24.9		ng/L		99	70 - 130
Perfluorohexanoic acid (PFHxA)	25.1	27.1		ng/L		108	70 - 130
Perfluorododecanoic acid (PFDoA)	25.1	24.5		ng/L		98	70 - 130
Perfluorooctanoic acid (PFOA)	25.1	26.8		ng/L		107	70 - 130
Perfluorodecanoic acid (PFDA)	25.1	24.5		ng/L		98	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	25.1	26.3		ng/L		105	70 - 130
Perfluorobutanesulfonic acid (PFBS)	25.1	24.9		ng/L		99	70 - 130
Perfluoroheptanoic acid (PFHpA)	25.1	27.4		ng/L		109	70 - 130
Perfluorononanoic acid (PFNA)	25.1	27.0		ng/L		108	70 - 130
Perfluorotetradecanoic acid (PFTA)	25.1	28.0		ng/L		112	70 - 130
Perfluorotridecanoic acid (PFTrDA)	25.1	25.4		ng/L		102	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	25.1	25.6		ng/L		102	70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	25.1	22.8		ng/L		91	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	25.1	25.0		ng/L		100	70 - 130

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
d5-NEtFOSAA	99		70 - 130
13C2 PFHxA	103		70 - 130
13C2 PFDA	104		70 - 130
13C3-GenX	97		70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID: MRL 380-128885/20-A**  
**Matrix: Water**  
**Analysis Batch: 129110**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 128885**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	1.92	J	ng/L		96	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	2.24	J	ng/L		112	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	2.03	J	ng/L		101	50 - 150
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	2.00	2.16	J	ng/L		108	50 - 150
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	2.00	2.25	J	ng/L		112	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	2.27	J	ng/L		113	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	1.97	J	ng/L		98	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	2.02	J	ng/L		101	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	2.06	J	ng/L		103	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	2.12	J	ng/L		106	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	2.08	J	ng/L		104	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	2.22	J	ng/L		111	50 - 150
Perfluorononanoic acid (PFNA)	2.00	2.23	J	ng/L		111	50 - 150
Perfluorotetradecanoic acid (PFTA)	2.00	2.40	J	ng/L		120	50 - 150
Perfluorotridecanoic acid (PFTTrDA)	2.00	2.03	J	ng/L		101	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	2.06	J	ng/L		103	50 - 150
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	1.79	J	ng/L		89	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	2.15	J	ng/L		107	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
d5-NEtFOSAA	109		70 - 130
13C2 PFHxA	108		70 - 130
13C2 PFDA	106		70 - 130
13C3-GenX	100		70 - 130

**Lab Sample ID: 380-130639-I-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 129110**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 128885**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		50.2	45.4		ng/L		90	70 - 130
Perfluorooctanesulfonic acid (PFOS)	<2.0		50.2	56.9		ng/L		111	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		50.2	51.2		ng/L		102	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		50.2	51.8		ng/L		103	70 - 130

Eurofins Eaton Analytical Pomona







# QC Association Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## LCMS

### Prep Batch: 128822

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-130967-1	HALAWA WELLS P1	Total/NA	Water	533	
380-130967-2	KAAMILO WELLS	Total/NA	Water	533	
380-130967-5	FB HALAWA WELLS P1	Total/NA	Water	533	
380-130967-6	FB KAAMILO WELLS	Total/NA	Water	533	

### Analysis Batch: 128889

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-130967-1	HALAWA WELLS P1	Total/NA	Water	533	128822
380-130967-2	KAAMILO WELLS	Total/NA	Water	533	128822
380-130967-5	FB HALAWA WELLS P1	Total/NA	Water	533	128822
380-130967-6	FB KAAMILO WELLS	Total/NA	Water	533	128822

# Lab Chronicle

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Client Sample ID: HALAWA WELLS P1

Lab Sample ID: 380-130967-1

Date Collected: 01/14/25 09:40

Matrix: Water

Date Received: 01/17/25 10:28

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			128822	E9PK	EA POM	01/19/25 07:15
Total/NA	Analysis	533		1	128889	SZ9R	EA POM	01/20/25 02:27

## Client Sample ID: KAAMILO WELLS

Lab Sample ID: 380-130967-2

Date Collected: 01/14/25 10:10

Matrix: Water

Date Received: 01/17/25 10:28

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			128822	E9PK	EA POM	01/19/25 07:15
Total/NA	Analysis	533		1	128889	SZ9R	EA POM	01/20/25 02:37

## Client Sample ID: FB HALAWA WELLS P1

Lab Sample ID: 380-130967-5

Date Collected: 01/14/25 09:40

Matrix: Water

Date Received: 01/17/25 10:28

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			128822	E9PK	EA POM	01/19/25 07:15
Total/NA	Analysis	533		1	128889	SZ9R	EA POM	01/20/25 03:06

## Client Sample ID: FB KAAMILO WELLS

Lab Sample ID: 380-130967-6

Date Collected: 01/14/25 10:10

Matrix: Water

Date Received: 01/17/25 10:28

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			128822	E9PK	EA POM	01/19/25 07:15
Total/NA	Analysis	533		1	128889	SZ9R	EA POM	01/20/25 03:16

### Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

# Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

## Laboratory: Eurofins Eaton Analytical Pomona

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

# Method Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

Method	Method Description	Protocol	Laboratory
533	Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water	EPA	EA POM
533	Extraction of Perfluorinated and Polyfluorinated Alkyl Acids	EPA	EA POM

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100



# Sample Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-130967-1  
SDG: Weekly PFAS

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
380-130967-1	HALAWA WELLS P1	Water	01/14/25 09:40	01/17/25 10:28
380-130967-2	KAAMILO WELLS	Water	01/14/25 10:10	01/17/25 10:28
380-130967-5	FB HALAWA WELLS P1	Water	01/14/25 09:40	01/17/25 10:28
380-130967-6	FB KAAMILO WELLS	Water	01/14/25 10:10	01/17/25 10:28

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17



# Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-130967-1  
SDG Number: Weekly PFAS

**Login Number: 130967**  
**List Number: 1**  
**Creator: Edrosa, Rey**

**List Source: Eurofins Eaton Analytical Pomona**

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

